

AppleScript Terminology and Apple Event Codes

Updated 6/16/06

This table serves two purposes:

1. It lists what Terminology has already been chosen so you can imitate it where appropriate to be consistent with other scriptable applications, as advised by the “Don’t re-invent the wheel” section of the [Scripting Interface Guidelines](#).
2. It shows the matching Codes for each Terminology entry. If you do use a Code or Terminology with Usage of AppleScript Language, Digital Hub OSAX or Standard Additions, you must use the matching Terminology or Code. If you do not, you will cause a terminology conflict.

Code	<u>Terminology</u>	<u>Kind</u>	<u>Usage</u>	Line Number
'\$scr'	scripting additions folder	Property of class: domain	System Events : Disk-Folder-File Suite	1
'%doc'	music folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	2
'μdoc'	music folder	Enumeration	Standard Additions : File Commands	3
'fhlp'	help	Enumeration	Standard Additions : File Commands	4
'fhlp'	help folder	Enumeration	Standard Additions : File Commands	5

'fllib'	shared libraries	Enumeration	Standard Additions : File Commands	6
'fllib'	shared libraries folder	Enumeration	Standard Additions : File Commands	7
'fmod'	modem scripts	Enumeration	Standard Additions : File Commands	8
'fmod'	modem scripts folder	Enumeration	Standard Additions : File Commands	9
'fnet'	internet plugins	Enumeration	Standard Additions : File Commands	10
'fnet'	internet plugins folder	Enumeration	Standard Additions : File Commands	11
'fnet'	plugins	Enumeration	Standard Additions : File Commands	12
'fprd'	printer drivers	Enumeration	Standard Additions : File Commands	13
'fprd'	printer drivers folder	Enumeration	Standard Additions : File Commands	14
'fscr'	scripting additions	Enumeration	Standard Additions : File Commands	15
'fscr'	scripting additions folder	Enumeration	Standard Additions : File Commands	16
'≠'	≠	Command	AppleScript Language	17
'*'	*	Command	AppleScript Language	18

'*****'	anything	Class	AppleScript Language	19
'+'	+	Command	AppleScript Language	20
'-'	-	Command	AppleScript Language	21
'/'	÷	Command	AppleScript Language	22
'<'	<	Command	AppleScript Language	23
'<='	≤	Command	AppleScript Language	24
'='	=	Command	AppleScript Language	25
'>'	>	Command	AppleScript Language	26
'>='	≥	Command	AppleScript Language	27
'^'	^	Command	AppleScript Language	28
'aboB'	above bottom	Enumeration	AppleScript Studio : Container View Suite	29
'aboT'	above top	Enumeration	AppleScript Studio : Container View Suite	30
'abou'	about	Parameter of command: Call•subroutine	AppleScript Language	31
'abve'	above	Parameter of command: Call•subroutine	AppleScript Language	32
'acAK'	accepts arrow keys	Property of class: browser	AppleScript Studio : Data View Suite	33

'acha'	audio channel count	Property of class: track	System Events : QuickTime File Suite	34
'acOD'	accept outline drop	Command	AppleScript Studio : Data View Suite	35
'actC'	action cell	Class	AppleScript Studio : Control View Suite	36
'actC'	action cells	Class	AppleScript Studio : Control View Suite	37
'acTD'	accept table drop	Command	AppleScript Studio : Data View Suite	38
'actM'	action method	Property of class: cell	AppleScript Studio : Control View Suite	39
'actM'	action method	Property of class: control	AppleScript Studio : Control View Suite	40
'actM'	action method	Property of class: menu item	AppleScript Studio : Menu Suite	41
'actM'	action method	Property of class: toolbar item	AppleScript Studio : Application Suite	42
'actT'	action	Class	System Events : Processes Suite	43
'actT'	action	Command	AppleScript Studio : Control View Suite	44
'actT'	actions	Class	System Events : Processes Suite	45
'actU'	active	Property of class: application	AppleScript Studio : Application	46

'actU'	active	Property of class: color well	Suite AppleScript Studio : Control View Suite	47
'actV'	activated	Command	AppleScript Studio : Application Suite	48
'actv'	activate	Command	AppleScript Language	49
'actv'	activate	Command	Finder : Standard Suite	50
'addr'	from address	Parameter of command: handle CGI request	Standard Additions : Internet Suite	51
'aETA'	allows editing text attributes	Property of class: cell	AppleScript Studio : Control View Suite	52
'aETA'	allows editing text attributes	Property of class: text field	AppleScript Studio : Control View Suite	53
'aete'	application dictionary	Class	AppleScript Language	54
'aeut'	system dictionary	Class	AppleScript Language	55
'afp '	afp URL	Enumeration	Standard Additions : Internet Suite	56
'aftC'	afterwards calling	Parameter of command: display	AppleScript Studio : Panel Suite	57
'aftC'	afterwards calling	Parameter of command: display alert	AppleScript Studio : Panel Suite	58
'aftC'	afterwards calling	Parameter of command: display panel	AppleScript Studio : Panel Suite	59

'agcp'	application "AppName"	Enumeration	Standard Additions : File Commands	60
'agcp'	current application	Enumeration	Standard Additions : File Commands	61
'agcp'	it	Enumeration	Standard Additions : File Commands	62
'agcp'	me	Enumeration	Standard Additions : File Commands	63
'Agnt'	from browser	Parameter of command: handle CGI request	Standard Additions : Internet Suite	64
'agst'	against	Parameter of command: Call•subroutine	AppleScript Language	65
'alBS'	allows branch selection	Property of class: browser	AppleScript Studio : Data View Suite	66
'alcp'	all caps	Enumeration	AppleScript Language	67
'alCS'	allows column resizing	Property of class: table view	AppleScript Studio : Data View Suite	68
'alCT'	allows column selection	Property of class: table view	AppleScript Studio : Data View Suite	69
'alCU'	allows column reordering	Property of class: table view	AppleScript Studio : Data View Suite	70
'aleE'	alert ended	Command	AppleScript Studio : Panel Suite	71
'alen'	altering line	Parameter of command: do	Standard Additions :	72

	endings	shell script	Miscellaneous Commands AppleScript	
'aleR'	alert replies	Class	Studio : Panel Suite	73
'aleR'	alert reply	Class	AppleScript Studio : Panel Suite	74
'aleR'	alert reply	Class	Standard Additions : User Interaction	75
'alES'	allows empty selection	Property of class: browser	AppleScript Studio : Data View Suite	76
'alES'	allows empty selection	Property of class: matrix	AppleScript Studio : Control View Suite	77
'alES'	allows empty selection	Property of class: table view	AppleScript Studio : Data View Suite	78
'alia'	alias file	Class	Finder : Files	79
'alia'	alias files	Class	Finder : Files	80
'aliN'	alignment	Property of class: cell	AppleScript Studio : Control View Suite	81
'aliN'	alignment	Property of class: control	AppleScript Studio : Control View Suite	82
'aliN'	alignment	Property of class: text view	AppleScript Studio : Text View Suite	83
'alis'	alias	Class	AppleScript Language	84
'alis'	alias	Class	System Events : Disk-Folder-File Suite	85
'alis'	alias	Property of class: file information	Standard Additions : File	86

'alis'	aliases	Class	Commands AppleScript Language	87
'alis'	aliases	Class	System Events : Disk-Folder-File Suite	88
'alIV'	alternate increment value	Property of class: slider	AppleScript Studio : Control View Suite	89
'allC'	allows customization	Property of class: toolbar	AppleScript Studio : Application Suite	90
'allI'	allowed identifiers	Property of class: toolbar	AppleScript Studio : Application Suite	91
'allR'	allows reordering	Property of class: data source	AppleScript Studio : Data View Suite	92
'allR'	allows reordering	Property of class: table view	AppleScript Studio : Data View Suite	93
'allU'	allows undo	Property of class: text view	AppleScript Studio : Text View Suite	94
'alMS'	allows mixed state	Property of class: button	AppleScript Studio : Control View Suite	95
'alMS'	allows mixed state	Property of class: cell	AppleScript Studio : Control View Suite	96
'alMT'	allows multiple selection	Property of class: browser	AppleScript Studio : Data View Suite	97
'alMT'	allows multiple selection	Property of class: open-panel	AppleScript Studio : Panel	98

'alMT'	allows multiple selection	Property of class: table view	Suite AppleScript Studio : Data View Suite	99
'alpB'	alphabetical	Enumeration	AppleScript Studio : Data View Suite	100
'alpP'	alpha	Property of class: color-panel	AppleScript Studio : Panel Suite	101
'alpV'	alpha value	Property of class: window	AppleScript Studio : Application Suite	102
'alrp'	replacing	Parameter of command: duplicate	Finder : Standard Suite	103
'alrp'	replacing	Parameter of command: move	Finder : Standard Suite	104
'alst'	alias list	Class	Finder : Type Definitions	105
'altB'	alternate button	Parameter of command: display alert	AppleScript Studio : Panel Suite	106
'altI'	alternate image	Property of class: browser cell	AppleScript Studio : Data View Suite	107
'altI'	alternate image	Property of class: button	AppleScript Studio : Control View Suite	108
'altI'	alternate image	Property of class: button cell	AppleScript Studio : Control View Suite	109
'altR'	alternate return	Enumeration	AppleScript Studio : Panel Suite	110
'altT'	alternate title	Property of class: button	AppleScript Studio : Control	111

'altT'	alternate title	Property of class: button cell	View Suite AppleScript Studio : Control View Suite	112
'alvl'	alert volume	Parameter of command: set volume	Standard Additions : Miscellaneous Commands	113
'alvl'	alert volume	Property of class: volume settings	Standard Additions : Miscellaneous Commands	114
'amnu'	apple menu	Enumeration	Standard Additions : File Commands	115
'amnu'	apple menu folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	116
'amnu'	apple menu items	Enumeration	Standard Additions : File Commands	117
'amnu'	apple menu items folder	Enumeration	Standard Additions : File Commands	118
'AND '	and	Command	AppleScript Language	119
'aniD'	animation delay	Property of class: progress indicator	AppleScript Studio : Control View Suite	120
'aniM'	animate	Command	AppleScript Studio : Control View Suite	121
'anno'	annotation	Class	System Events : QuickTime File Suite	122
'anot'	full text	Property of class: annotation	System Events : QuickTime File Suite	123

'apDT'	appkit defined type	Enumeration	AppleScript Studio : Application Suite	124
'apDU'	application defined type	Enumeration	AppleScript Studio : Application Suite	125
'apnl'	Application panel	Enumeration	Finder : Enumerations	126
'appf'	application file	Class	Finder : Files	127
'appf'	application file	Property of class: application process	Finder : Legacy suite	128
'appf'	application file	Property of class: application process	System Events : Processes Suite	129
'appf'	application files	Class	Finder : Files	130
'appP'	append	Command	AppleScript Studio : Data View Suite	131
'appr'	with title	Parameter of command: choose application	Standard Additions : User Interaction	132
'appr'	with title	Parameter of command: choose from list	Standard Additions : User Interaction	133
'appr'	with title	Parameter of command: choose remote application	Standard Additions : User Interaction	134
'appr'	with title	Parameter of command: display dialog	Standard Additions : User Interaction	135
'apps'	applications folder	Enumeration	Standard Additions : File Commands	136

'apps'	applications folder	Property of class: application	System Events : System Events Suite	137
'apps'	applications folder	Property of class: domain	System Events : Disk-Folder-File Suite	138
'apps'	At Ease applications	Enumeration	Standard Additions : File Commands	139
'apps'	At Ease applications folder	Enumeration	Standard Additions : File Commands	140
'appt'	preferred size	Property of class: application file	Finder : Files	141
'appt'	total partition size	Property of class: process	Finder : Legacy suite	142
'appt'	total partition size	Property of class: process	System Events : Processes Suite	143
'apr '	April	Class	AppleScript Language	144
'apre'	auto present	Property of class: QuickTime data	System Events : QuickTime File Suite	145
'aprt'	apart from	Parameter of command: Call•subroutine	AppleScript Language	146
'aqui'	auto quit when done	Property of class: QuickTime data	System Events : QuickTime File Suite	147
'aRAC'	auto resizes all columns to fit	Property of class: table view	AppleScript Studio : Data View Suite	148
'arnd'	around	Parameter of command: Call•subroutine	AppleScript Language	149
'aROC'	auto resizes outline column	Property of class: outline view	AppleScript Studio : Data	150

'as A'	as	Parameter of command: display alert	View Suite AppleScript Studio : Panel Suite	151
'as A'	as	Parameter of command: display alert	Standard Additions : User Interaction	152
'as '	as	Parameter of command: read	Standard Additions : File Read/Write	153
'as '	as	Parameter of command: write	Standard Additions : File Read/Write	154
'ascd'	creation date	Enumeration	Finder : Enumerations	155
'ascd'	creation date	Property of class: disk item	System Events : Disk-Folder-File Suite	156
'ascd'	creation date	Property of class: file information	Standard Additions : File Commands	157
'ascd'	creation date	Property of class: item	Finder : Finder items	158
'ascN'	ascending	Enumeration	AppleScript Studio : Data View Suite	159
'ascr'	AppleScript	Property of class: application	AppleScript Language	160
'asct'	file creator	Property of class: file information	Standard Additions : File Commands	161
'asda'	default application	Property of class: file information	Standard Additions : File Commands	162
'asdf'	aside from	Parameter of command: Call•subroutine	AppleScript Language	163
		Property of class:	Standard	

'asdr'	folder	file information	Additions : File Commands	164
'aSEI'	auto save expanded items	Property of class: outline view	AppleScript Studio : Data View Suite	165
'asfe'	file information	Class	Standard Additions : File Commands	166
'asFN'	associated file name	Property of class: window	AppleScript Studio : Application Suite	167
'asfw'	folder window	Property of class: file information	Standard Additions : File Commands	168
'asip'	icon position	Property of class: file information	Standard Additions : File Commands	169
'ask '	ask	Enumeration	AppleScript Language	170
'ask '	ask	Enumeration	Cocoa Scripting : Standard Suite	171
'ask '	ask	Enumeration	Standard Additions : Scripting Commands	172
'askr'	dialog replies	Class	AppleScript Studio : Panel Suite	173
'askr'	dialog reply	Class	AppleScript Studio : Panel Suite	174
'askr'	dialog reply	Class	Standard Additions : User Interaction	175
'aslk'	locked	Property of class: file information	Standard Additions : File Commands	176

'aslk'	locked	Property of class: item	Finder : Finder items	177
'aslv'	long version	Property of class: file information	Standard Additions : File Commands	178
'asmo'	modification date	Enumeration	Finder : Enumerations	179
'asmo'	modification date	Property of class: disk item	System Events : Disk-Folder-File Suite	180
'asmo'	modification date	Property of class: file information	Standard Additions : File Commands	181
'asmo'	modification date	Property of class: item	Finder : Finder items	182
'asra'	audio sample rate	Property of class: track	System Events : QuickTime File Suite	183
'assO'	associated object	Property of class: cell	AppleScript Studio : Control View Suite	184
'assO'	associated object	Property of class: data row	AppleScript Studio : Data View Suite	185
'assO'	associated object	Property of class: menu item	AppleScript Studio : Menu Suite	186
'assv'	short version	Property of class: file information	Standard Additions : File Commands	187
'assz'	audio sample size	Property of class: track	System Events : QuickTime File Suite	188
'aSTC'	auto save table columns	Property of class: table view	AppleScript Studio : Data View Suite System Events :	189

'asty'	file type	Property of class: alias	Disk-Folder-File Suite	190
'asty'	file type	Property of class: document	AppleScript Studio : Document Suite	191
'asty'	file type	Property of class: file	Finder : Files	192
'asty'	file type	Property of class: file	System Events : Disk-Folder-File Suite	193
'asty'	file type	Property of class: file information	Standard Additions : File Commands	194
'asty'	file type	Property of class: process	Finder : Legacy suite	195
'asty'	file type	Property of class: process	System Events : Processes Suite	196
'asup'	application support	Enumeration	Standard Additions : File Commands	197
'asup'	application support folder	Enumeration	Standard Additions : File Commands	198
'at B'	at bottom	Enumeration	AppleScript Studio : Container View Suite	199
'at I'	at index	Parameter of command: select	AppleScript Studio : Application Suite	200
'at T'	at top	Enumeration	AppleScript Studio : Container View Suite	201
'at '	AppleTalk URL	Enumeration	Standard Additions : Internet Suite	202

'at '	at	Parameter of command: Call•subroutine	AppleScript Language	203
'atfa'	attach action to	Command	System Events : Folder Actions Suite	204
'atfn'	file name	Property of class: attachment	Cocoa Scripting : Text Suite	205
'atfn'	file name	Property of class: document	AppleScript Studio : Document Suite	206
'attr'	attribute	Class	System Events : Processes Suite	207
'attr'	attributes	Class	System Events : Processes Suite	208
'atts'	attachment	Class	Cocoa Scripting : Text Suite	209
'attT'	attached to	Parameter of command: display	AppleScript Studio : Panel Suite	210
'attT'	attached to	Parameter of command: display alert	AppleScript Studio : Panel Suite	211
'attT'	attached to	Parameter of command: display dialog	AppleScript Studio : Panel Suite	212
'attT'	attached to	Parameter of command: display panel	AppleScript Studio : Panel Suite	213
'aucd'	music CD appeared	Command	Digital Hub OSAX : Digital Hub Actions	214
'audd'	audio data	Class	System Events : Audio File Suite	215
'audf'	audio file	Class	System Events : Audio File Suite	216
'audf'	audio files		System Events :	

		Class	Audio File Suite	217
'audi'	audio characteristic	Property of class: track	System Events : QuickTime File Suite	218
'auEI'	auto enables items	Property of class: menu	AppleScript Studio : Menu Suite	219
'auEI'	auto enables items	Property of class: popup button	AppleScript Studio : Control View Suite	220
'aug'	August	Class	AppleScript Language	221
'auSC'	auto saves configuration	Property of class: toolbar	AppleScript Studio : Application Suite	222
'auSC'	auto sizes cells	Property of class: matrix	AppleScript Studio : Control View Suite	223
'auSN'	auto save name	Property of class: table view	AppleScript Studio : Data View Suite	224
'autC'	auto completes	Property of class: combo box	AppleScript Studio : Control View Suite	225
'autD'	auto display	Property of class: window	AppleScript Studio : Application Suite	226
'autp'	auto play	Property of class: QuickTime data	System Events : QuickTime File Suite	227
'autR'	auto repeat	Property of class: stepper	AppleScript Studio : Control View Suite	228
'autS'	auto resizes	Property of class: view	AppleScript Studio : Container View	229

'autT'	auto scroll	Property of class: matrix	Suite AppleScript Studio : Control View Suite	230
'awFN'	awake from nib	Command	AppleScript Studio : Application Suite	231
'bacC'	background color	Property of class: clip view	AppleScript Studio : Container View Suite	232
'bacC'	background color	Property of class: matrix	AppleScript Studio : Control View Suite	233
'bacC'	background color	Property of class: scroll view	AppleScript Studio : Container View Suite	234
'bacC'	background color	Property of class: table view	AppleScript Studio : Data View Suite	235
'bacC'	background color	Property of class: text field	AppleScript Studio : Control View Suite	236
'bacC'	background color	Property of class: text field cell	AppleScript Studio : Control View Suite	237
'bacC'	background color	Property of class: text view	AppleScript Studio : Text View Suite	238
'bacC'	background color	Property of class: window	AppleScript Studio : Application Suite	239
'bacG'	background	Enumeration	AppleScript Studio : Container View	240

'badm'	administrator privileges	Parameter of command: do shell script	Suite Standard Additions : Miscellaneous Commands	241
'bcd '	blank CD appeared	Command	Digital Hub OSAX : Digital Hub Actions	242
'bdvd'	blank DVD appeared	Command	Digital Hub OSAX : Digital Hub Actions	243
'becK'	became key	Command	AppleScript Studio : Application Suite	244
'becM'	became main	Command	AppleScript Studio : Application Suite	245
'beep'	beep	Command	Standard Additions : User Interaction	246
'begE'	begin editing	Command	AppleScript Studio : Control View Suite	247
'begi'	begin transaction	Command	System Events : System Events Suite	248
'begN'	beginning frame	Enumeration	AppleScript Studio : Control View Suite	249
'behH'	behind	Parameter of command: show	AppleScript Studio : Application Suite	250
'belB'	below bottom	Enumeration	AppleScript Studio : Container View Suite	251

'belT'	below top	Enumeration	AppleScript Studio : Container View Suite	252
'belw'	below	Parameter of command: Call•subroutine	AppleScript Language	253
'bezB'	bezel border	Enumeration	AppleScript Studio : Container View Suite	254
'bezE'	bezeled	Property of class: cell	AppleScript Studio : Control View Suite	255
'bezE'	bezeled	Property of class: progress indicator	AppleScript Studio : Control View Suite	256
'bezE'	bezeled	Property of class: text field	AppleScript Studio : Control View Suite	257
'bezS'	bezel style	Property of class: button	AppleScript Studio : Control View Suite	258
'bezS'	bezel style	Property of class: button cell	AppleScript Studio : Control View Suite	259
'bgwt'	starts with	Command	AppleScript Language	260
'bhit'	button returned	Property of class: alert reply	AppleScript Studio : Panel Suite	261
'bhit'	button returned	Property of class: alert reply	Standard Additions : User Interaction	262
'bhit'	button returned	Property of class: dialog reply	AppleScript Studio : Panel Suite Standard	263

'bhit'	button returned	Property of class: dialog reply	Additions : User Interaction	264
'bkgo'	background only	Property of class: process	System Events : Processes Suite	265
'bluT'	blue tint	Enumeration	AppleScript Studio : Container View Suite	266
'bluT'	blue tint	Enumeration	AppleScript Studio : Control View Suite	267
'bluT'	blue tint	Enumeration	AppleScript Studio : Data View Suite	268
'bnid'	bundle identifier	Property of class: file information	Standard Additions : File Commands	269
'bnth'	beneath	Parameter of command: Call•subroutine	AppleScript Language	270
'boLA'	bottom left alignment	Enumeration	AppleScript Studio : Control View Suite	271
'bold'	bold	Enumeration	AppleScript Language	272
'bool'	boolean	Class	AppleScript Language	273
'bool'	boolean	Enumeration	Standard Additions : File Read/Write	274
'bool'	booleans	Class	AppleScript Language	275
'boot'	startup disk	Enumeration	Standard Additions : File Commands	276
'boRA'	bottom right alignment	Enumeration	AppleScript Studio : Control View Suite	277

'borD'	bordered	Property of class: button	AppleScript Studio : Control View Suite	278
'borD'	bordered	Property of class: cell	AppleScript Studio : Control View Suite	279
'borD'	bordered	Property of class: color well	AppleScript Studio : Control View Suite	280
'borD'	bordered	Property of class: text field	AppleScript Studio : Control View Suite	281
'borR'	border rect	Property of class: box	AppleScript Studio : Container View Suite	282
'borT'	border type	Property of class: box	AppleScript Studio : Container View Suite	283
'borT'	border type	Property of class: scroll view	AppleScript Studio : Container View Suite	284
'botA'	bottom alignment	Enumeration	AppleScript Studio : Control View Suite	285
'botE'	bottom edge	Enumeration	AppleScript Studio : Container View Suite	286
'botE'	bottom edge	Enumeration	AppleScript Studio : Control View Suite	287
'botT'	bottom	Enumeration	AppleScript Studio : Control View Suite AppleScript	288

'bouC'	bounds changed	Command	Studio : Container View Suite	289
'bouR'	bounds rotation	Property of class: view	AppleScript Studio : Container View Suite	290
'boxO'	box	Class	AppleScript Studio : Container View Suite	291
'boxO'	boxes	Class	AppleScript Studio : Container View Suite	292
'boxT'	box type	Property of class: box	AppleScript Studio : Container View Suite	293
'broC'	browser cell	Class	AppleScript Studio : Data View Suite	294
'broC'	browser cell	Parameter of command: will display browser cell	AppleScript Studio : Data View Suite	295
'broC'	browser cells	Class	AppleScript Studio : Data View Suite	296
'broW'	browser	Class	AppleScript Studio : Data View Suite	297
'broW'	browser	Class	System Events : Processes Suite	298
'broW'	browsers	Class	AppleScript Studio : Data View Suite	299

'broW'	browsers	Class	System Events : Processes Suite	300
'brow'	Finder window	Class	Finder : Window classes	301
'brow'	Finder windows	Class	Finder : Window classes	302
'bsid'	beside	Parameter of command: Call•subroutine	AppleScript Language	303
'bTBB'	bottom tabs bezel border	Enumeration	AppleScript Studio : Container View Suite	304
'btns'	buttons	Parameter of command: display alert	Standard Additions : User Interaction	305
'btns'	buttons	Parameter of command: display dialog	AppleScript Studio : Panel Suite	306
'btns'	buttons	Parameter of command: display dialog	Standard Additions : User Interaction	307
'btwn'	between	Parameter of command: Call•subroutine	AppleScript Language	308
'bunN'	bundle	Class	AppleScript Studio : Application Suite	309
'bunN'	bundles	Class	AppleScript Studio : Application Suite	310
'busi'	busy indicator	Class	System Events : Processes Suite	311
'busi'	busy indicators	Class	System Events : Processes Suite	312
'busy'	busy status	Property of class:	System Events :	

		disk item	Disk-Folder-File Suite	313
'butC'	button cell	Class	AppleScript Studio : Control View Suite	314
'butC'	button cells	Class	AppleScript Studio : Control View Suite	315
'butF'	button frame	Enumeration	AppleScript Studio : Control View Suite	316
'butT'	button	Class	AppleScript Studio : Control View Suite	317
'butT'	button	Class	System Events : Processes Suite	318
'butT'	buttons	Class	AppleScript Studio : Control View Suite	319
'butT'	buttons	Class	System Events : Processes Suite	320
'butU'	button type	Property of class: button	AppleScript Studio : Control View Suite	321
'butU'	button type	Property of class: button cell	AppleScript Studio : Control View Suite	322
'by B'	by	Parameter of command: increment	AppleScript Studio : Control View Suite	323
'by '	by	Parameter of command: Call•subroutine	AppleScript Language	324
'by '	by	Parameter of command: clean up	Finder : Finder items	325
'by '	by	Parameter of command: sort	Finder : Finder Basics	326

'bzst'	busy status	Property of class: file information	Standard Additions : File Commands	327
'caCD'	can choose directories	Property of class: open-panel	AppleScript Studio : Panel Suite	328
'caCF'	can choose files	Property of class: open-panel	AppleScript Studio : Panel Suite	329
'calM'	call method	Command	AppleScript Studio : Application Suite	330
'canD'	can draw	Property of class: view	AppleScript Studio : Container View Suite	331
'canH'	can hide	Property of class: window	AppleScript Studio : Application Suite	332
'capa'	capacity	Property of class: disk	Finder : Containers and folders	333
'capa'	capacity	Property of class: disk	System Events : Disk-Folder-File Suite	334
'capp'	app	Class	AppleScript Language	335
'capp'	application	Class	AppleScript Language	336
'capp'	application	Class	AppleScript Studio : Application Suite	337
'capp'	application	Class	Cocoa Scripting : Standard Suite	338
'capp'	application	Class	Finder : Finder	339

'capp'	application	Class	Basics Finder : Legacy suite	340
'capp'	application	Class	System Events : System Events Suite	341
'capp'	applications	Class	AppleScript Language	342
'capp'	applications	Class	AppleScript Studio : Application Suite	343
'capp'	applications	Class	Cocoa Scripting : Standard Suite	344
'capp'	applications	Class	System Events : System Events Suite	345
'case'	case	Enumeration	AppleScript Language	346
'case'	upper case	Class	AppleScript Language	347
'casI'	case insensitive	Enumeration	AppleScript Studio : Data View Suite	348
'casS'	case sensitive	Enumeration	AppleScript Studio : Data View Suite	349
'catr'	attribute run	Class	Cocoa Scripting : Text Suite	350
'catr'	attribute runs	Class	Cocoa Scripting : Text Suite	351
'cbtn'	cancel button	Parameter of command: display alert	Standard Additions : User Interaction	352
'cbtn'	cancel button	Parameter of command: display dialog	Standard Additions : User Interaction AppleScript	353

'ccat'	&	Command	Language	354
'ccmp'	computer-object	Class	Finder : Containers and folders	355
'ccmt'	cubic centimeters	Class	AppleScript Language	356
'ccmt'	cubic centimetres	Class	AppleScript Language	357
'ccol'	column	Class	System Events : Processes Suite	358
'ccol'	column	Parameter of command: path for	AppleScript Studio : Application Suite	359
'ccol'	columns	Class	System Events : Processes Suite	360
'cdis'	disk	Class	Finder : Containers and folders	361
'cdis'	disk	Class	System Events : Disk-Folder-File Suite	362
'cdis'	disk	Property of class: item	Finder : Finder items	363
'cdis'	disks	Class	Finder : Containers and folders	364
'cdis'	disks	Class	System Events : Disk-Folder-File Suite	365
'cdsk'	desktop-object	Class	Finder : Containers and folders	366
'cdta'	arranged by creation date	Enumeration	Finder : Enumerations	367
'ceBC'	cell background color	Property of class: matrix	AppleScript Studio : Control	368

'celE'	cell	Class	View Suite AppleScript Studio : Control View Suite	369
'celE'	cell	Parameter of command: will display cell	AppleScript Studio : Data View Suite	370
'celE'	cell	Parameter of command: will display item cell	AppleScript Studio : Data View Suite	371
'celE'	cell	Parameter of command: will display outline cell	AppleScript Studio : Data View Suite	372
'celE'	cell	Property of class: control	AppleScript Studio : Control View Suite	373
'celE'	cells	Class	AppleScript Studio : Control View Suite	374
'celP'	cell prototype	Property of class: browser	AppleScript Studio : Data View Suite	375
'celS'	cell size	Property of class: cell	AppleScript Studio : Control View Suite	376
'celS'	cell size	Property of class: matrix	AppleScript Studio : Control View Suite	377
'celT'	cell type	Property of class: cell	AppleScript Studio : Control View Suite	378
'celV'	cell value	Command	AppleScript Studio : Data View Suite	379
'cenA'	center alignment	Enumeration	AppleScript Studio : Control View Suite	380

'cent'	center	Command	AppleScript Studio : Application Suite	381
'cent'	center	Enumeration	AppleScript Language	382
'ceTA'	center text alignment	Enumeration	AppleScript Studio : Control View Suite	383
'ceTA'	center text alignment	Enumeration	AppleScript Studio : Data View Suite	384
'ceTA'	center text alignment	Enumeration	AppleScript Studio : Text View Suite	385
'ceVC'	cell value changed	Command	AppleScript Studio : Data View Suite	386
'cfbn'	short name	Property of class: file information	Standard Additions : File Commands	387
'cfet'	cubic feet	Class	AppleScript Language	388
'cflo'	text flow	Class	AppleScript Language	389
'cflo'	text flows	Class	AppleScript Language	390
'cfol'	folder	Class	Finder : Containers and folders	391
'cfol'	folder	Class	System Events : Disk-Folder-File Suite	392
'cfol'	folders	Class	Finder : Containers and folders System Events :	393

'cfol'	folders	Class	Disk-Folder-File Suite	394
'cha '	character	Class	AppleScript Language	395
'cha '	character	Class	Cocoa Scripting : Text Suite	396
'cha '	characters	Class	AppleScript Language	397
'cha '	characters	Class	Cocoa Scripting : Text Suite	398
'cha '	characters	Property of class: event	AppleScript Studio : Application Suite	399
'chaN'	changed	Command	AppleScript Studio : Control View Suite	400
'chbx'	checkbox	Class	System Events : Processes Suite	401
'chbx'	checkboxes	Class	System Events : Processes Suite	402
'chcl'	choose color	Command	Standard Additions : User Interaction	403
'chCV'	change cell value	Command	AppleScript Studio : Data View Suite	404
'chiI'	child index	Parameter of command: accept outline drop	AppleScript Studio : Data View Suite	405
'chiI'	child index	Parameter of command: prepare outline drop	AppleScript Studio : Data View Suite	406
'chiL'	child	Parameter of command: child of item	AppleScript Studio : Data View Suite	407
'chIV'	change item	Command	AppleScript Studio : Data	408

	value		View Suite	
'chlt'	choose from list	Command	Standard Additions : User Interaction	409
'chMI'	choose menu item	Command	AppleScript Studio : Menu Suite	410
'chOI'	child of item	Command	AppleScript Studio : Data View Suite	411
'chra'	choose remote application	Command	Standard Additions : User Interaction	412
'chur'	choose URL	Command	Standard Additions : User Interaction	413
'cinl'	Content Index panel	Enumeration	Finder : Enumerations	414
'cins'	insertion point	Class	AppleScript Language	415
'cins'	insertion points	Class	AppleScript Language	416
'cirB'	circular bezel	Enumeration	AppleScript Studio : Control View Suite	417
'citl'	writing code info	Class	AppleScript Language	418
'citl'	writing code infos	Class	AppleScript Language	419
'citm'	text item	Class	AppleScript Language	420
'citm'	text items	Class	AppleScript Language	421
'clbl'	label	Class	Finder : Type Definitions AppleScript	422

'clCS'	AppleScript coordinate system	Enumeration	Studio : Application Suite	423
'clDC'	clicked data column	Property of class: table view	AppleScript Studio : Data View Suite	424
'clDI'	clicked data item	Property of class: outline view	AppleScript Studio : Data View Suite	425
'clDR'	clicked data row	Property of class: table view	AppleScript Studio : Data View Suite	426
'cleT'	clear tint	Enumeration	AppleScript Studio : Container View Suite	427
'cleT'	clear tint	Enumeration	AppleScript Studio : Control View Suite	428
'cleT'	clear tint	Enumeration	AppleScript Studio : Data View Suite	429
'cliC'	click count	Property of class: event	AppleScript Studio : Application Suite	430
'click'	click	Command	System Events : Processes Suite	431
'cliD'	clicked column	Property of class: table view	AppleScript Studio : Data View Suite	432
'cliI'	clicked	Command	AppleScript Studio : Control View Suite	433
'clin'	line	Class	AppleScript Language	434
'clin'	lines	Class	AppleScript Language	435

'cliR'	clicked row	Property of class: table view	AppleScript Studio : Data View Suite	436
'cliV'	clip view	Class	AppleScript Studio : Container View Suite	437
'cliV'	clip views	Class	AppleScript Studio : Container View Suite	438
'cloD'	close drawer	Command	AppleScript Studio : Container View Suite	439
'clon'	duplicate	Command	AppleScript Language	440
'clon'	duplicate	Command	Cocoa Scripting : Standard Suite	441
'clon'	duplicate	Command	Finder : Standard Suite	442
'cloO'	closed	Command	AppleScript Studio : Application Suite	443
'cloP'	close panel	Command	AppleScript Studio : Panel Suite	444
'clos'	close	Command	AppleScript Language	445
'clos'	close	Command	Cocoa Scripting : Standard Suite	446
'clos'	close	Command	Finder : Standard Suite	447
'clos'	close access	Command	Standard Additions : File Read/Write	448
'clpf'	clipping	Class	Finder : Files	449

'clpf'	clippings	Class	Finder : Files	450
'clrt'	color table	Class	AppleScript Language	451
'clsc'	opens in Classic	Property of class: application file	Finder : Files	452
'clsc'	Classic	Property of class: process	System Events : Processes Suite	453
'clTI'	clicked toolbar item	Command	AppleScript Studio : Application Suite	454
'clvw'	column view	Enumeration	Finder : Enumerations	455
'clwd'	width	Property of class: column	Finder : Type Definitions	456
'clwm'	maximum width	Property of class: column	Finder : Type Definitions	457
'clwn'	minimum width	Property of class: column	Finder : Type Definitions	458
'cmen'	menu item	Class	AppleScript Language	459
'cmet'	cubic meters	Class	AppleScript Language	460
'cmet'	cubic metres	Class	AppleScript Language	461
'cmnt'	log	Command	AppleScript Language	462
'cmnt'	log	Command	AppleScript Studio : Application Suite	463
'cmnu'	menu	Class	AppleScript Language	464
'cmtr'	centimeters	Class	AppleScript Language	465
'cmtr'	centimetres	Class	AppleScript	466

'cmyM'	cmyk mode	Enumeration	Language AppleScript Studio : Panel Suite	467
'cnbt'	cancel button name	Parameter of command: choose from list	Standard Additions : User Interaction	468
'cncl'	cancel	Deprecated terminology	System Events : Hidden Suite	469
'cnfm'	confirm	Deprecated terminology	System Events : Hidden Suite	470
'cnte'	count	Command	AppleScript Language	471
'cnte'	count	Command	Cocoa Scripting : Standard Suite	472
'cnte'	count	Command	Finder : Standard Suite	473
'co-P'	color-panel	Class	AppleScript Studio : Panel Suite	474
'co-P'	color-panels	Class	AppleScript Studio : Panel Suite	475
'coBI'	combo box item	Class	AppleScript Studio : Control View Suite	476
'coBI'	combo box items	Class	AppleScript Studio : Control View Suite	477
'cobj'	item	Class	AppleScript Language	478
'cobj'	item	Class	AppleScript Studio : Application Suite	479
'cobj'	item	Class	Cocoa Scripting : Standard Suite Finder : Finder	480

'cobj'	item	Class	items	481
'cobj'	item	Class	System Events : Disk-Folder-File Suite	482
'cobj'	item	Property of class: information window	Finder : Window classes	483
'cobj'	items	Class	AppleScript Language	484
'cobj'	items	Class	Cocoa Scripting : Standard Suite	485
'cobj'	items	Class	Finder : Finder items	486
'cobj'	items	Class	System Events : Disk-Folder-File Suite	487
'coCS'	Cocoa coordinate system	Enumeration	AppleScript Studio : Application Suite	488
'coDO'	copy drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	489
'coer'	as	Command	AppleScript Language	490
'coKD'	command key down	Property of class: event	AppleScript Studio : Application Suite	491
'coKE'	control key down	Property of class: event	AppleScript Studio : Application Suite	492
'colC'	column clicked	Command	AppleScript Studio : Data View Suite	493
'colM'	color mode	Property of class:	AppleScript Studio : Panel	494

		color-panel	Suite	
'colN'	color list mode	Enumeration	AppleScript Studio : Panel Suite	495
'colP'	color panel	Property of class: application	AppleScript Studio : Application Suite	496
'colR'	column resized	Command	AppleScript Studio : Data View Suite	497
'colr'	background color	Property of class: icon view options	Finder : Type Definitions	498
'colr'	color	Class	Cocoa Scripting : Standard Suite	499
'colr'	color	Property of class: attribute run	Cocoa Scripting : Text Suite	500
'colr'	color	Property of class: character	Cocoa Scripting : Text Suite	501
'colr'	color	Property of class: color well	AppleScript Studio : Control View Suite	502
'colr'	color	Property of class: color-panel	AppleScript Studio : Panel Suite	503
'colr'	color	Property of class: label	Finder : Type Definitions	504
'colr'	color	Property of class: paragraph	Cocoa Scripting : Text Suite	505
'colr'	color	Property of class: tab view item	AppleScript Studio : Container View Suite	506
'colr'	color	Property of class: text	AppleScript Language	507
'colr'	color	Property of class:	Cocoa Scripting	508

'colr'	color	Property of class: text word	: Text Suite Cocoa Scripting : Text Suite	509
'colr'	colors	Class	Cocoa Scripting : Standard Suite	510
'colV'	column moved	Command	AppleScript Studio : Data View Suite	511
'colW'	color well	Class	AppleScript Studio : Control View Suite	512
'colW'	color well	Class	System Events : Processes Suite	513
'colW'	color wells	Class	AppleScript Studio : Control View Suite	514
'colW'	color wells	Class	System Events : Processes Suite	515
'comB'	combo box	Class	AppleScript Studio : Control View Suite	516
'comB'	combo box	Class	System Events : Processes Suite	517
'comB'	combo boxes	Class	AppleScript Studio : Control View Suite	518
'comB'	combo boxes	Class	System Events : Processes Suite	519
'comp'	double integer	Class	AppleScript Language	520
'comt'	comment	Enumeration	Finder : Enumerations	521
'comt'	comment	Property of class: item	Finder : Finder items	522
'conB'	controller visible	Property of class: movie view	AppleScript Studio : Control View Suite	523

'conD'	conclude drop	Command	AppleScript Studio : Drag and Drop Suite	524
'cond'	condensed	Enumeration	AppleScript Language	525
'conF'	configuration	Property of class: toolbar	AppleScript Studio : Application Suite	526
'conI'	continuous	Property of class: cell	AppleScript Studio : Control View Suite	527
'conI'	continuous	Property of class: color-panel	AppleScript Studio : Panel Suite	528
'conI'	continuous	Property of class: control	AppleScript Studio : Control View Suite	529
'conQ'	returns records	Property of class: data source	AppleScript Studio : Data View Suite	530
'conR'	content rect	Property of class: tab view	AppleScript Studio : Container View Suite	531
'conS'	content size	Property of class: drawer	AppleScript Studio : Container View Suite	532
'conS'	content size	Property of class: scroll view	AppleScript Studio : Container View Suite	533
'conT'	content	Property of class: cell	AppleScript Studio : Control View Suite	534
'conT'	content	Property of class: control	AppleScript Studio : Control View Suite	535

'conT'	content	Property of class: data cell	AppleScript Studio : Data View Suite	536
'conT'	content	Property of class: data row	AppleScript Studio : Data View Suite	537
'conT'	content	Property of class: data source	AppleScript Studio : Data View Suite	538
'conT'	content	Property of class: default entry	AppleScript Studio : Application Suite	539
'conT'	content	Property of class: pasteboard	AppleScript Studio : Application Suite	540
'conT'	content	Property of class: progress indicator	AppleScript Studio : Control View Suite	541
'conT'	content	Property of class: table view	AppleScript Studio : Data View Suite	542
'conT'	content	Property of class: text view	AppleScript Studio : Text View Suite	543
'cont'	contains	Command	AppleScript Language	544
'conU'	context	Property of class: event	AppleScript Studio : Application Suite	545
'conV'	content view	Property of class: box	AppleScript Studio : Container View Suite	546
'conV'	content view	Property of class:	AppleScript Studio :	547

		clip view	Container View Suite AppleScript	
'conV'	content view	Property of class: drawer	Studio : Container View Suite	548
'conV'	content view	Property of class: scroll view	AppleScript Studio : Container View Suite	549
'conV'	content view	Property of class: window	AppleScript Studio : Application Suite	550
'conW'	control	Class	AppleScript Studio : Control View Suite	551
'conW'	controls	Class	AppleScript Studio : Control View Suite	552
'conX'	control size	Property of class: cell	AppleScript Studio : Control View Suite	553
'conX'	control size	Property of class: progress indicator	AppleScript Studio : Control View Suite	554
'conX'	control size	Property of class: tab view	AppleScript Studio : Container View Suite	555
'conY'	control tint	Property of class: cell	AppleScript Studio : Control View Suite	556
'conY'	control tint	Property of class: progress indicator	AppleScript Studio : Control View Suite	557
'conY'	control tint	Property of class: tab view	AppleScript Studio : Container View	558

			Suite	
'conZ'	control view	Property of class: cell	AppleScript Studio : Control View Suite	559
'cooS'	copies on scroll	Property of class: clip view	AppleScript Studio : Container View Suite	560
'cooS'	coordinate system	Property of class: application	AppleScript Studio : Application Suite	561
'copy'	copy	Command	Finder : Finder Basics	562
'corV'	corner view	Property of class: table view	AppleScript Studio : Data View Suite	563
'coVM'	content view margins	Property of class: box	AppleScript Studio : Container View Suite	564
'coWM'	color wheel mode	Enumeration	AppleScript Studio : Panel Suite	565
'cpar'	paragraph	Class	AppleScript Language	566
'cpar'	paragraph	Class	Cocoa Scripting : Text Suite	567
'cpar'	paragraphs	Class	AppleScript Language	568
'cpar'	paragraphs	Class	Cocoa Scripting : Text Suite	569
'cpkg'	file package	Class	System Events : Disk-Folder-File Suite	570
'cpkg'	file packages	Class	System Events : Disk-Folder-File	571

'cpls'	scripting components	Command	Suite Standard Additions : Scripting Commands	572
'cpnl'	Comments panel	Enumeration	Finder : Enumerations	573
'cprf'	preferences	Class	Finder : Type Definitions	574
'crel'	make	Command	AppleScript Language	575
'crel'	make	Command	Cocoa Scripting : Standard Suite	576
'crel'	make	Command	Finder : Standard Suite	577
'crfl'	folder creation	Parameter of command: path to	Standard Additions : File Commands	578
'cRGB'	RGB color	Class	AppleScript Language	579
'cRGB'	RGB colors	Class	AppleScript Language	580
'criT'	critical	Enumeration	AppleScript Studio : Panel Suite	581
'criT'	critical	Enumeration	Standard Additions : User Interaction	582
'crow'	row	Class	System Events : Processes Suite	583
'crow'	rows	Class	System Events : Processes Suite	584
'csel'	selection- object	Class	AppleScript Language	585
'cstr'	C string	Class	AppleScript Language	586

'cstr'	C strings	Class	AppleScript Language Finder :	587
'ctnr'	container	Class	Containers and folders	588
'ctnr'	container	Property of class: disk item	System Events : Disk-Folder-File Suite	589
'ctnr'	container	Property of class: item	Finder : Finder items	590
'ctnr'	containers	Class	Finder : Containers and folders	591
'cton'	ASCII number	Command	Standard Additions : String Commands	592
'ctrl'	control panels	Enumeration	Standard Additions : File Commands	593
'ctrl'	control panels folder	Enumeration	Standard Additions : File Commands	594
'ctrl'	control panels folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	595
'ctrs'	trash-object	Class	Finder : Containers and folders	596
'cTVI'	current tab view item	Property of class: tab view	AppleScript Studio : Container View Suite	597
'ctxt'	text	Class	AppleScript Language	598
'ctxt'	text	Class	Cocoa Scripting : Text Suite	599
'ctxt'	text	Property of class:	System Events :	600

'ctyp'	of content type	XML data Parameter of command: handle CGI request	XML Suite Standard Additions : Internet Suite	601
'cuFE'	current field editor	Property of class: window	AppleScript Studio : Application Suite	602
'cuin'	cubic inches	Class	AppleScript Language	603
'cuMI'	current menu item	Property of class: popup button	AppleScript Studio : Control View Suite	604
'cuPM'	custom palette mode	Enumeration	AppleScript Studio : Panel Suite	605
'cura'	current application	Enumeration	AppleScript Language	606
'curC'	current cell	Property of class: control	AppleScript Studio : Control View Suite	607
'curC'	current cell	Property of class: matrix	AppleScript Studio : Control View Suite	608
'curD'	current column	Property of class: matrix	AppleScript Studio : Control View Suite	609
'curd'	current date	Command	Standard Additions : Miscellaneous Commands	610
'curE'	current editor	Property of class: control	AppleScript Studio : Control View Suite	611
'curI'	current item	Property of class: combo box	AppleScript Studio : Control View Suite AppleScript	612

'curR'	current row	Property of class: matrix	Studio : Control View Suite	613
'curu'	current user	Property of class: application	System Events : System Events Suite	614
'cusr'	current user folder	Enumeration	Standard Additions : File Commands	615
'cusr'	home folder	Enumeration	Standard Additions : File Commands	616
'cusr'	home folder	Property of class: application	System Events : System Events Suite	617
'cusr'	home folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	618
'cust'	current	Enumeration	System Events : QuickTime File Suite	619
'cusv'	showing	Parameter of command: choose URL	Standard Additions : User Interaction	620
'cuUU'	cursor update type	Enumeration	AppleScript Studio : Application Suite	621
'cvop'	column view options	Class	Finder : Type Definitions	622
'cvop'	column view options	Property of class: Finder window	Finder : Window classes	623
'cvop'	column view options	Property of class: preferences	Finder : Type Definitions	624
'cwin'	window	Class	AppleScript Language	625
'cwin'	window	Class	AppleScript Studio :	626

'cwin'	window	Class	Application Suite Cocoa Scripting : Standard Suite	627
'cwin'	window	Class	Finder : Window classes	628
'cwin'	window	Class	System Events : Processes Suite	629
'cwin'	window	Property of class: event	AppleScript Studio : Application Suite	630
'cwin'	window	Property of class: preferences	Finder : Type Definitions	631
'cwin'	window	Property of class: view	AppleScript Studio : Container View Suite	632
'cwin'	windows	Class	AppleScript Language	633
'cwin'	windows	Class	AppleScript Studio : Application Suite	634
'cwin'	windows	Class	Cocoa Scripting : Standard Suite	635
'cwin'	windows	Class	Finder : Window classes	636
'cwin'	windows	Class	System Events : Processes Suite	637
'cwnd'	container window	Property of class: container	Finder : Containers and folders	638
'cwor'	word	Class	AppleScript Language	639
'cwor'	word	Class	Cocoa Scripting : Text Suite AppleScript	640

'cwor'	words	Class	Language	641
'cwor'	words	Class	Cocoa Scripting : Text Suite	642
'cyrd'	cubic yards	Class	AppleScript Language	643
'dafi'	desk accessory file	Property of class: desk accessory process	Finder : Legacy suite	644
'dafi'	desk accessory file	Property of class: desk accessory process	System Events : Processes Suite	645
'data'	to	Parameter of command: set	Cocoa Scripting : Standard Suite	646
'data'	with data	Parameter of command: make	AppleScript Language	647
'data'	with data	Parameter of command: make	Cocoa Scripting : Standard Suite	648
'datB'	data column	Class	AppleScript Studio : Data View Suite	649
'datB'	data columns	Class	AppleScript Studio : Data View Suite	650
'datC'	data cell	Class	AppleScript Studio : Data View Suite	651
'datC'	data cell	Property of class: table column	AppleScript Studio : Data View Suite	652
'datC'	data cells	Class	AppleScript Studio : Data View Suite	653
'datI'	data item	Class	AppleScript Studio : Data View Suite	654
'datI'	data items	Class	AppleScript Studio : Data	655

'datN'	data representation	Command	View Suite AppleScript Studio : Document Suite	656
'datR'	data row	Class	AppleScript Studio : Data View Suite	657
'datR'	data rows	Class	AppleScript Studio : Data View Suite	658
'datS'	data source	Class	AppleScript Studio : Data View Suite	659
'datS'	data source	Property of class: combo box	AppleScript Studio : Control View Suite	660
'datS'	data source	Property of class: data column	AppleScript Studio : Data View Suite	661
'datS'	data source	Property of class: data row	AppleScript Studio : Data View Suite	662
'datS'	data sources	Class	AppleScript Studio : Data View Suite	663
'day '	day	Property of class: date	AppleScript Language	664
'days'	days	Property of class: application	AppleScript Language	665
'dcol'	default color	Parameter of command: choose color	Standard Additions : User Interaction	666
'ddra'	data rate	Property of class: track	System Events : QuickTime File Suite	667
'deaT'	deactivated	Command	AppleScript Studio : Application	668

'dec '	December	Class	Suite AppleScript Language	669
'decr'	decrement	Deprecated terminology	System Events : Hidden Suite	670
'deDM'	default display mode	Enumeration	AppleScript Studio : Application Suite	671
'deDO'	delete drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	672
'defB'	default button	Parameter of command: display alert	AppleScript Studio : Panel Suite	673
'defE'	default entries	Class	AppleScript Studio : Application Suite	674
'defE'	default entry	Class	AppleScript Studio : Application Suite	675
'defI'	default identifiers	Property of class: toolbar	AppleScript Studio : Application Suite	676
'defR'	default return	Enumeration	AppleScript Studio : Panel Suite	677
'defT'	default tint	Enumeration	AppleScript Studio : Container View Suite	678
'defT'	default tint	Enumeration	AppleScript Studio : Control View Suite	679

'defT'	default tint	Enumeration	AppleScript Studio : Data View Suite	680
'degc'	degrees Celsius	Class	AppleScript Language	681
'degf'	degrees Fahrenheit	Class	AppleScript Language	682
'degk'	degrees Kelvin	Class	AppleScript Language	683
'dela'	delay	Command	Standard Additions : User Interaction	684
'dela'	delay before springing	Property of class: preferences	Finder : Type Definitions	685
'deli'	using delimiter	Parameter of command: read	Standard Additions : File Read/Write	686
'deli'	using delimiters	Parameter of command: read	Standard Additions : File Read/Write	687
'delo'	delete	Command	AppleScript Language	688
'delo'	delete	Command	Cocoa Scripting : Standard Suite	689
'delo'	delete	Command	Finder : Standard Suite	690
'delo'	delete	Command	System Events : Disk-Folder-File Suite	691
'delX'	delta x	Property of class: event	AppleScript Studio : Application Suite	692
'delY'	delta y	Property of class: event	AppleScript Studio : Application Suite AppleScript	693

'delZ'	delta z	Property of class: event	Studio : Application Suite AppleScript	694
'demA'	deminiaturized	Command	Studio : Application Suite	695
'desc'	description	Property of class: action	System Events : Processes Suite	696
'desc'	description	Property of class: UI element	System Events : Processes Suite	697
'desE'	descending	Enumeration	AppleScript Studio : Data View Suite	698
'desk'	desktop	Enumeration	Standard Additions : File Commands	699
'desk'	desktop	Property of class: application	Finder : Finder Basics	700
'desk'	desktop folder	Enumeration	Standard Additions : File Commands	701
'desk'	desktop folder	Property of class: application	System Events : System Events Suite	702
'desk'	desktop folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	703
'desk'	desktop folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	704
'deSM'	default size mode	Enumeration	AppleScript Studio : Application Suite	705
'desW'	destination window	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	706

'df\$\$'	unknown format	Enumeration	System Events : Disk-Folder-File Suite	707
'df96'	ISO 9660 format	Enumeration	Finder : Enumerations	708
'df96'	ISO 9660 format	Enumeration	System Events : Disk-Folder-File Suite	709
'df??'	unknown format	Enumeration	Finder : Enumerations	710
'dfac'	Xsan format	Enumeration	Finder : Enumerations	711
'dfas'	AppleShare format	Enumeration	Finder : Enumerations	712
'dfas'	AppleShare format	Enumeration	System Events : Disk-Folder-File Suite	713
'dfau'	audio format	Enumeration	Finder : Enumerations	714
'dfau'	audio format	Enumeration	System Events : Disk-Folder-File Suite	715
'dfft'	FTP format	Enumeration	Finder : Enumerations	716
'dfh+'	Mac OS Extended format	Enumeration	Finder : Enumerations	717
'dfh+'	Mac OS Extended format	Enumeration	System Events : Disk-Folder-File Suite	718
'dfhf'	Mac OS format	Enumeration	Finder : Enumerations	719
'dfhf'	Mac OS format	Enumeration	System Events : Disk-Folder-File Suite	720
'dfhs'	High Sierra format	Enumeration	Finder : Enumerations	721

'dfhs'	High Sierra format	Enumeration	System Events : Disk-Folder-File Suite	722
'dflc'	default location	Parameter of command: choose file	Standard Additions : User Interaction	723
'dflc'	default location	Parameter of command: choose file name	Standard Additions : User Interaction	724
'dflc'	default location	Parameter of command: choose folder	Standard Additions : User Interaction	725
'dflt'	default button	Parameter of command: display alert	Standard Additions : User Interaction	726
'dflt'	default button	Parameter of command: display dialog	AppleScript Studio : Panel Suite	727
'dflt'	default button	Parameter of command: display dialog	Standard Additions : User Interaction	728
'dfms'	MS-DOS format	Enumeration	Finder : Enumerations	729
'dfms'	MS-DOS format	Enumeration	System Events : Disk-Folder-File Suite	730
'dfmt'	format	Property of class: disk	Finder : Containers and folders	731
'dfmt'	format	Property of class: disk	System Events : Disk-Folder-File Suite	732
'dfnf'	NFS format	Enumeration	Finder : Enumerations	733
'dfnf'	NFS format	Enumeration	System Events : Disk-Folder-File Suite	734
'dfnm'	default name	Parameter of command: choose	Standard Additions : User	735

		file name	Interaction	
'dfnt'	NTFS format	Enumeration	Finder : Enumerations	736
'dfph'	Apple Photo format	Enumeration	Finder : Enumerations	737
'dfph'	Apple Photo format	Enumeration	System Events : Disk-Folder-File Suite	738
'dfpr'	ProDOS format	Enumeration	Finder : Enumerations	739
'dfpr'	ProDOS format	Enumeration	System Events : Disk-Folder-File Suite	740
'dfpu'	Packet-written UDF format	Enumeration	Finder : Enumerations	741
'dfqt'	QuickTake format	Enumeration	Finder : Enumerations	742
'dfqt'	QuickTake format	Enumeration	System Events : Disk-Folder-File Suite	743
'dfud'	UDF format	Enumeration	Finder : Enumerations	744
'dfud'	UDF format	Enumeration	System Events : Disk-Folder-File Suite	745
'dfuf'	UFS format	Enumeration	Finder : Enumerations	746
'dfuf'	UFS format	Enumeration	System Events : Disk-Folder-File Suite	747
'dfwd'	WebDAV format	Enumeration	Finder : Enumerations	748
'dfwd'	WebDAV format	Enumeration	System Events : Disk-Folder-File Suite	749
'diac'	diacriticals	Enumeration	AppleScript	750

'diaE'	dialog ended	Command	Language AppleScript Studio : Panel Suite	751
'dirC'	directory	Parameter of command: path for	AppleScript Studio : Application Suite	752
'dirC'	directory	Property of class: save-panel	AppleScript Studio : Panel Suite	753
'DIRE'	from virtual host	Parameter of command: handle CGI request	Standard Additions : Internet Suite	754
'dire'	rounding	Parameter of command: round	Standard Additions : Miscellaneous Commands	755
'disA'	display alert	Command	AppleScript Studio : Panel Suite	756
'disA'	display alert	Command	Standard Additions : User Interaction	757
'disB'	disclosure bezel	Enumeration	AppleScript Studio : Control View Suite	758
'disC'	displayed cell	Property of class: browser	AppleScript Studio : Data View Suite	759
'disM'	display mode	Property of class: toolbar	AppleScript Studio : Application Suite	760
'DISP'	displaying	Parameter of command: say	Standard Additions : User Interaction	761
			AppleScript	

'disP'	display	Command	Studio : Panel Suite	762
'disp'	with icon	Parameter of command: display dialog	AppleScript Studio : Panel Suite	763
'disp'	with icon	Parameter of command: display dialog	Standard Additions : User Interaction	764
'disQ'	display panel	Command	AppleScript Studio : Panel Suite	765
'ditm'	disk item	Class	System Events : Disk-Folder-File Suite	766
'ditm'	disk items	Class	System Events : Disk-Folder-File Suite	767
'div '	div	Command	AppleScript Language	768
'dktw'	desktop window	Class	Finder : Window classes	769
'dlib'	library folder	Enumeration	Standard Additions : File Commands	770
'dlog'	display dialog	Command	AppleScript Studio : Panel Suite	771
'dlog'	display dialog	Command	Standard Additions : User Interaction	772
'dnam'	displayed name	Property of class: disk item	System Events : Disk-Folder-File Suite	773
'dnam'	displayed name	Property of class: file information	Standard Additions : File Commands	774
'dnam'	displayed name	Property of class: item	Finder : Finder items	775

'dnam'	displayed name	Property of class: process	System Events : Processes Suite	776
'docE'	document edited	Property of class: window	AppleScript Studio : Application Suite	777
'docf'	document file	Class	Finder : Files	778
'docf'	document files	Class	Finder : Files	779
'docR'	document rect	Property of class: clip view	AppleScript Studio : Container View Suite	780
'docs'	At Ease documents	Enumeration	Standard Additions : File Commands	781
'docs'	At Ease documents folder	Enumeration	Standard Additions : File Commands	782
'docs'	documents folder	Enumeration	Standard Additions : File Commands	783
'docs'	documents folder	Property of class: application	System Events : System Events Suite	784
'docs'	documents folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	785
'docu'	document	Class	AppleScript Language	786
'docu'	document	Class	AppleScript Studio : Document Suite	787
'docu'	document	Class	Cocoa Scripting : Standard Suite	788
'docu'	document	Property of class: window	Cocoa Scripting : Standard Suite AppleScript	789

'docu'	documents	Class	Language	790
'docu'	documents	Class	AppleScript Studio : Document Suite	791
'docu'	documents	Class	Cocoa Scripting : Standard Suite	792
'docV'	document view	Property of class: clip view	AppleScript Studio : Container View Suite	793
'docV'	document view	Property of class: scroll view	AppleScript Studio : Container View Suite	794
'doex'	exists	Command	AppleScript Language	795
'doex'	exists	Command	Cocoa Scripting : Standard Suite	796
'doex'	exists	Command	Finder : Standard Suite	797
'doma'	domain	Class	System Events : Disk-Folder-File Suite	798
'doma'	domains	Class	System Events : Disk-Folder-File Suite	799
'domc'	Classic domain object	Class	System Events : Disk-Folder-File Suite	800
'domc'	Classic domain objects	Class	System Events : Disk-Folder-File Suite	801
'doml'	local domain object	Class	System Events : Disk-Folder-File Suite	802
'doml'	local domain objects	Class	System Events : Disk-Folder-File Suite	803

'domn'	network domain object	Class	System Events : Disk-Folder-File Suite	804
'domn'	network domain objects	Class	System Events : Disk-Folder-File Suite	805
'doms'	system domain object	Class	System Events : Disk-Folder-File Suite	806
'doms'	system domain objects	Class	System Events : Disk-Folder-File Suite	807
'domu'	user domain object	Class	System Events : Disk-Folder-File Suite	808
'domu'	user domain objects	Class	System Events : Disk-Folder-File Suite	809
'doNN'	document nib name	Command	AppleScript Studio : Application Suite	810
'dosc'	do script	Command	System Events : Hidden Suite	811
'doub'	double	Enumeration	System Events : QuickTime File Suite	812
'doub'	real	Class	AppleScript Language	813
'doub'	reals	Class	AppleScript Language	814
'douC'	double clicked	Command	AppleScript Studio : Control View Suite	815
'douV'	double value	Property of class: cell	AppleScript Studio : Control View Suite	816

'douV'	double value	Property of class: control	AppleScript Studio : Control View Suite	817
'dpic'	desktop picture	Property of class: application	Finder : Legacy suite	818
'dpos'	desktop position	Property of class: item	Finder : Finder items	819
'draA'	drawer	Class	AppleScript Studio : Container View Suite	820
'draA'	drawer	Class	System Events : Processes Suite	821
'draA'	drawers	Class	AppleScript Studio : Container View Suite	822
'draA'	drawers	Class	System Events : Processes Suite	823
'draB'	draws background	Property of class: clip view	AppleScript Studio : Container View Suite	824
'draB'	draws background	Property of class: matrix	AppleScript Studio : Control View Suite	825
'draB'	draws background	Property of class: scroll view	AppleScript Studio : Container View Suite	826
'draB'	draws background	Property of class: tab view	AppleScript Studio : Container View Suite	827
'draB'	draws background	Property of class: text field	AppleScript Studio : Control View Suite	828
'draB'	draws background	Property of class:	AppleScript Studio : Control	829

'draB'	draws background	text field cell Property of class: text view	View Suite AppleScript Studio : Text View Suite	830
'draC'	dragged column	Property of class: table header view	AppleScript Studio : Data View Suite	831
'draD'	dragged distance	Property of class: table header view	AppleScript Studio : Data View Suite	832
'draE'	drag entered	Command	AppleScript Studio : Drag and Drop Suite	833
'draF'	drag exited	Command	AppleScript Studio : Drag and Drop Suite	834
'draG'	draws grid	Property of class: table view	AppleScript Studio : Data View Suite	835
'draI'	drag info	Class	AppleScript Studio : Drag and Drop Suite	836
'draI'	drag info	Parameter of command: accept outline drop	AppleScript Studio : Data View Suite	837
'draI'	drag info	Parameter of command: accept table drop	AppleScript Studio : Data View Suite	838
'draI'	drag info	Parameter of command: conclude drop	AppleScript Studio : Drag and Drop Suite	839
'draI'	drag info	Parameter of command: drag	AppleScript Studio : Drag and Drop Suite	840
'draI'	drag info	Parameter of command: drag entered	AppleScript Studio : Drag and Drop Suite	841

'draI'	drag info	Parameter of command: drag exited	AppleScript Studio : Drag and Drop Suite	842
'draI'	drag info	Parameter of command: drag updated	AppleScript Studio : Drag and Drop Suite	843
'draI'	drag info	Parameter of command: drop	AppleScript Studio : Drag and Drop Suite	844
'draI'	drag info	Parameter of command: prepare drop	AppleScript Studio : Drag and Drop Suite	845
'draI'	drag info	Parameter of command: prepare outline drop	AppleScript Studio : Data View Suite	846
'draI'	drag info	Parameter of command: prepare table drop	AppleScript Studio : Data View Suite	847
'draI'	drag infos	Class	AppleScript Studio : Drag and Drop Suite	848
'draJ'	dragged items	Property of class: table view	AppleScript Studio : Data View Suite	849
'draM'	drag	Command	AppleScript Studio : Drag and Drop Suite	850
'draO'	drop above operation	Enumeration	AppleScript Studio : Data View Suite	851
'draR'	drag rows	Parameter of command: prepare table drag	AppleScript Studio : Data View Suite	852
'draS'	drag items	Parameter of command: prepare outline drag	AppleScript Studio : Data View Suite	853
'draT'	drag types	Parameter of	AppleScript Studio :	854

		command: register	Application Suite AppleScript Studio : Drag and Drop Suite	
'draU'	drag updated	Command	AppleScript Studio : Drag and Drop Suite	855
'drCB'	draws cell background	Property of class: matrix	AppleScript Studio : Control View Suite	856
'drCS'	drawer closed	Enumeration	AppleScript Studio : Container View Suite	857
'drCT'	drawer closing	Enumeration	AppleScript Studio : Container View Suite	858
'droO'	drop on operation	Enumeration	AppleScript Studio : Data View Suite	859
'droO'	drop operation	Parameter of command: accept table drop	AppleScript Studio : Data View Suite	860
'droO'	drop operation	Parameter of command: prepare table drop	AppleScript Studio : Data View Suite	861
'droR'	drop	Command	AppleScript Studio : Drag and Drop Suite	862
'drOS'	drawer opening	Enumeration	AppleScript Studio : Container View Suite	863
'drOT'	drawer opened	Enumeration	AppleScript Studio : Container View Suite	864
'dscr'	description	Property of class: item	Finder : Finder items	865

'dsct'	run script	Command	Standard Additions : Scripting Commands	866
'dsiz'	data size	Command	AppleScript Language	867
'dsiz'	data size	Command	Finder : Standard Suite	868
'dsiz'	data size	Property of class: QuickTime data	System Events : QuickTime File Suite	869
'dsiz'	data size	Property of class: track	System Events : QuickTime File Suite	870
'dspr'	discloses preview pane	Property of class: column view options	Finder : Type Definitions	871
'dstr'	date string	Property of class: date	AppleScript Language	872
'dstv'	selected tab view item	Command	AppleScript Studio : Container View Suite	873
'dtp\$'	desktop pictures folder	Property of class: domain	System Events : Disk-Folder-File Suite	874
'dtpf'	desktop pictures folder	Enumeration	Standard Additions : File Commands	875
'dtpQ'	desktop pictures folder	Property of class: application	System Events : System Events Suite	876
'dtxt'	default answer	Parameter of command: display dialog	AppleScript Studio : Panel Suite	877
'dtxt'	default answer	Parameter of command: display dialog	Standard Additions : User Interaction	878

'durn'	duration	Property of class: QuickTime data	System Events : QuickTime File Suite	879
'durn'	duration	Property of class: track	System Events : QuickTime File Suite	880
'dynS'	dynamically scrolls	Property of class: scroll view	AppleScript Studio : Container View Suite	881
'eatt'	AppleTalk	Enumeration	Standard Additions : User Interaction	882
'echB'	echos bullets	Property of class: secure text field cell	AppleScript Studio : Control View Suite	883
'eCmd'	command	Enumeration	System Events : Processes Suite	884
'eCnt'	control	Enumeration	System Events : Processes Suite	885
'ects'	entire contents	Property of class: container	Finder : Containers and folders	886
'ects'	entire contents	Property of class: UI element	System Events : Processes Suite	887
'edDC'	edited data column	Property of class: table view	AppleScript Studio : Data View Suite	888
'edDI'	edited data item	Property of class: outline view	AppleScript Studio : Data View Suite	889
'edDR'	edited data row	Property of class: table view	AppleScript Studio : Data View Suite	890
'edfa'	edit action of	Command	System Events : Folder Actions Suite AppleScript	891

'edgD'	edge	Property of class: drawer	Studio : Container View Suite	892
'ediC'	edited column	Property of class: table view	AppleScript Studio : Data View Suite	893
'ediR'	edited row	Property of class: table view	AppleScript Studio : Data View Suite	894
'ediT'	editable	Property of class: cell	AppleScript Studio : Control View Suite	895
'ediT'	editable	Property of class: image view	AppleScript Studio : Control View Suite	896
'ediT'	editable	Property of class: movie view	AppleScript Studio : Control View Suite	897
'ediT'	editable	Property of class: table column	AppleScript Studio : Data View Suite	898
'ediT'	editable	Property of class: text field	AppleScript Studio : Control View Suite	899
'ediT'	editable	Property of class: text view	AppleScript Studio : Text View Suite	900
'eFWM'	excluded from windows menu	Property of class: window	AppleScript Studio : Application Suite	901
'egfp'	frontmost application	Enumeration	Standard Additions : File Commands	902
'eipt'	IP	Enumeration	Standard Additions : User Interaction Finder : Finder	903

'ejct'	eject	Command	items	904
'elin'	type element info	Class	AppleScript Language	905
'elsC'	comment column	Enumeration	Finder : Enumerations	906
'elsc'	creation date column	Enumeration	Finder : Enumerations	907
'elsk'	kind column	Enumeration	Finder : Enumerations	908
'elsl'	label column	Enumeration	Finder : Enumerations	909
'elsm'	modification date column	Enumeration	Finder : Enumerations	910
'elsn'	name column	Enumeration	Finder : Enumerations	911
'elss'	size column	Enumeration	Finder : Enumerations	912
'elsv'	version column	Enumeration	Finder : Enumerations	913
'empL'	empty selection allowed	Parameter of command: choose from list	Standard Additions : User Interaction	914
'empt'	empty	Command	Finder : Finder items	915
'empz'	startup	Enumeration	Standard Additions : File Commands	916
'empz'	startup items	Enumeration	Standard Additions : File Commands	917
'empz'	startup items folder	Enumeration	Standard Additions : File Commands	918
'empz'	startup items folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite AppleScript	919

'enaB'	enabled	Property of class:	Studio : Control View Suite	920
'enaB'	enabled	Property of class:	AppleScript Studio : Control View Suite	921
'enaB'	enabled	Property of class:	System Events : Folder Actions Suite	922
'enaB'	enabled	Property of class:	AppleScript Studio : Panel Suite	923
'enaB'	enabled	Property of class:	AppleScript Studio : Menu Suite	924
'enaB'	enabled	Property of class:	System Events : Folder Actions Suite	925
'enaB'	enabled	Property of class:	AppleScript Studio : Application Suite	926
'enaB'	enabled	Property of class:	System Events : UI element	927
'enbl'	enabled	Property of class:	System Events : QuickTime File Suite	928
'encs'	encoded string	Class	AppleScript Language	929
'encs'	encoded strings	Class	AppleScript Language	930
'endE'	end editing	Command	AppleScript Studio : Control View Suite	931
'endN'	end frame	Enumeration	AppleScript Studio : Control View Suite	932
'ends'	ends with	Command	AppleScript Language	933

'endt'	end transaction	Command	System Events : System Events Suite	934
'enSV'	enclosing scroll view	Property of class: view	AppleScript Studio : Container View Suite	935
'entT'	entry type	Property of class: cell	AppleScript Studio : Control View Suite	936
'enum'	constant	Class	AppleScript Language	937
'enum'	constants	Class	AppleScript Language	938
'eof '	eof	Enumeration	Standard Additions : File Read/Write	939
'eOpt'	option	Enumeration	System Events : Processes Suite	940
'eppc'	remote application URL	Enumeration	Standard Additions : Internet Suite	941
'EPS '	PostScript picture	Class	AppleScript Language	942
'erob'	from	Parameter of command: error	AppleScript Language	943
'err '	error	Command	AppleScript Language	944
'errn'	number	Parameter of command: error	AppleScript Language	945
'errR'	error return	Enumeration	AppleScript Studio : Panel Suite	946
'errr'	error reporting	Parameter of command: open location Parameter of	Standard Additions : Internet Suite AppleScript	947

'errt'	to	command: error	Language	948
'esft'	shift	Enumeration	System Events : Processes Suite	949
'esva'	File servers	Enumeration	Standard Additions : User Interaction	950
'esvd'	Directory services	Enumeration	Standard Additions : User Interaction	951
'esve'	Remote applications	Enumeration	Standard Additions : User Interaction	952
'esvf'	FTP Servers	Enumeration	Standard Additions : User Interaction	953
'esvm'	Media servers	Enumeration	Standard Additions : User Interaction	954
'esvn'	News servers	Enumeration	Standard Additions : User Interaction	955
'esvt'	Telnet hosts	Enumeration	Standard Additions : User Interaction	956
'esvw'	Web servers	Enumeration	Standard Additions : User Interaction	957
'evDO'	every drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	958
'eveE'	event	Class	AppleScript Studio : Application Suite	959
'eveE'	event	Parameter of command: keyboard down	AppleScript Studio : Application	960

'eveE'	event	Parameter of command: keyboard up	Suite AppleScript Studio : Application Suite	961
'eveE'	event	Parameter of command: mouse down	AppleScript Studio : Application Suite	962
'eveE'	event	Parameter of command: mouse dragged	AppleScript Studio : Application Suite	963
'eveE'	event	Parameter of command: mouse entered	AppleScript Studio : Application Suite	964
'eveE'	event	Parameter of command: mouse exited	AppleScript Studio : Application Suite	965
'eveE'	event	Parameter of command: mouse moved	AppleScript Studio : Application Suite	966
'eveE'	event	Parameter of command: mouse up	AppleScript Studio : Application Suite	967
'eveE'	event	Parameter of command: right mouse down	AppleScript Studio : Application Suite	968
'eveE'	event	Parameter of command: right mouse dragged	AppleScript Studio : Application Suite	969
'eveE'	event	Parameter of command: right	AppleScript Studio :	970

'eveE'	event	mouse up Parameter of command: scroll wheel	Application Suite AppleScript Studio : Application Suite	971
'eveE'	events	Class	AppleScript Studio : Application Suite	972
'eveN'	event number	Property of class: event	AppleScript Studio : Application Suite	973
'eveT'	event type	Property of class: event	AppleScript Studio : Application Suite	974
'evin'	type event info	Class	AppleScript Language	975
'evnt'	event	Class	AppleScript Language	976
'evnt'	events	Class	AppleScript Language	977
'exec'	do shell script	Command	Standard Additions : Miscellaneous Commands	978
'exeP'	executable path	Property of class: bundle	AppleScript Studio : Application Suite	979
'expA'	expanded	Property of class: save-panel	AppleScript Studio : Panel Suite	980
'expa'	expansion	Enumeration	AppleScript Language AppleScript Studio :	981

'exp0'	exposed	Command	Application Suite	982
'exte'	extended real	Class	AppleScript Language	983
'extN'	extension	Parameter of command: path for	AppleScript Studio : Application Suite	984
'extn'	extensions	Enumeration	Standard Additions : File Commands	985
'extn'	extensions folder	Enumeration	Standard Additions : File Commands	986
'extn'	name extension	Property of class: disk item	System Events : Disk-Folder-File Suite	987
'extz'	extensions folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	988
'faal'	using	Parameter of command: attach action to	System Events : Folder Actions Suite	989
'faal'	using	Parameter of command: key code	System Events : Processes Suite	990
'faal'	using	Parameter of command: keystroke	System Events : Processes Suite	991
'faen'	folder actions enabled	Property of class: application	System Events : System Events Suite	992
'fals'	false	Enumeration	AppleScript Language	993
'fasf'	Folder Action scripts	Enumeration	Standard Additions : File Commands Standard	994

'fasf'	Folder Action scripts folder	Enumeration	Additions : File Commands	995
'fasf'	Folder Action scripts folder	Property of class: application	System Events : System Events Suite	996
'fasf'	Folder Action scripts folder	Property of class: domain	System Events : Disk-Folder-File Suite	997
'favs'	favorites folder	Enumeration	Standard Additions : File Commands	998
'favs'	favorites folder	Property of class: application	System Events : System Events Suite	999
'favs'	favorites folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	1000
'faxn'	fax number	Property of class: print settings	Cocoa Scripting : Type Definitions	1001
'fclo'	closing folder window for	Command	Standard Additions : Folder Actions	1002
'fclu'	clean up	Command	Finder : Finder items	1003
'fcrt'	creator type	Property of class: alias	System Events : Disk-Folder-File Suite	1004
'fcrt'	creator type	Property of class: file	Finder : Files	1005
'fcrt'	creator type	Property of class: file	System Events : Disk-Folder-File Suite	1006
'fcrt'	creator type	Property of class: process	Finder : Legacy suite	1007
'fcrt'	creator type	Property of class: process	System Events : Processes Suite AppleScript	1008

'feb '	February	Class	Language	1009
'feet'	feet	Class	AppleScript Language	1010
'fera'	erase	Command	Finder : Finder items	1011
'ffav'	add to favorites	Command	Finder : Finder items	1012
'ffdr'	path to	Command	Standard Additions : File Commands	1013
'ffnd'	find	Command	Finder : Finder Basics	1014
'fget'	adding folder items to	Command	Standard Additions : Folder Actions	1015
'fieE'	field editor	Property of class: text view	AppleScript Studio : Text View Suite	1016
'file'	file	Class	AppleScript Language	1017
'file'	file	Class	Finder : Files	1018
'file'	file	Class	System Events : Disk-Folder-File Suite	1019
'file'	file	Property of class: process	Finder : Legacy suite	1020
'file'	file	Property of class: process	System Events : Processes Suite	1021
'file'	file URL (obsolete)	Enumeration	Standard Additions : Internet Suite	1022
'file'	files	Class	AppleScript Language	1023
'file'	files	Class	Finder : Files	1024
'file'	files	Class	System Events : Disk-Folder-File Suite	1025

'filN'	path name	Parameter of command: read from file	AppleScript Studio : Document Suite	1026
'filN'	path name	Parameter of command: write to file	AppleScript Studio : Document Suite	1027
'filN'	path name	Property of class: save-panel	AppleScript Studio : Panel Suite	1028
'filO'	path names	Property of class: open-panel	AppleScript Studio : Panel Suite	1029
'filT'	file kind	Property of class: document	AppleScript Studio : Document Suite	1030
'firS'	first responder	Property of class: window	AppleScript Studio : Application Suite	1031
'fits'	screen	Enumeration	System Events : QuickTime File Suite	1032
'fiVC'	first visible column	Property of class: browser	AppleScript Studio : Data View Suite	1033
'fixd'	fixed	Class	AppleScript Language	1034
'flCT'	flags changed type	Enumeration	AppleScript Studio : Application Suite	1035
'fldc'	Classic domain	Enumeration	Standard Additions : File Commands	1036
'fldc'	Classic domain	Property of class: application	System Events : System Events Suite Standard	1037

'fldl'	local domain	Enumeration	Additions : File Commands	1038
'fldl'	local domain	Property of class: application	System Events : System Events Suite	1039
'fldn'	network domain	Enumeration	Standard Additions : File Commands	1040
'fldn'	network domain	Property of class: application	System Events : System Events Suite	1041
'flds'	system domain	Enumeration	Standard Additions : File Commands	1042
'flds'	system domain	Property of class: application	System Events : System Events Suite	1043
'fldu'	user domain	Enumeration	Standard Additions : File Commands	1044
'fldu'	user domain	Property of class: application	System Events : System Events Suite	1045
'fliP'	flipped	Property of class: view	AppleScript Studio : Container View Suite	1046
'flos'	removing folder items from	Command	Standard Additions : Folder Actions	1047
'floV'	float value	Property of class: cell	AppleScript Studio : Control View Suite	1048
'floV'	float value	Property of class: control	AppleScript Studio : Control View Suite	1049
'flow'	workflows		Standard	

	folder	Enumeration	Additions : File Commands Standard	1050
'flst'	after losing	Parameter of command: removing folder items from	Additions : Folder Actions	1051
'flst'	after receiving	Parameter of command: adding folder items to	Standard Additions : Folder Actions	1052
'fltp'	as	Parameter of command: save	AppleScript Language	1053
'fltp'	as	Parameter of command: save	Cocoa Scripting : Standard Suite	1054
'fnam'	full name	Property of class: user	System Events : Accounts Suite	1055
'fnsz'	from	Parameter of command: moving folder window for	Standard Additions : Folder Actions	1056
'fo-P'	font-panel	Class	AppleScript Studio : Panel Suite	1057
'fo-P'	font-panels	Class	AppleScript Studio : Panel Suite	1058
'foac'	folder action	Class	System Events : Folder Actions Suite	1059
'foac'	folder actions	Class	System Events : Folder Actions Suite	1060
'focu'	focused	Property of class: UI element	System Events : Processes Suite	1061
'foFT'	for file types	Parameter of command: display	AppleScript Studio : Panel Suite	1062
'foFT'	for file types	Parameter of command: display panel	AppleScript Studio : Panel Suite	1063

'fonO'	font	Class	AppleScript Studio : Application Suite	1064
'fonO'	font	Property of class: cell	AppleScript Studio : Control View Suite	1065
'fonO'	font	Property of class: control	AppleScript Studio : Control View Suite	1066
'fonO'	font	Property of class: font-panel	AppleScript Studio : Panel Suite	1067
'fonO'	font	Property of class: text view	AppleScript Studio : Text View Suite	1068
'fonO'	fonts	Class	AppleScript Studio : Application Suite	1069
'fonP'	font panel	Property of class: application	AppleScript Studio : Application Suite	1070
'font'	font	Property of class: attribute run	Cocoa Scripting : Text Suite	1071
'font'	font	Property of class: character	Cocoa Scripting : Text Suite	1072
'font'	font	Property of class: paragraph	Cocoa Scripting : Text Suite	1073
'font'	font	Property of class: text	AppleScript Language	1074
'font'	font	Property of class: text	Cocoa Scripting : Text Suite	1075
'font'	font	Property of class: word	Cocoa Scripting : Text Suite	1076
'font'	fonts	Enumeration	Standard Additions : File	1077

			Commands	
			Standard	
'font'	fonts folder	Enumeration	Additions : File Commands	1078
'font'	fonts folder	Property of class: application	System Events : System Events Suite	1079
'font'	fonts folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	1080
'font'	fonts folder	Property of class: domain	System Events : Disk-Folder-File Suite	1081
'fopn'	opening folder	Command	Standard Additions : Folder Actions	1082
'for '	for	Parameter of command: Call•subroutine	AppleScript Language	1083
'for '	for	Parameter of command: clipboard info	Standard Additions : Clipboard Commands	1084
'forA'	formatter	Class	AppleScript Studio : Application Suite	1085
'forA'	formatter	Property of class: cell	AppleScript Studio : Control View Suite	1086
'forA'	formatter	Property of class: control	AppleScript Studio : Control View Suite	1087
'forA'	formatters	Class	AppleScript Studio : Application Suite	1088
		Parameter of	AppleScript	

'forD'	for document	command: document nib name	Studio : Application Suite	1089
'fpnt'	fixed point	Class	AppleScript Language	1090
'fpth'	in	Parameter of command: store script	Standard Additions : Scripting Commands	1091
'fraP'	frameworks path	Property of class: bundle	AppleScript Studio : Application Suite	1092
'frct'	fixed rectangle	Class	AppleScript Language	1093
'fri '	Friday	Class	AppleScript Language	1094
'frmu'	with user info	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1095
'from'	from	Parameter of command: Call•subroutine	AppleScript Language	1096
'from'	from	Parameter of command: path to	Standard Additions : File Commands	1097
'from'	from	Parameter of command: random number	Standard Additions : Miscellaneous Commands	1098
'froN'	from nib	Parameter of command: load panel	AppleScript Studio : Panel Suite	1099
'froT'	from table	Parameter of command: localized string	AppleScript Studio : Application Suite Standard	1100

'froT'	from table	Parameter of command: localized string	Additions : String Commands	1101
'frsp'	free space	Property of class: disk	Finder : Containers and folders	1102
'frsp'	free space	Property of class: disk	System Events : Disk-Folder-File Suite	1103
'fsiz'	moving folder window for	Command	Standard Additions : Folder Actions	1104
'fsiz'	text size	Property of class: column view options	Finder : Type Definitions	1105
'fsiz'	text size	Property of class: icon view options	Finder : Type Definitions	1106
'fsiz'	text size	Property of class: list view options	Finder : Type Definitions	1107
'fss '	file specification	Class	AppleScript Language	1108
'fss '	file specifications	Class	AppleScript Language	1109
'ftp '	FTP item	Class	Standard Additions : Internet Suite	1110
'ftp '	FTP items	Class	Standard Additions : Internet Suite	1111
'ftp '	ftp URL	Enumeration	Standard Additions : Internet Suite	1112
'FTPC'	path	Property of class: URL	Standard Additions : Internet Suite	1113
'ftyp'	of type	Parameter of command: choose file	Standard Additions : User Interaction	1114

'full'	full	Enumeration	AppleScript Language	1115
'fupd'	update	Command	AppleScript Studio : Application Suite	1116
'fupd'	update	Command	Finder : Finder items	1117
'fvoc'	voices	Enumeration	Standard Additions : File Commands	1118
'fvoc'	voices folder	Enumeration	Standard Additions : File Commands	1119
'fvtg'	target	Property of class: Finder window	Finder : Window classes	1120
'galn'	gallons	Class	AppleScript Language	1121
'gavu'	gave up	Property of class: alert reply	Standard Additions : User Interaction	1122
'gavu'	gave up	Property of class: dialog reply	AppleScript Studio : Panel Suite	1123
'gavu'	gave up	Property of class: dialog reply	Standard Additions : User Interaction	1124
'gcli'	type class info	Class	AppleScript Language	1125
'gClp'	the clipboard	Command	Standard Additions : Clipboard Commands	1126
'geDO'	generic drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite Standard	1127

'geof'	get eof	Command	Additions : File Read/Write	1128
'getd'	get	Command	Cocoa Scripting : Standard Suite	1129
'GIFf'	GIF picture	Class	AppleScript Language	1130
'givn'	given	Parameter of command: Call•subroutine	AppleScript Language	1131
'givu'	giving up after	Parameter of command: display alert	Standard Additions : User Interaction	1132
'givu'	giving up after	Parameter of command: display dialog	AppleScript Studio : Panel Suite	1133
'givu'	giving up after	Parameter of command: display dialog	Standard Additions : User Interaction	1134
'GMT '	time to GMT	Command	Standard Additions : Miscellaneous Commands	1135
'go G'	go	Command	AppleScript Studio : Control View Suite	1136
'gphr'	gopher URL	Enumeration	Standard Additions : Internet Suite	1137
'gpnl'	General Information panel	Enumeration	Finder : Enumerations	1138
'gppr'	group privileges	Property of class: item	Finder : Finder items	1139
'gram'	gray mode	Enumeration	AppleScript Studio : Panel Suite	1140
'gram'	grams	Class	AppleScript Language	1141

'graT'	graphite tint	Enumeration	AppleScript Studio : Container View Suite	1142
'graT'	graphite tint	Enumeration	AppleScript Studio : Control View Suite	1143
'graT'	graphite tint	Enumeration	AppleScript Studio : Data View Suite	1144
'grBF'	gray bezel frame	Enumeration	AppleScript Studio : Control View Suite	1145
'grda'	snap to grid	Enumeration	Finder : Enumerations	1146
'gric'	grid color	Property of class: table view	AppleScript Studio : Data View Suite	1147
'groB'	groove border	Enumeration	AppleScript Studio : Container View Suite	1148
'groF'	groove frame	Enumeration	AppleScript Studio : Control View Suite	1149
'grow'	grow area	Class	System Events : Processes Suite	1150
'grow'	grow areas	Class	System Events : Processes Suite	1151
'grvw'	group view	Enumeration	Finder : Enumerations	1152
'gstl'	computer	Deprecated terminology	Standard Additions : Hidden definitions	1153
'gstl'	system attribute	Command	Standard Additions : Miscellaneous	1154

			Commands	
'gstp'	everyones privileges	Property of class: item	Finder : Finder items	1155
'gtei'	event info	Command	AppleScript Language	1156
'gtsi'	suite info	Command	AppleScript Language	1157
'gtvl'	get volume settings	Command	Standard Additions : Miscellaneous Commands	1158
'GURL'	open location	Command	Standard Additions : Internet Suite	1159
'haHR'	has horizontal ruler	Property of class: scroll view	AppleScript Studio : Container View Suite	1160
'haHS'	has horizontal scroller	Property of class: browser	AppleScript Studio : Data View Suite	1161
'haHS'	has horizontal scroller	Property of class: scroll view	AppleScript Studio : Container View Suite	1162
'half'	half	Enumeration	System Events : QuickTime File Suite	1163
'hand'	handler	Class	AppleScript Language	1164
'hand'	handlers	Class	AppleScript Language	1165
'haRI'	has resize indicator	Property of class: window	AppleScript Studio : Application Suite	1166
		Parameter of	Standard	

'has '	has	command: system attribute	Additions : Miscellaneous Commands AppleScript	1167
'hasI'	has data items	Property of class: data item	Studio : Data View Suite	1168
'haSM'	has sub menu	Property of class: menu item	AppleScript Studio : Menu Suite	1169
'hasS'	has shadow	Property of class: window	AppleScript Studio : Application Suite	1170
'haVR'	has vertical ruler	Property of class: scroll view	AppleScript Studio : Container View Suite	1171
'haVS'	has vertical scroller	Property of class: combo box	AppleScript Studio : Control View Suite	1172
'haVS'	has vertical scroller	Property of class: scroll view	AppleScript Studio : Container View Suite	1173
'hclb'	closeable	Property of class: window	AppleScript Language	1174
'hclb'	closeable	Property of class: window	AppleScript Studio : Application Suite	1175
'hclb'	closeable	Property of class: window	Cocoa Scripting : Standard Suite	1176
'hclb'	closeable	Property of class: window	Finder : Window classes	1177
'heaC'	header cell	Property of class: table column	AppleScript Studio : Data View Suite	1178

'heaV'	header view	Property of class: table view	AppleScript Studio : Data View Suite	1179
'help'	help	Property of class: UI element	System Events : Processes Suite	1180
'hidD'	hidden	Property of class: application	AppleScript Studio : Application Suite	1181
'hidI'	hide	Command	AppleScript Studio : Application Suite	1182
'hidn'	hidden	Enumeration	AppleScript Language	1183
'hidn'	hidden	Property of class: login item	System Events : Login Items Suite	1184
'hidx'	extension hidden	Property of class: file information	Standard Additions : File Commands	1185
'hidx'	extension hidden	Property of class: item	Finder : Finder items	1186
'higB'	highlights by	Property of class: button cell	AppleScript Studio : Control View Suite	1187
'higI'	highlighted	Property of class: cell	AppleScript Studio : Control View Suite	1188
'higL'	highlight	Command	AppleScript Studio : Control View Suite	1189
'higM'	highlight mode	Enumeration	AppleScript Studio : Control View Suite	1190
'hiWD'	hides when deactivated	Property of class: window	AppleScript Studio : Application Suite	1191

'hlpB'	help button bezel	Enumeration	AppleScript Studio : Control View Suite	1192
'hoLS'	horizontal line scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	1193
'home'	home	Property of class: application	Finder : Finder Basics	1194
'home'	home directory	Property of class: system information	Standard Additions : Miscellaneous Commands	1195
'home'	home directory	Property of class: user	System Events : Accounts Suite	1196
'hoPS'	horizontal page scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	1197
'horR'	horizontally resizable	Property of class: text view	AppleScript Studio : Text View Suite	1198
'horS'	horizontal scroller	Property of class: scroll view	AppleScript Studio : Container View Suite	1199
'horV'	horizontal ruler view	Property of class: scroll view	AppleScript Studio : Container View Suite	1200
'HOST'	host	Property of class: URL	Standard Additions : Internet Suite	1201
'hour'	hours	Property of class: application	AppleScript Language	1202
'hour'	hours	Property of class: date	AppleScript Language	1203

'hPDI'	has parent data item	Property of class: data item	AppleScript Studio : Data View Suite	1204
'hqua'	high quality	Property of class: track	System Events : QuickTime File Suite	1205
'href'	href	Property of class: QuickTime data	System Events : QuickTime File Suite	1206
'href'	href	Property of class: track	System Events : QuickTime File Suite	1207
'hsbM'	hsb mode	Enumeration	AppleScript Studio : Panel Suite	1208
'hscr'	has scripting terminology	Property of class: application file	Finder : Files	1209
'hscr'	has scripting terminology	Property of class: process	Finder : Legacy suite	1210
'hscr'	has scripting terminology	Property of class: process	System Events : Processes Suite	1211
'html'	web page	Class	Standard Additions : Internet Suite	1212
'html'	web pages	Class	Standard Additions : Internet Suite	1213
'https'	secure http URL	Enumeration	Standard Additions : Internet Suite	1214
'http'	http URL	Enumeration	Standard Additions : Internet Suite	1215
'htxt'	hidden answer	Parameter of command: display dialog	Standard Additions : User Interaction	1216
'hVOV'	has valid object value	Property of class:	AppleScript Studio : Control	1217

'hyph'	hyphens	cell Enumeration	View Suite AppleScript Language	1218
'iALD'	icon and label display mode	Enumeration	AppleScript Studio : Application Suite	1219
'iarr'	arrangement	Property of class: icon view options	Finder : Type Definitions	1220
'ibkg'	background picture	Property of class: icon view options	Finder : Type Definitions	1221
'iBWI'	in bundle with identifier	Parameter of command: localized string	AppleScript Studio : Application Suite	1222
'icl4'	large 4 bit icon	Property of class: icon family	Finder : Type Definitions	1223
'icl8'	large 8 bit icon	Property of class: icon family	Finder : Type Definitions	1224
'iClp'	clipboard info	Command	Standard Additions : Clipboard Commands	1225
'ICN#'	large monochrome icon and mask	Property of class: icon family	Finder : Type Definitions	1226
'icnv'	icon view	Enumeration	Finder : Enumerations	1227
'icoI'	icon image	Property of class: application	AppleScript Studio : Application Suite	1228
'icop'	icon view options	Class	Finder : Type Definitions	1229
'icop'	icon view options	Property of class: Finder window	Finder : Window classes	1230
'icop'	icon view options	Property of class: preferences	Finder : Type Definitions	1231

'ics#'	small monochrome icon and mask	Property of class: icon family	Finder : Type Definitions	1232
'ics4'	small 4 bit icon	Property of class: icon family	Finder : Type Definitions	1233
'ics8'	small 8 bit icon	Property of class: icon family	Finder : Type Definitions	1234
'ics8'	small 8 bit mask	Property of class: icon family	Finder : Type Definitions	1235
'ID '	id	Enumeration	AppleScript Language	1236
'ID '	id	Property of class: annotation	System Events : QuickTime File Suite	1237
'ID '	id	Property of class: disk item	System Events : Disk-Folder-File Suite	1238
'ID '	id	Property of class: domain	System Events : Disk-Folder-File Suite	1239
'ID '	id	Property of class: item	AppleScript Language	1240
'ID '	id	Property of class: item	AppleScript Studio : Application Suite	1241
'ID '	id	Property of class: item	System Events : Disk-Folder-File Suite	1242
'ID '	id	Property of class: process	System Events : Processes Suite	1243
'ID '	id	Property of class: window	Cocoa Scripting : Standard Suite	1244
'ID '	id	Property of class: window	Finder : Window classes	1245
'ideT'	identifier	Property of class: bundle	AppleScript Studio : Application	1246

			Suite	
'ideT'	identifier	Property of class: table column	AppleScript Studio : Data View Suite	1247
'ideT'	identifier	Property of class: toolbar	AppleScript Studio : Application Suite	1248
'ideT'	identifier	Property of class: toolbar item	AppleScript Studio : Application Suite	1249
'idle'	idle	Command	AppleScript Language	1250
'idle'	idle	Command	AppleScript Studio : Application Suite	1251
'idux'	unix id	Property of class: process	System Events : Processes Suite	1252
'iDWD'	image dims when disabled	Property of class: button cell	AppleScript Studio : Control View Suite	1253
'ifam'	icon family	Class	Finder : Type Definitions	1254
'igMC'	ignores multiple clicks	Property of class: control	AppleScript Studio : Control View Suite	1255
'igpr'	ignore privileges	Property of class: disk	Finder : Containers and folders	1256
'igpr'	ignore privileges	Property of class: disk	System Events : Disk-Folder-File Suite	1257
'iimg'	icon	Property of class: item	Finder : Finder items	1258
'il32'	large 32 bit	Property of class:	Finder : Type	1259

	icon	icon family	Definitions	
'iloc'	location	Property of class: internet location file	Finder : Files	1260
'imaA'	image	Class	AppleScript Studio : Application Suite	1261
'imaA'	image	Class	System Events : Processes Suite	1262
'imaA'	image	Property of class: button	AppleScript Studio : Control View Suite	1263
'imaA'	image	Property of class: cell	AppleScript Studio : Control View Suite	1264
'imaA'	image	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	1265
'imaA'	image	Property of class: image view	AppleScript Studio : Control View Suite	1266
'imaA'	image	Property of class: menu item	AppleScript Studio : Menu Suite	1267
'imaA'	image	Property of class: slider	AppleScript Studio : Control View Suite	1268
'imaA'	image	Property of class: toolbar item	AppleScript Studio : Application Suite	1269
'imaA'	images	Class	AppleScript Studio : Application Suite	1270
'imaA'	images	Class	System Events : Processes Suite	1271

'imaB'	image above	Enumeration	AppleScript Studio : Control View Suite AppleScript	1272
'imaB'	image above	Enumeration	Studio : Data View Suite	1273
'imaC'	image alignment	Property of class: image cell	AppleScript Studio : Control View Suite	1274
'imaC'	image alignment	Property of class: image view	AppleScript Studio : Control View Suite	1275
'imaD'	image below	Enumeration	AppleScript Studio : Control View Suite	1276
'imaD'	image below	Enumeration	AppleScript Studio : Data View Suite	1277
'imaE'	image cell	Class	AppleScript Studio : Control View Suite	1278
'imaE'	image cells	Class	AppleScript Studio : Control View Suite	1279
'imaL'	image left	Enumeration	AppleScript Studio : Control View Suite	1280
'imaL'	image left	Enumeration	AppleScript Studio : Data View Suite	1281
'imaM'	image location	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	1282
'imaN'	image name	Property of class: toolbar item	AppleScript Studio : Application Suite	1283
'imaO'	image only	Enumeration	AppleScript Studio : Control	1284

'imaO'	image only	Enumeration	View Suite AppleScript Studio : Data View Suite	1285
'imaP'	image overlaps	Enumeration	AppleScript Studio : Control View Suite	1286
'imaP'	image overlaps	Enumeration	AppleScript Studio : Data View Suite	1287
'imap'	mailbox access URL	Enumeration	Standard Additions : Internet Suite	1288
'imaQ'	image position	Property of class: button	AppleScript Studio : Control View Suite	1289
'imaQ'	image position	Property of class: cell	AppleScript Studio : Control View Suite	1290
'imaR'	image right	Enumeration	AppleScript Studio : Control View Suite	1291
'imaR'	image right	Enumeration	AppleScript Studio : Data View Suite	1292
'imaS'	image scaling	Property of class: image cell	AppleScript Studio : Control View Suite	1293
'imaS'	image scaling	Property of class: image view	AppleScript Studio : Control View Suite	1294
'imaV'	image view	Class	AppleScript Studio : Control View Suite	1295
'imaV'	image views	Class	AppleScript Studio : Control View Suite	1296

'imCT'	image cell type	Enumeration	AppleScript Studio : Control View Suite	1297
'imCT'	image cell type	Enumeration	AppleScript Studio : Data View Suite	1298
'imFS'	image frame style	Property of class: image cell	AppleScript Studio : Control View Suite	1299
'imFS'	image frame style	Property of class: image view	AppleScript Studio : Control View Suite	1300
'imod'	modified	Property of class: document	AppleScript Language	1301
'imod'	modified	Property of class: document	AppleScript Studio : Document Suite	1302
'imod'	modified	Property of class: document	Cocoa Scripting : Standard Suite	1303
'impG'	imports graphics	Property of class: cell	AppleScript Studio : Control View Suite	1304
'impG'	imports graphics	Property of class: text field	AppleScript Studio : Control View Suite	1305
'impG'	imports graphics	Property of class: text view	AppleScript Studio : Text View Suite	1306
'in B'	in bundle	Parameter of command: load nib	AppleScript Studio : Application Suite	1307
'in B'	in bundle	Parameter of command: localized string	AppleScript Studio : Application Suite	1308
		Parameter of	Standard	

'in B'	in bundle	command: localized string	Additions : String Commands Standard	1309
'in B'	in bundle	Parameter of command: path to resource	Additions : File Commands	1310
'in C'	in column	Parameter of command: number of browser rows	AppleScript Studio : Data View Suite	1311
'in C'	in column	Parameter of command: will display browser cell	AppleScript Studio : Data View Suite	1312
'in D'	in directory	Parameter of command: display	AppleScript Studio : Panel Suite	1313
'in D'	in directory	Parameter of command: display panel	AppleScript Studio : Panel Suite	1314
'in D'	in directory	Parameter of command: path to resource	Standard Additions : File Commands	1315
'in '	in	Parameter of command: summarize	Standard Additions : String Commands	1316
'incE'	increment	Command	AppleScript Studio : Control View Suite	1317
'incE'	increment	Deprecated terminology	System Events : Hidden Suite	1318
'inch'	inches	Class	AppleScript Language	1319
'incr'	incrementor	Class	System Events : Processes Suite	1320
'incr'	incrementors	Class	System Events : Processes Suite	1321
'incV'	increment value	Property of class:	AppleScript Studio : Control	1322

		stepper	View Suite	
'indR'	indeterminate	Property of class: progress indicator	AppleScript Studio : Control View Suite	1323
'indx'	index	Enumeration	AppleScript Language	1324
'indx'	using action number	Parameter of command: edit action of	System Events : Folder Actions Suite	1325
'indx'	using action number	Parameter of command: remove action from	System Events : Folder Actions Suite	1326
'infA'	informational	Enumeration	AppleScript Studio : Panel Suite	1327
'infA'	informational	Enumeration	Standard Additions : User Interaction	1328
'inFO'	in front of	Parameter of command: show	AppleScript Studio : Application Suite	1329
'inlf'	internet location file	Class	Finder : Files	1330
'inlf'	internet location files	Class	Finder : Files	1331
'inPL'	indentation per level	Property of class: outline view	AppleScript Studio : Data View Suite	1332
'insh'	at	Parameter of command: click	System Events : Processes Suite	1333
'insh'	at	Parameter of command: make	AppleScript Language	1334
'insh'	at	Parameter of command: make	Cocoa Scripting : Standard Suite	1335
'insh'	at	Parameter of command: make Parameter of	Finder : Standard Suite	1336

'insh'	to	command: duplicate	AppleScript Language	1337
'insh'	to	Parameter of command: duplicate	Cocoa Scripting : Standard Suite	1338
'insh'	to	Parameter of command: duplicate	Finder : Standard Suite	1339
'insh'	to	Parameter of command: move	AppleScript Language	1340
'insh'	to	Parameter of command: move	Cocoa Scripting : Standard Suite	1341
'insh'	to	Parameter of command: move	Finder : Standard Suite	1342
'insh'	to	Parameter of command: move	System Events : Disk-Folder-File Suite	1343
'inSL'	default items	Parameter of command: choose from list	Standard Additions : User Interaction	1344
'inSl'	location reference	Class	AppleScript Language	1345
'into'	into	Parameter of command: Call•subroutine	AppleScript Language	1346
'intS'	intercell spacing	Property of class: combo box	AppleScript Studio : Control View Suite	1347
'intS'	intercell spacing	Property of class: matrix	AppleScript Studio : Control View Suite	1348
'intS'	intercell spacing	Property of class: table view	AppleScript Studio : Data View Suite	1349
'intV'	integer value	Property of class: cell	AppleScript Studio : Control View Suite	1350

'intV'	integer value	Property of class: control	AppleScript Studio : Control View Suite	1351
'invl'	input volume	Parameter of command: set volume	Standard Additions : Miscellaneous Commands	1352
'invl'	input volume	Property of class: volume settings	Standard Additions : Miscellaneous Commands	1353
'iODM'	icon only display mode	Enumeration	AppleScript Studio : Application Suite	1354
'IPAD'	Internet address	Class	Standard Additions : Internet Suite	1355
'IPAD'	Internet addresses	Class	Standard Additions : Internet Suite	1356
'is32'	small 32 bit icon	Property of class: icon family	Finder : Type Definitions	1357
'isab'	accepts high level events	Property of class: application file	Finder : Files	1358
'isab'	accepts high level events	Property of class: process	Finder : Legacy suite	1359
'isab'	accepts high level events	Property of class: process	System Events : Processes Suite	1360
'isej'	ejectable	Property of class: disk	Finder : Containers and folders	1361
'isej'	ejectable	Property of class: disk	System Events : Disk-Folder-File Suite	1362
'isfl'	floating	Property of class: panel	AppleScript Studio : Panel	1363

'isfl'	floating	Property of class: window	Suite AppleScript Language	1364
'isfl'	floating	Property of class: window	AppleScript Studio : Application Suite	1365
'isfl'	floating	Property of class: window	Cocoa Scripting : Standard Suite	1366
'isfl'	floating	Property of class: window	Finder : Window classes	1367
'ismn'	miniaturizable	Property of class: window	AppleScript Studio : Application Suite	1368
'ismn'	miniaturizable	Property of class: window	Cocoa Scripting : Standard Suite	1369
'ispk'	package folder	Property of class: file information	Standard Additions : File Commands	1370
'isrv'	local volume	Property of class: disk	Finder : Containers and folders	1371
'isrv'	local volume	Property of class: disk	System Events : Disk-Folder-File Suite	1372
'isss'	stored stream	Property of class: QuickTime data	System Events : QuickTime File Suite	1373
'istd'	startup	Property of class: disk	Finder : Containers and folders	1374
'istd'	startup	Property of class: disk	System Events : Disk-Folder-File Suite	1375
'isto'	instead of	Parameter of command: Call•subroutine	AppleScript Language	1376

'iszm'	zoomable	Property of class: window	AppleScript Language AppleScript	1377
'iszm'	zoomable	Property of class: window	Studio : Application Suite	1378
'iszm'	zoomable	Property of class: window	Cocoa Scripting : Standard Suite	1379
'iszm'	zoomable	Property of class: window	Finder : Window classes	1380
'itAI'	item at index	Parameter of command: scroll	AppleScript Studio : Control View Suite	1381
'ital'	italic	Enumeration	AppleScript Language	1382
'iteC'	items changed	Command	AppleScript Studio : Data View Suite	1383
'iteE'	item expandable	Command	AppleScript Studio : Data View Suite	1384
'iteH'	item height	Property of class: combo box	AppleScript Studio : Control View Suite	1385
'iteT'	item	Parameter of command: select	AppleScript Studio : Application Suite	1386
'iteV'	item value	Command	AppleScript Studio : Data View Suite	1387
'itFR'	item for	Command	AppleScript Studio : Data View Suite	1388
'itVC'	item value changed	Command	AppleScript Studio : Data View Suite	1389

'itxt'	international text	Class	AppleScript Language	1390
'iwnd'	information window	Class	Finder : Window classes	1391
'iwnd'	information window	Property of class: item	Finder : Finder items	1392
'jan '	January	Class	AppleScript Language	1393
'Jdoc'	music folder	Property of class: application	System Events : System Events Suite	1394
'JPEG'	JPEG picture	Class	AppleScript Language	1395
'Jrnl'	journaling enabled	Property of class: disk	Finder : Containers and folders	1396
'jul '	July	Class	AppleScript Language	1397
'jun '	June	Class	AppleScript Language	1398
'juTA'	justified text alignment	Enumeration	AppleScript Studio : Control View Suite	1399
'juTA'	justified text alignment	Enumeration	AppleScript Studio : Data View Suite	1400
'juTA'	justified text alignment	Enumeration	AppleScript Studio : Text View Suite	1401
'Kact'	of action type	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1402
'Kapt'	using action	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1403
'kchn'	keychain folder	Enumeration	Standard Additions : File Commands	1404

'Kcid'	with connection ID	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1405
'Kcip'	from client IP address	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1406
'Kclk'	caps lock down	Enumeration	AppleScript Language	1407
'Kcmd'	command down	Enumeration	AppleScript Language	1408
'Kcmd'	command down	Enumeration	System Events : Processes Suite	1409
'kcod'	key code	Command	System Events : Processes Suite	1410
'Kctl'	control down	Enumeration	AppleScript Language	1411
'Kctl'	control down	Enumeration	System Events : Processes Suite	1412
'keDT'	key down type	Enumeration	AppleScript Studio : Application Suite	1413
'keEN'	key equivalent modifier	Property of class: button	AppleScript Studio : Control View Suite	1414
'keEN'	key equivalent modifier	Property of class: button cell	AppleScript Studio : Control View Suite	1415
'keEN'	key equivalent modifier	Property of class: menu item	AppleScript Studio : Menu Suite	1416
'keUT'	key up type	Enumeration	AppleScript Studio : Application Suite	1417
'keyC'	key cell	Property of class: matrix	AppleScript Studio : Control View Suite	1418

'keyD'	key code	Property of class: event	AppleScript Studio : Application Suite	1419
'keyE'	key	Property of class: window	AppleScript Studio : Application Suite	1420
'keyF'	key down	Deprecated terminology	System Events : Hidden Suite	1421
'keyF'	keyboard down	Command	AppleScript Studio : Application Suite	1422
'keyG'	key equivalent	Property of class: button	AppleScript Studio : Control View Suite	1423
'keyG'	key equivalent	Property of class: cell	AppleScript Studio : Control View Suite	1424
'keyG'	key equivalent	Property of class: menu item	AppleScript Studio : Menu Suite	1425
'keyU'	key up	Deprecated terminology	System Events : Hidden Suite	1426
'keyU'	keyboard up	Command	AppleScript Studio : Application Suite	1427
'keyW'	key window	Property of class: application	AppleScript Studio : Application Suite	1428
'kfil'	in	Parameter of command: save	AppleScript Language	1429
'kfil'	in	Parameter of command: save	Cocoa Scripting : Standard Suite	1430

'kfil'	saving in	Parameter of command: close	AppleScript Language	1431
'kfil'	saving in	Parameter of command: close	Cocoa Scripting : Standard Suite	1432
'kfor'	searching for	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1433
'kfrm'	reference form	Class	AppleScript Language	1434
'kfrm'	reference forms	Class	AppleScript Language	1435
'kfrq'	with full request	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1436
'kgrm'	kilograms	Class	AppleScript Language	1437
'kina'	arranged by kind	Enumeration	Finder : Enumerations	1438
'kind'	kind	Enumeration	Finder : Enumerations	1439
'kind'	kind	Property of class: alias	System Events : Disk-Folder-File Suite	1440
'kind'	kind	Property of class: file	System Events : Disk-Folder-File Suite	1441
'kind'	kind	Property of class: file information	Standard Additions : File Commands	1442
'kind'	kind	Property of class: FTP item	Standard Additions : Internet Suite	1443
'kind'	kind	Property of class: item	Finder : Finder items	1444
'kind'	kind	Property of class: login item	System Events : Login Items Suite	1445

'kind'	kind	Property of class: property list item	System Events : Property List Suite	1446
'kind'	kind	Property of class: track	System Events : QuickTime File Suite	1447
'kknd'	key kind	Property of class: keystroke	AppleScript Language	1448
'kMod'	modifiers	Property of class: keystroke	AppleScript Language	1449
'kMsg'	key	Property of class: keystroke	AppleScript Language	1450
'kmtr'	kilometers	Class	AppleScript Language	1451
'kmtr'	kilometres	Class	AppleScript Language	1452
'knoT'	knob thickness	Property of class: slider	AppleScript Studio : Control View Suite	1453
'kocl'	each	Parameter of command: count	AppleScript Language	1454
'kocl'	each	Parameter of command: count	Cocoa Scripting : Standard Suite	1455
'kocl'	each	Parameter of command: count	Finder : Standard Suite	1456
'kocl'	new	Parameter of command: make	AppleScript Language	1457
'kocl'	new	Parameter of command: make	Cocoa Scripting : Standard Suite	1458
'kocl'	new	Parameter of command: make	Finder : Standard Suite	1459
'Kopt'	option down	Enumeration	AppleScript Language	1460
'Kopt'	option down	Enumeration	System Events : Processes Suite	1461
'kprs'	keystroke	Class	AppleScript Language	1462

'kprs'	keystroke	Command	System Events : Processes Suite	1463
'kprs'	keystrokes	Class	AppleScript Language	1464
'Ksft'	shift down	Enumeration	AppleScript Language	1465
'Ksft'	shift down	Enumeration	System Events : Processes Suite	1466
'l8mk'	large 8 bit mask	Property of class: icon family	Finder : Type Definitions	1467
'laba'	arranged by label	Enumeration	Finder : Enumerations	1468
'labB'	label	Property of class: tab view item	AppleScript Studio : Container View Suite	1469
'labB'	label	Property of class: toolbar item	AppleScript Studio : Application Suite	1470
'labi'	label index	Enumeration	Finder : Enumerations	1471
'labi'	label index	Property of class: item	Finder : Finder items	1472
'lact'	attached scripts	Command	System Events : Folder Actions Suite	1473
'lasC'	last column	Property of class: browser	AppleScript Studio : Data View Suite	1474
'lauN'	launched	Command	AppleScript Studio : Application Suite	1475
'laun'	launch URL	Enumeration	Standard Additions :	1476

'laun'	launcher items folder	Enumeration	Internet Suite Standard Additions : File Commands	1477
'laun'	launcher items folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	1478
'laVC'	last visible column	Property of class: browser	AppleScript Studio : Data View Suite	1479
'lBAF'	looping back and forth playback	Enumeration	AppleScript Studio : Control View Suite	1480
'lbot'	bottom	Enumeration	Finder : Enumerations	1481
'lbs '	pounds	Class	AppleScript Language	1482
'ldsA'	host name	Property of class: system information	Standard Additions : Miscellaneous Commands	1483
'ldt '	date	Class	AppleScript Language	1484
'ldt '	dates	Class	AppleScript Language	1485
'leaE'	leaf	Property of class: browser cell	AppleScript Studio : Data View Suite	1486
'leaO'	leading offset	Property of class: drawer	AppleScript Studio : Container View Suite	1487
'lefA'	left alignment	Enumeration	AppleScript Studio : Control View Suite	1488
'lefE'	left edge	Enumeration	AppleScript Studio : Container View	1489

			Suite	
'lefE'	left edge	Enumeration	AppleScript Studio : Control View Suite	1490
'left'	left	Enumeration	AppleScript Language	1491
'leng'	length	Property of class: linked list	AppleScript Language	1492
'leng'	length	Property of class: list	AppleScript Language	1493
'leng'	length	Property of class: vector	AppleScript Language	1494
'leTA'	left text alignment	Enumeration	AppleScript Studio : Control View Suite	1495
'leTA'	left text alignment	Enumeration	AppleScript Studio : Data View Suite	1496
'leTA'	left text alignment	Enumeration	AppleScript Studio : Text View Suite	1497
'levV'	level	Property of class: window	AppleScript Studio : Application Suite	1498
'lfdR'	list folder	Command	Standard Additions : File Commands	1499
'lfiv'	invisibles	Parameter of command: choose file	Standard Additions : User Interaction	1500
'lfiv'	invisibles	Parameter of command: choose folder	Standard Additions : User Interaction	1501
'lfiv'	invisibles	Parameter of command: list folder	Standard Additions : File Commands	1502
	long fixed		AppleScript	

'lfpt'	point	Class	Language	1503
'lfrc'	long fixed rectangle	Class	AppleScript Language	1504
'lfxd'	long fixed	Class	AppleScript Language	1505
'lgic'	large	Enumeration	Finder : Enumerations	1506
'lgic'	large icon	Enumeration	Finder : Enumerations	1507
'liDO'	link drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	1508
'linB'	line border	Enumeration	AppleScript Studio : Container View Suite	1509
'linS'	line scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	1510
'lisM'	list mode	Enumeration	AppleScript Studio : Control View Suite	1511
'list'	list	Class	AppleScript Language	1512
'list'	list	Class	System Events : Processes Suite	1513
'list'	lists	Class	AppleScript Language	1514
'list'	lists	Class	System Events : Processes Suite	1515
'litr'	liters	Class	AppleScript Language	1516
'litr'	litres	Class	AppleScript Language	1517
'llst'	linked list	Class	AppleScript	1518

'llst'	linked lists	Class	Language AppleScript Language	1519
'lMDT'	left mouse down type	Enumeration	AppleScript Studio : Application Suite	1520
'lMDU'	left mouse dragged type	Enumeration	AppleScript Studio : Application Suite	1521
'lMUT'	left mouse up type	Enumeration	AppleScript Studio : Application Suite	1522
'loaA'	loaded	Property of class: browser	AppleScript Studio : Data View Suite	1523
'loaA'	loaded	Property of class: browser cell	AppleScript Studio : Data View Suite	1524
'load'	load script	Command	Standard Additions : Scripting Commands	1525
'loaI'	load image	Command	AppleScript Studio : Application Suite	1526
'loaM'	load movie	Command	AppleScript Studio : Application Suite	1527
'loaN'	load nib	Command	AppleScript Studio : Application Suite	1528
		Command	AppleScript	1529

'loaP'	load panel		Studio : Panel Suite	
'loaS'	load sound	Command	AppleScript Studio : Application Suite	1530
'locA'	location	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	1531
'locA'	location	Property of class: event	AppleScript Studio : Application Suite	1532
'locF'	lock focus	Command	AppleScript Studio : Container View Suite	1533
'locI'	localization	Parameter of command: path for	AppleScript Studio : Application Suite	1534
'locS'	localized string	Command	AppleScript Studio : Application Suite	1535
'locS'	localized string	Command	Standard Additions : String Commands	1536
'locT'	localized sort	Property of class: data source	AppleScript Studio : Data View Suite	1537
'lODM'	label only display mode	Enumeration	AppleScript Studio : Application Suite	1538
'loDR'	load data representation	Command	AppleScript Studio : Document Suite	1539

'log0'	stop log	Command	AppleScript Language	1540
'log1'	start log	Command	AppleScript Language	1541
'logi'	login item	Class	System Events : Login Items Suite	1542
'logi'	login items	Class	System Events : Login Items Suite	1543
'logo'	log out	Command	System Events : Power Suite	1544
'long'	integer	Class	AppleScript Language	1545
'long'	integers	Class	AppleScript Language	1546
'looM'	loop mode	Property of class: movie view	AppleScript Studio : Control View Suite	1547
'looP'	looping playback	Enumeration	AppleScript Studio : Control View Suite	1548
'loop'	looping	Property of class: QuickTime data	System Events : QuickTime File Suite	1549
'lowc'	all lowercase	Enumeration	AppleScript Language	1550
'lpnt'	long point	Class	AppleScript Language	1551
'lpos'	label position	Property of class: icon view options	Finder : Type Definitions	1552
'lr '	list or record	Class	AppleScript Language	1553
'lrct'	long rectangle	Class	AppleScript Language	1554
'lrgt'	right	Enumeration	Finder : Enumerations	1555

'lrs '	list, record or text	Class	AppleScript Language	1556
'ls '	list or string	Class	AppleScript Language	1557
'lsvw'	list view	Enumeration	Finder : Enumerations	1558
'lTBB'	left tabs bezel border	Enumeration	AppleScript Studio : Container View Suite	1559
'lvcl'	column	Class	Finder : Type Definitions	1560
'lvcl'	columns	Class	Finder : Type Definitions	1561
'lvis'	icon size	Property of class: icon view options	Finder : Type Definitions	1562
'lvis'	icon size	Property of class: list view options	Finder : Type Definitions	1563
'lvol'	list disks	Command	Standard Additions : File Commands	1564
'lvop'	list view options	Class	Finder : Type Definitions	1565
'lvop'	list view options	Property of class: Finder window	Finder : Window classes	1566
'lvop'	list view options	Property of class: preferences	Finder : Type Definitions	1567
'lwcl'	collating	Property of class: print settings	Cocoa Scripting : Type Definitions	1568
'lwcp'	copies	Property of class: print settings	Cocoa Scripting : Type Definitions	1569
'lwdt'	detailed	Enumeration	Cocoa Scripting : Type Definitions Cocoa Scripting	1570

'lweh'	error handling	Property of class: print settings	: Type Definitions	1571
'lwfp'	starting page	Property of class: print settings	Cocoa Scripting : Type Definitions	1572
'lwla'	pages across	Property of class: print settings	Cocoa Scripting : Type Definitions	1573
'lwld'	pages down	Property of class: print settings	Cocoa Scripting : Type Definitions	1574
'lwlp'	ending page	Property of class: print settings	Cocoa Scripting : Type Definitions	1575
'lwnd'	clipping window	Class	Finder : Window classes	1576
'lwnd'	clipping window	Property of class: clipping	Finder : Files	1577
'lwnd'	clipping windows	Class	Finder : Window classes	1578
'lwst'	standard	Enumeration	Cocoa Scripting : Type Definitions	1579
'mach'	machine	Class	AppleScript Language	1580
'mach'	machines	Class	AppleScript Language	1581
'macS'	maximum content size	Property of class: drawer	AppleScript Studio : Container View Suite	1582
'macs'	system folder	Enumeration	Standard Additions : File Commands	1583
'macs'	system folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	1584

'maFC'	marker follows cell	Property of class: outline view	AppleScript Studio : Data View Suite	1585
'magn'	unsigned integer	Class	AppleScript Language	1586
'maiA'	main	Property of class: window	AppleScript Studio : Application Suite	1587
'maiB'	main bundle	Property of class: application	AppleScript Studio : Application Suite	1588
'mail'	mail URL	Enumeration	Standard Additions : Internet Suite	1589
'maiM'	main menu	Property of class: application	AppleScript Studio : Application Suite	1590
'maiW'	main window	Property of class: application	AppleScript Studio : Application Suite	1591
'mar '	March	Class	AppleScript Language	1592
'matM'	matrix mode	Property of class: matrix	AppleScript Studio : Control View Suite	1593
'matT'	matrices	Class	AppleScript Studio : Control View Suite	1594
'matT'	matrix	Class	AppleScript Studio : Control View Suite	1595
'maVC'	maximum visible columns	Property of class: browser	AppleScript Studio : Data View Suite	1596

'maxS'	maximum size	Property of class: text view	AppleScript Studio : Text View Suite	1597
'maxS'	maximum size	Property of class: toolbar item	AppleScript Studio : Application Suite	1598
'maxS'	maximum size	Property of class: window	AppleScript Studio : Application Suite	1599
'maxV'	maximum value	Property of class: progress indicator	AppleScript Studio : Control View Suite	1600
'maxV'	maximum value	Property of class: slider	AppleScript Studio : Control View Suite	1601
'maxV'	maximum value	Property of class: stepper	AppleScript Studio : Control View Suite	1602
'maxV'	maximum value	Property of class: UI element	System Events : Processes Suite	1603
'maxW'	maximum width	Property of class: table column	AppleScript Studio : Data View Suite	1604
'may '	May	Class	AppleScript Language	1605
'mbar'	menu bar	Class	System Events : Processes Suite	1606
'mbar'	menu bars	Class	System Events : Processes Suite	1607
'mbox'	mailbox URL	Enumeration	Standard Additions : Internet Suite	1608
'mbri'	menu bar item	Class	System Events : Processes Suite	1609
'mbri'	menu bar items	Class	System Events : Processes Suite	1610

'mdcr'	creation time	Property of class: QuickTime data	System Events : QuickTime File Suite	1611
'mdcr'	creation time	Property of class: track	System Events : QuickTime File Suite	1612
'mdoc'	movies folder	Enumeration	Standard Additions : File Commands	1613
'mdoc'	movies folder	Property of class: application	System Events : System Events Suite	1614
'mdoc'	movies folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	1615
'mdta'	arranged by modification date	Enumeration	Finder : Enumerations	1616
'mdtm'	modification time	Property of class: QuickTime data	System Events : QuickTime File Suite	1617
'mdtm'	modification time	Property of class: track	System Events : QuickTime File Suite	1618
'meFR'	menu form representation	Property of class: toolbar item	AppleScript Studio : Application Suite	1619
'menB'	menu button	Class	System Events : Processes Suite	1620
'menB'	menu buttons	Class	System Events : Processes Suite	1621
'menE'	menu	Class	AppleScript Studio : Menu Suite	1622
'menE'	menu	Class	System Events : Processes Suite AppleScript	1623

'menE'	menu	Property of class: cell	Studio : Control View Suite	1624
'menE'	menu	Property of class: menu item	AppleScript Studio : Menu Suite	1625
'menE'	menu	Property of class: responder	AppleScript Studio : Application Suite	1626
'menE'	menus	Class	AppleScript Studio : Menu Suite	1627
'menE'	menus	Class	System Events : Processes Suite	1628
'menI'	menu item	Class	AppleScript Studio : Menu Suite	1629
'menI'	menu item	Class	System Events : Processes Suite	1630
'menI'	menu items	Class	AppleScript Studio : Menu Suite	1631
'menI'	menu items	Class	System Events : Processes Suite	1632
'mesS'	message	Parameter of command: display alert	AppleScript Studio : Panel Suite	1633
'mesS'	message	Parameter of command: display alert	Standard Additions : User Interaction	1634
'mess'	message URL	Enumeration	Standard Additions : Internet Suite	1635
'meth'	using access method	Parameter of command: handle CGI request	Standard Additions : Internet Suite AppleScript	1636

'metr'	meters	Class	Language	1637
'metr'	metres	Class	AppleScript Language	1638
'miCS'	minimum content size	Property of class: drawer	AppleScript Studio : Container View Suite	1639
'miCW'	minimum column width	Property of class: browser	AppleScript Studio : Data View Suite	1640
'miic'	mini	Enumeration	Finder : Enumerations	1641
'mile'	miles	Class	AppleScript Language	1642
'min '	minutes	Property of class: application	AppleScript Language	1643
'min '	minutes	Property of class: date	AppleScript Language	1644
'minI'	minimized image	Property of class: window	AppleScript Studio : Application Suite	1645
'minS'	minimum size	Property of class: text view	AppleScript Studio : Text View Suite	1646
'minS'	minimum size	Property of class: toolbar item	AppleScript Studio : Application Suite	1647
'minS'	minimum size	Property of class: window	AppleScript Studio : Application Suite	1648
'minT'	miniaturized	Command	AppleScript Studio : Application Suite AppleScript	1649

'minU'	miniaturized	Property of class: window	Studio : Application Suite	1650
'minV'	minimized title	Property of class: window	AppleScript Studio : Application Suite	1651
'minW'	minimum value	Property of class: progress indicator	AppleScript Studio : Control View Suite	1652
'minW'	minimum value	Property of class: slider	AppleScript Studio : Control View Suite	1653
'minW'	minimum value	Property of class: stepper	AppleScript Studio : Control View Suite	1654
'minW'	minimum value	Property of class: UI element	System Events : Processes Suite	1655
'minX'	minimum width	Property of class: table column	AppleScript Studio : Data View Suite	1656
'mixS'	mixed state	Enumeration	AppleScript Studio : Control View Suite	1657
'mixS'	mixed state	Enumeration	AppleScript Studio : Data View Suite	1658
'mLoc'	machine location	Class	AppleScript Language	1659
'mlsl'	multiple selections allowed	Parameter of command: choose application	Standard Additions : User Interaction	1660
'mlsl'	multiple selections allowed	Parameter of command: choose file	Standard Additions : User Interaction	1661
'mlsl'	multiple selections allowed	Parameter of command: choose folder	Standard Additions : User Interaction	1662

'mlsl'	multiple selections allowed	Parameter of command: choose from list	Standard Additions : User Interaction	1663
'mnfo'	shows item info	Property of class: icon view options	Finder : Type Definitions	1664
'mniS'	mini size	Enumeration	AppleScript Studio : Container View Suite	1665
'mniS'	mini size	Enumeration	AppleScript Studio : Control View Suite	1666
'mniS'	mini size	Enumeration	AppleScript Studio : Data View Suite	1667
'mnth'	month	Class	AppleScript Language	1668
'mnth'	month	Property of class: date	AppleScript Language	1669
'mnth'	months	Class	AppleScript Language	1670
'moCB'	momentary change button	Enumeration	AppleScript Studio : Control View Suite	1671
'mod '	mod	Command	AppleScript Language	1672
'moDO'	move drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	1673
'moDS'	mouse down state	Property of class: cell	AppleScript Studio : Control View Suite	1674
'moET'	mouse entered type	Enumeration	AppleScript Studio : Application Suite	1675

'moEU'	mouse exited type	Enumeration	AppleScript Studio : Application Suite	1676
'moLB'	momentary light button	Enumeration	AppleScript Studio : Control View Suite	1677
'moMT'	mouse moved type	Enumeration	AppleScript Studio : Application Suite	1678
'mon '	Monday	Class	AppleScript Language	1679
'mouD'	mouse down	Command	AppleScript Studio : Application Suite	1680
'mouE'	mouse entered	Command	AppleScript Studio : Application Suite	1681
'mouF'	mouse exited	Command	AppleScript Studio : Application Suite	1682
'mouG'	mouse dragged	Command	AppleScript Studio : Application Suite	1683
'mouM'	mouse moved	Command	AppleScript Studio : Application Suite	1684
'mouU'	mouse up	Command	AppleScript Studio : Application Suite	1685
'movC'	movie controller	Property of class: movie view	AppleScript Studio : Control	1686

'movd'	movie data	Class	View Suite System Events : Movie File Suite	1687
'move'	move	Command	AppleScript Language	1688
'move'	move	Command	Cocoa Scripting : Standard Suite	1689
'move'	move	Command	Finder : Standard Suite	1690
'move'	move	Command	System Events : Disk-Folder-File Suite	1691
'movF'	movie file	Property of class: movie view	AppleScript Studio : Control View Suite	1692
'movf'	movie file	Class	System Events : Movie File Suite	1693
'movf'	movie files	Class	System Events : Movie File Suite	1694
'movR'	movie rect	Property of class: movie view	AppleScript Studio : Control View Suite	1695
'movV'	moved	Command	AppleScript Studio : Application Suite	1696
'movW'	movie	Class	AppleScript Studio : Application Suite	1697
'movW'	movie	Property of class: movie view	AppleScript Studio : Control View Suite	1698
'movW'	movies	Class	AppleScript Studio : Application Suite AppleScript	1699

'movX'	movie view	Class	Studio : Control View Suite	1700
'movX'	movie views	Class	AppleScript Studio : Control View Suite	1701
'mPIB'	momentary push in button	Enumeration	AppleScript Studio : Control View Suite	1702
'mpnl'	Memory panel	Enumeration	Finder : Enumerations	1703
'mprt'	minimum size	Property of class: application file	Finder : Files	1704
'msng'	missing value	Class	AppleScript Language	1705
'msng'	missing values	Class	AppleScript Language	1706
'mult'	multi URL	Enumeration	Standard Additions : Internet Suite	1707
'mute'	output muted	Parameter of command: set volume	Standard Additions : Miscellaneous Commands	1708
'mute'	output muted	Property of class: volume settings	Standard Additions : Miscellaneous Commands	1709
'mutT'	muted	Property of class: movie view	AppleScript Studio : Control View Suite	1710
'mvis'	reveal	Command	Finder : Finder items	1711
'mvol'	mount volume	Command	Standard Additions : File Commands	1712
'mvpl'	positioned at	Parameter of command: move	Finder : Standard Suite	1713

'nama'	arranged by name	Enumeration	Finder : Enumerations	1714
'name'	named	Enumeration	AppleScript Language	1715
'narr'	not arranged	Enumeration	Finder : Enumerations	1716
'naTA'	natural text alignment	Enumeration	AppleScript Studio : Control View Suite	1717
'naTA'	natural text alignment	Enumeration	AppleScript Studio : Data View Suite	1718
'naTA'	natural text alignment	Enumeration	AppleScript Studio : Text View Suite	1719
'nd '	number or date	Class	AppleScript Language	1720
'ndim'	natural dimensions	Property of class: movie data	System Events : Movie File Suite	1721
'nds '	number, date or text	Class	AppleScript Language	1722
'nec?'	necessity	Parameter of command: update	Finder : Finder items	1723
'need'	needs display	Property of class: view	AppleScript Studio : Container View Suite	1724
'need'	needs display	Property of class: window	AppleScript Studio : Application Suite	1725
'neg '	negate	Command	AppleScript Language	1726
'newC'	new column	Parameter of command: column moved	AppleScript Studio : Data View Suite	1727
'news'	news URL	Enumeration	Standard Additions :	1728

'nexS'	next state	Property of class: cell	Internet Suite AppleScript Studio : Control View Suite	1729
'nexT'	next text	Property of class: matrix	AppleScript Studio : Control View Suite	1730
'nexT'	next text	Property of class: text field	AppleScript Studio : Control View Suite	1731
'nfo4'	info for	Command	Standard Additions : File Commands	1732
'nubr'	number	Class	AppleScript Language	1733
'nubr'	numbers	Class	AppleScript Language	1734
'nmwr'	for	Parameter of command: write	Standard Additions : File Read/Write	1735
'nmxt'	name extension	Property of class: file information	Standard Additions : File Commands	1736
'nmxt'	name extension	Property of class: item	Finder : Finder items	1737
'nntp'	nntp URL	Enumeration	Standard Additions : Internet Suite	1738
'no B'	no border	Enumeration	AppleScript Studio : Container View Suite	1739
'no F'	no frame	Enumeration	AppleScript Studio : Control View Suite	1740
'no I'	no image	Enumeration	AppleScript Studio : Control	1741

'no I'	no image	Enumeration	View Suite AppleScript Studio : Data View Suite	1742
'no S'	no scaling	Enumeration	AppleScript Studio : Control View Suite	1743
'no T'	no title	Enumeration	AppleScript Studio : Container View Suite	1744
'no '	no	Enumeration	AppleScript Language	1745
'no '	no	Enumeration	Cocoa Scripting : Standard Suite	1746
'no '	no	Enumeration	Standard Additions : Scripting Commands	1747
'nOBR'	number of browser rows	Command	AppleScript Studio : Data View Suite	1748
'noDO'	no drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	1749
'none'	none	Enumeration	Finder : Enumerations	1750
'noop'	launch	Command	AppleScript Language	1751
'norm'	normal	Enumeration	System Events : QuickTime File Suite	1752
'norP'	normal playback	Enumeration	AppleScript Studio : Control View Suite	1753
'NOT '	not	Command	AppleScript Language	1754

'nOTM'	number of tick marks	Property of class: slider	AppleScript Studio : Control View Suite	1755
'nov '	November	Class	AppleScript Language	1756
'npl'	Name & Extension panel	Enumeration	Finder : Enumerations	1757
'ns '	number or string	Class	AppleScript Language	1758
'nTBB'	no tabs bezel border	Enumeration	AppleScript Studio : Container View Suite	1759
'nTLC'	no tabs line border	Enumeration	AppleScript Studio : Container View Suite	1760
'nTNB'	no tabs no border	Enumeration	AppleScript Studio : Container View Suite	1761
'ntoc'	ASCII character	Command	Standard Additions : String Commands	1762
'nuCT'	null cell type	Enumeration	AppleScript Studio : Control View Suite	1763
'nuCT'	null cell type	Enumeration	AppleScript Studio : Data View Suite	1764
'null'	null	Class	AppleScript Language	1765
'nume'	numeric strings	Enumeration	AppleScript Language	1766
'numR'	numerical	Enumeration	AppleScript Studio : Data View Suite	1767

'nuOI'	number of items	Command	AppleScript Studio : Data View Suite	1768
'nuOR'	number of rows	Command	AppleScript Studio : Data View Suite	1769
'nwfl'	choose file name	Command	Standard Additions : User Interaction	1770
'oapp'	run	Command	AppleScript Language	1771
'obj '	reference	Class	AppleScript Language	1772
'obj '	references	Class	AppleScript Language	1773
'objJ'	object	Parameter of command: should begin editing	AppleScript Studio : Control View Suite	1774
'objJ'	object	Parameter of command: should end editing	AppleScript Studio : Control View Suite	1775
'oct '	October	Class	AppleScript Language	1776
'oded'	editors	Enumeration	Standard Additions : File Commands	1777
'oded'	editors folder	Enumeration	Standard Additions : File Commands	1778
'odoc'	open	Command	AppleScript Language	1779
'odoc'	open	Command	Cocoa Scripting : Standard Suite	1780
'odoc'	open	Command	Finder : Standard Suite	1781
'odoc'	open	Command	System Events : Disk-Folder-File Suite	1782

'odst'	stationery	Enumeration	Standard Additions : File Commands	1783
'odst'	stationery folder	Enumeration	Standard Additions : File Commands	1784
'of C'	of class	Parameter of command: call method	AppleScript Studio : Application Suite	1785
'of O'	of object	Parameter of command: call method	AppleScript Studio : Application Suite	1786
'of T'	of type	Parameter of command: data representation	AppleScript Studio : Document Suite	1787
'of T'	of type	Parameter of command: load data representation	AppleScript Studio : Document Suite	1788
'of T'	of type	Parameter of command: read from file	AppleScript Studio : Document Suite	1789
'of T'	of type	Parameter of command: write to file	AppleScript Studio : Document Suite	1790
'offs'	off state	Enumeration	AppleScript Studio : Control View Suite	1791
'offs'	off state	Enumeration	AppleScript Studio : Data View Suite	1792
'offs'	offset	Command	Standard Additions : String Commands	1793

'offs'	start time	Property of class: track	System Events : QuickTime File Suite	1794
'ofst'	off styles	Property of class: text style info	AppleScript Language	1795
'okbt'	OK button name	Parameter of command: choose from list	Standard Additions : User Interaction	1796
'oldC'	old column	Parameter of command: column moved	AppleScript Studio : Data View Suite	1797
'oldW'	old width	Parameter of command: column resized	AppleScript Studio : Data View Suite	1798
'olST'	old style type	Enumeration	AppleScript Studio : Container View Suite	1799
'omDT'	other mouse down type	Enumeration	AppleScript Studio : Application Suite	1800
'omDT'	other mouse up type	Enumeration	AppleScript Studio : Application Suite	1801
'omDU'	other mouse dragged type	Enumeration	AppleScript Studio : Application Suite	1802
'on O'	on	Parameter of command: open drawer	AppleScript Studio : Container View Suite	1803
'on S'	on state	Enumeration	AppleScript Studio : Control View Suite	1804
'on S'	on state	Enumeration	AppleScript Studio : Data	1805

			View Suite	
'on '	on	Parameter of command: Call•subroutine	AppleScript Language	1806
'onOB'	on off button	Enumeration	AppleScript Studio : Control View Suite	1807
'onst'	on styles	Property of class: text style info	AppleScript Language	1808
'onto'	onto	Parameter of command: Call•subroutine	AppleScript Language	1809
'op-P'	open-panel	Class	AppleScript Studio : Panel Suite	1810
'op-P'	open-panels	Class	AppleScript Studio : Panel Suite	1811
'opaA'	opaque	Property of class: cell	AppleScript Studio : Control View Suite	1812
'opaA'	opaque	Property of class: view	AppleScript Studio : Container View Suite	1813
'opaA'	opaque	Property of class: window	AppleScript Studio : Application Suite	1814
'opeD'	open drawer	Command	AppleScript Studio : Container View Suite	1815
'opeE'	opened	Command	AppleScript Studio : Application Suite Standard	1816

'open'	open for access	Command	Additions : File Read/Write AppleScript	1817
'opeP'	open panel	Property of class: application	Studio : Application Suite	1818
'opeU'	open untitled	Command	AppleScript Studio : Application Suite	1819
'opKD'	option key down	Property of class: event	AppleScript Studio : Application Suite	1820
'OR '	or	Command	AppleScript Language	1821
'orie'	orientation	Property of class: UI element	System Events : Processes Suite	1822
'orig'	original item	Property of class: alias file	Finder : Files	1823
'othB'	other button	Parameter of command: display alert	AppleScript Studio : Panel Suite	1824
'othR'	other return	Enumeration	AppleScript Studio : Panel Suite	1825
'oTMV'	only tick mark values	Property of class: slider	AppleScript Studio : Control View Suite	1826
'ouTC'	outline table column	Property of class: outline view	AppleScript Studio : Data View Suite	1827
'outI'	data item	Parameter of command: accept outline drop	AppleScript Studio : Data View Suite	1828
'outI'	data item	Parameter of command: prepare outline drop	AppleScript Studio : Data View Suite	1829

'outI'	outline item	Parameter of command: change item value	AppleScript Studio : Data View Suite	1830
'outI'	outline item	Parameter of command: child of item	AppleScript Studio : Data View Suite	1831
'outI'	outline item	Parameter of command: item expandable	AppleScript Studio : Data View Suite	1832
'outI'	outline item	Parameter of command: item value	AppleScript Studio : Data View Suite	1833
'outI'	outline item	Parameter of command: item value changed	AppleScript Studio : Data View Suite	1834
'outI'	outline item	Parameter of command: number of items	AppleScript Studio : Data View Suite	1835
'outI'	outline item	Parameter of command: should collapse item	AppleScript Studio : Data View Suite	1836
'outI'	outline item	Parameter of command: should expand item	AppleScript Studio : Data View Suite	1837
'outI'	outline item	Parameter of command: should select item	AppleScript Studio : Data View Suite	1838
'outI'	outline item	Parameter of command: will display item cell	AppleScript Studio : Data View Suite	1839
'outI'	outline item	Parameter of command: will display outline cell	AppleScript Studio : Data View Suite	1840
'outl'	outline	Class	System Events : Processes Suite	1841
'outl'	outline	Enumeration	AppleScript Language	1842

'outl'	outlines	Class	System Events : Processes Suite	1843
'outo'	out of	Parameter of command: Call•subroutine	AppleScript Language	1844
'outV'	outline view	Class	AppleScript Studio : Data View Suite	1845
'outV'	outline views	Class	AppleScript Studio : Data View Suite	1846
'ouvl'	output volume	Parameter of command: set volume	Standard Additions : Miscellaneous Commands	1847
'ouvl'	output volume	Property of class: volume settings	Standard Additions : Miscellaneous Commands	1848
'over'	over	Parameter of command: Call•subroutine	AppleScript Language	1849
'ownr'	owner privileges	Property of class: item	Finder : Finder items	1850
'ozs '	ounces	Class	AppleScript Language	1851
'pack'	package	Class	Finder : Files	1852
'pack'	packages	Class	Finder : Files	1853
'paDI'	parent data item	Property of class: data item	AppleScript Studio : Data View Suite	1854
'padv'	Advanced Preferences panel	Enumeration	Finder : Enumerations	1855
'pagS'	page scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	1856

'pALL'	properties	Property of class: FTP item	Standard Additions : Internet Suite	1857
'pALL'	properties	Property of class: Internet address	Standard Additions : Internet Suite	1858
'pALL'	properties	Property of class: item	Cocoa Scripting : Standard Suite	1859
'pALL'	properties	Property of class: item	Finder : Finder items	1860
'pALL'	properties	Property of class: URL	Standard Additions : Internet Suite	1861
'pALL'	properties	Property of class: web page	Standard Additions : Internet Suite	1862
'pALL'	properties	Property of class: window	Finder : Window classes	1863
'paLL'	palette label	Property of class: toolbar item	AppleScript Studio : Application Suite	1864
'panE'	panel ended	Command	AppleScript Studio : Panel Suite	1865
'panl'	current panel	Property of class: information window	Finder : Window classes	1866
'panl'	current panel	Property of class: preferences window	Finder : Window classes	1867
'panN'	panel	Class	AppleScript Studio : Panel Suite	1868
'panN'	panels	Class	AppleScript Studio : Panel Suite	1869

'panT'	pane splitter	Property of class: split view	AppleScript Studio : Container View Suite	1870
'pare'	parent	Property of class: script	AppleScript Language	1871
'parM'	parameters	Parameter of command: parameters updated	AppleScript Studio : Container View Suite	1872
'parM'	parameters	Parameter of command: update parameters	AppleScript Studio : Container View Suite	1873
'parU'	parameters updated	Command	AppleScript Studio : Container View Suite	1874
'parW'	parent window	Property of class: drawer	AppleScript Studio : Container View Suite	1875
'pasE'	pasteboard	Class	AppleScript Studio : Application Suite	1876
'pasE'	pasteboard	Parameter of command: prepare outline drag	AppleScript Studio : Data View Suite	1877
'pasE'	pasteboard	Parameter of command: prepare table drag	AppleScript Studio : Data View Suite	1878
'pasE'	pasteboard	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	1879
'pasE'	pasteboards	Class	AppleScript Studio : Application Suite	1880

'PASS'	with password	Parameter of command: mount volume	Standard Additions : File Commands	1881
'pass'	using password	Parameter of command: handle CGI request	Standard Additions : Internet Suite	1882
'patA'	path	Property of class: browser	AppleScript Studio : Data View Suite	1883
'patF'	path for	Command	AppleScript Studio : Application Suite	1884
'patS'	path separator	Property of class: browser	AppleScript Studio : Data View Suite	1885
'pauU'	pause	Command	AppleScript Studio : Control View Suite	1886
'pbnd'	bounds	Property of class: item	Finder : Finder items	1887
'pbnd'	bounds	Property of class: movie data	System Events : Movie File Suite	1888
'pbnd'	bounds	Property of class: view	AppleScript Studio : Container View Suite	1889
'pbnd'	bounds	Property of class: window	AppleScript Language	1890
'pbnd'	bounds	Property of class: window	AppleScript Studio : Application Suite	1891
'pbnd'	bounds	Property of class: window	Cocoa Scripting : Standard Suite	1892
'pbnd'	bounds	Property of class: window	Finder : Window classes	1893
	application		Finder : Legacy	

'pcap'	process	Class	suite	1894
'pcap'	application process	Class	System Events : Processes Suite	1895
'pcap'	application processes	Class	Finder : Legacy suite	1896
'pcap'	application processes	Class	System Events : Processes Suite	1897
'pcda'	desk accessory process	Class	Finder : Legacy suite	1898
'pcda'	desk accessory process	Class	System Events : Processes Suite	1899
'pcda'	desk accessory processes	Class	Finder : Legacy suite	1900
'pcda'	desk accessory processes	Class	System Events : Processes Suite	1901
'pcli'	clipboard	Property of class: application	AppleScript Language	1902
'pcli'	clipboard	Property of class: application	Finder : Finder Basics	1903
'pcli'	clipboard	Property of class: application	Standard Additions : Clipboard Commands	1904
'pcls'	class	Class	AppleScript Language	1905
'pcls'	class	Property of class: item	Cocoa Scripting : Standard Suite	1906
'pcls'	class	Property of class: item	Finder : Finder items	1907
'pcls'	class	Property of class: UI element	System Events : Processes Suite	1908
'pcls'	classes	Class	AppleScript Language	1909
'pcmp'	computer container	Property of class: application	Finder : Finder Basics	1910
		Property of class:	System Events :	

'pcnt'	contents	audio file	Audio File Suite	1911
'pcnt'	contents	Property of class: cell	AppleScript Studio : Control View Suite	1912
'pcnt'	contents	Property of class: control	AppleScript Studio : Control View Suite	1913
'pcnt'	contents	Property of class: data cell	AppleScript Studio : Data View Suite	1914
'pcnt'	contents	Property of class: data row	AppleScript Studio : Data View Suite	1915
'pcnt'	contents	Property of class: data source	AppleScript Studio : Data View Suite	1916
'pcnt'	contents	Property of class: default entry	AppleScript Studio : Application Suite	1917
'pcnt'	contents	Property of class: movie file	System Events : Movie File Suite	1918
'pcnt'	contents	Property of class: pasteboard	AppleScript Studio : Application Suite	1919
'pcnt'	contents	Property of class: progress indicator	AppleScript Studio : Control View Suite	1920
'pcnt'	contents	Property of class: property list file	System Events : Property List Suite	1921
'pcnt'	contents	Property of class: QuickTime file	System Events : QuickTime File Suite	1922
'pcnt'	contents	Property of class: selection-object	AppleScript Language AppleScript	1923

'pcnt'	contents	Property of class: table view	Studio : Data View Suite	1924
'pcnt'	contents	Property of class: text view	AppleScript Studio : Text View Suite	1925
'pcnt'	contents	Property of class: XML file	System Events : XML Suite	1926
'pdhd'	desktop shows hard disks	Property of class: preferences	Finder : Type Definitions	1927
'pdim'	dimensions	Property of class: track	System Events : QuickTime File Suite	1928
'pdlg'	print dialog	Parameter of command: print	Cocoa Scripting : Standard Suite	1929
'pDNS'	DNS form	Property of class: Internet address	Standard Additions : Internet Suite	1930
'pdoc'	pictures folder	Enumeration	Standard Additions : File Commands	1931
'pdoc'	pictures folder	Property of class: application	System Events : System Events Suite	1932
'pdoc'	pictures folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	1933
'pdoc'	print	Command	AppleScript Language	1934
'pdoc'	print	Command	Cocoa Scripting : Standard Suite	1935
'pdoc'	print	Command	Finder : Standard Suite	1936
'pdrm'	desktop shows removable media	Property of class: preferences	Finder : Type Definitions	1937
'pdsv'	desktop shows connected servers	Property of class: preferences	Finder : Type Definitions	1938

'pedu'	editable URL	Parameter of command: choose URL	Standard Additions : User Interaction AppleScript	1939
'perA'	perform action	Command	Studio : Control View Suite	1940
'perf'	perform	Command	System Events : Processes Suite	1941
'perm'	write permission	Parameter of command: open for access	Standard Additions : File Read/Write	1942
'perT'	periodic type	Enumeration	AppleScript Studio : Application Suite	1943
'pexa'	expandable	Property of class: container	Finder : Containers and folders	1944
'pexc'	completely expanded	Property of class: container	Finder : Containers and folders	1945
'pexp'	expanded	Enumeration	AppleScript Language	1946
'pexp'	expanded	Property of class: container	Finder : Containers and folders	1947
'pfrp'	Finder preferences	Property of class: application	Finder : Finder Basics	1948
'pgnp'	General Preferences panel	Enumeration	Finder : Enumerations	1949
'phoF'	photo frame	Enumeration	AppleScript Studio : Control View Suite	1950
'phys'	physical size	Property of class: disk item	System Events : Disk-Folder-File Suite	1951
'phys'	physical size	Property of class:	Finder : Finder	

		item	items	1952
'phys'	size	Enumeration	Finder : Enumerations	1953
'pi '	pi	Property of class: application	AppleScript Language	1954
'picd'	picture CD appeared	Command	Digital Hub OSAX : Digital Hub Actions	1955
'pick'	pick	Deprecated terminology	System Events : Hidden Suite	1956
'picp'	picture path	Property of class: user	System Events : Accounts Suite	1957
'PICT'	picture	Class	AppleScript Language	1958
'PICT'	pictures	Class	AppleScript Language	1959
'pidx'	index	Property of class: column	Finder : Type Definitions	1960
'pidx'	index	Property of class: item	Finder : Finder items	1961
'pidx'	index	Property of class: label	Finder : Type Definitions	1962
'pidx'	index	Property of class: window	AppleScript Language	1963
'pidx'	index	Property of class: window	AppleScript Studio : Application Suite	1964
'pidx'	index	Property of class: window	Finder : Window classes	1965
'pidx'	index	Property of class: window	System Events : Standard Suite	1966
'pinf'	type property info	Class	AppleScript Language	1967
'pins'	insertion location	Property of class: application	Finder : Finder Basics	1968

'pipd'	dotted decimal form	Property of class: Internet address	Standard Additions : Internet Suite	1969
'pifsf'	frontmost	Property of class: application	AppleScript Language	1970
'pifsf'	frontmost	Property of class: application	AppleScript Studio : Application Suite	1971
'pifsf'	frontmost	Property of class: application	Cocoa Scripting : Standard Suite	1972
'pifsf'	frontmost	Property of class: application	Finder : Finder Basics	1973
'pifsf'	frontmost	Property of class: process	Finder : Legacy suite	1974
'pifsf'	frontmost	Property of class: process	System Events : Processes Suite	1975
'pjst'	justification	Property of class: line	AppleScript Language	1976
'pkgf'	package folder	Property of class: disk item	System Events : Disk-Folder-File Suite	1977
'pklg'	Languages panel	Enumeration	Finder : Enumerations	1978
'pkpg'	Plugins panel	Enumeration	Finder : Enumerations	1979
'plaL'	play	Command	AppleScript Studio : Control View Suite	1980
'plan'	plain	Enumeration	AppleScript Language	1981
'play'	playing	Property of class: movie view	AppleScript Studio : Control View Suite	1982
'play'	playing	Property of class: sound	AppleScript Studio : Application Suite	1983

'plbp'	Label Preferences panel	Enumeration	Finder : Enumerations	1984
'plcd'	language code	Property of class: writing code info	AppleScript Language	1985
'plEF'	plays every frame	Property of class: movie view	AppleScript Studio : Control View Suite	1986
'plif'	property list file	Class	System Events : Property List Suite	1987
'plif'	property list files	Class	System Events : Property List Suite	1988
'plii'	property list item	Class	System Events : Property List Suite	1989
'plii'	property list items	Class	System Events : Property List Suite	1990
'plSO'	plays selection only	Property of class: movie view	AppleScript Studio : Control View Suite	1991
'plst'	with parameters	Parameter of command: run script	Standard Additions : Scripting Commands	1992
'pluG'	plugin	Class	AppleScript Studio : Plugin Suite	1993
'pluG'	plugins	Class	AppleScript Studio : Plugin Suite	1994
'pluL'	plugin loaded	Command	AppleScript Studio : Plugin Suite	1995
'pmin'	type parameter info	Class	AppleScript Language	1996

'pmnd'	miniaturized	Property of class: window	Cocoa Scripting : Standard Suite	1997
'pmod'	modal	Property of class: window	AppleScript Language	1998
'pmod'	modal	Property of class: window	AppleScript Studio : Application Suite	1999
'pmod'	modal	Property of class: window	Cocoa Scripting : Standard Suite	2000
'pmod'	modal	Property of class: window	Finder : Window classes	2001
'pmss'	slide show	Enumeration	System Events : QuickTime File Suite	2002
'pnam'	name	Enumeration	Finder : Enumerations	2003
'pnam'	name	Property of class: action	System Events : Processes Suite	2004
'pnam'	name	Property of class: annotation	System Events : QuickTime File Suite	2005
'pnam'	name	Property of class: application	AppleScript Language	2006
'pnam'	name	Property of class: application	AppleScript Studio : Application Suite	2007
'pnam'	name	Property of class: application	Cocoa Scripting : Standard Suite	2008
'pnam'	name	Property of class: application	Finder : Finder Basics	2009
'pnam'	name	Property of class: attribute	System Events : Processes Suite	2010
'pnam'	name	Property of class: column	Finder : Type Definitions	2011

'pnam'	name	Property of class: data cell	AppleScript Studio : Data View Suite	2012
'pnam'	name	Property of class: data column	AppleScript Studio : Data View Suite	2013
'pnam'	name	Property of class: default entry	AppleScript Studio : Application Suite	2014
'pnam'	name	Property of class: disk item	System Events : Disk-Folder-File Suite	2015
'pnam'	name	Property of class: document	AppleScript Studio : Document Suite	2016
'pnam'	name	Property of class: document	Cocoa Scripting : Standard Suite	2017
'pnam'	name	Property of class: domain	System Events : Disk-Folder-File Suite	2018
'pnam'	name	Property of class: file information	Standard Additions : File Commands	2019
'pnam'	name	Property of class: folder action	System Events : Folder Actions Suite	2020
'pnam'	name	Property of class: FTP item	Standard Additions : Internet Suite	2021
'pnam'	name	Property of class: item	AppleScript Studio : Application Suite	2022
'pnam'	name	Property of class: item	Finder : Finder items	2023
'pnam'	name	Property of class: item	System Events : Disk-Folder-File Suite	2024

'pnam'	name	Property of class: label	Finder : Type Definitions	2025
'pnam'	name	Property of class: login item	System Events : Login Items Suite	2026
'pnam'	name	Property of class: pasteboard	AppleScript Studio : Application Suite	2027
'pnam'	name	Property of class: process	Finder : Legacy suite	2028
'pnam'	name	Property of class: process	System Events : Processes Suite	2029
'pnam'	name	Property of class: property list item	System Events : Property List Suite	2030
'pnam'	name	Property of class: script	AppleScript Language	2031
'pnam'	name	Property of class: script	System Events : Folder Actions Suite	2032
'pnam'	name	Property of class: text flow	AppleScript Language	2033
'pnam'	name	Property of class: track	System Events : QuickTime File Suite	2034
'pnam'	name	Property of class: UI element	System Events : Processes Suite	2035
'pnam'	name	Property of class: URL	Standard Additions : Internet Suite	2036
'pnam'	name	Property of class: user	System Events : Accounts Suite	2037
'pnam'	name	Property of class: web page	Standard Additions : Internet Suite	2038

'pnam'	name	Property of class: window	Cocoa Scripting : Standard Suite	2039
'pnam'	name	Property of class: window	Finder : Window classes	2040
'pnam'	name	Property of class: XML attribute	System Events : XML Suite	2041
'pnam'	name	Property of class: XML data	System Events : XML Suite	2042
'pnam'	name	Property of class: XML element	System Events : XML Suite	2043
'pnwt'	new window target	Property of class: preferences	Finder : Type Definitions	2044
'pocv'	new windows open in column view	Property of class: preferences	Finder : Type Definitions	2045
'ponw'	folders open in new windows	Property of class: preferences	Finder : Type Definitions	2046
'pOOB'	push on off button	Enumeration	AppleScript Studio : Control View Suite	2047
'popB'	pop up button	Class	System Events : Processes Suite	2048
'popB'	pop up buttons	Class	System Events : Processes Suite	2049
'popB'	popup button	Class	AppleScript Studio : Control View Suite	2050
'popB'	popup buttons	Class	AppleScript Studio : Control View Suite	2051
'posF'	poster frame	Enumeration	AppleScript Studio : Control View Suite	2052
'posn'	position	Property of class: item	Finder : Finder items	2053
'posn'	position	Property of class: UI element	System Events : Processes Suite	2054

'posn'	position	Property of class: view	AppleScript Studio : Container View Suite	2055
'posn'	position	Property of class: window	AppleScript Studio : Application Suite	2056
'posn'	position	Property of class: window	Finder : Window classes	2057
'post'	with posted data	Parameter of command: handle CGI request	Standard Additions : Internet Suite	2058
'posx'	POSIX path	Property of class: disk item	System Events : Disk-Folder-File Suite	2059
'posx'	POSIX path	Property of class: script	System Events : Folder Actions Suite	2060
'ppcb'	choose application	Command	Standard Additions : User Interaction	2061
'ppdf'	printer descriptions	Enumeration	Standard Additions : File Commands	2062
'ppdf'	printer descriptions folder	Enumeration	Standard Additions : File Commands	2063
'ppor'	port	Property of class: Internet address	Standard Additions : Internet Suite	2064
'ppth'	path	Property of class: bundle	AppleScript Studio : Application Suite	2065
'ppth'	path	Property of class: disk item	System Events : Disk-Folder-File Suite	2066

'ppth'	path	Property of class: document	AppleScript Studio : Document Suite	2067
'ppth'	path	Property of class: document	Cocoa Scripting : Standard Suite	2068
'ppth'	path	Property of class: folder action	System Events : Folder Actions Suite	2069
'ppth'	path	Property of class: login item	System Events : Login Items Suite	2070
'ppth'	path	Property of class: script	System Events : Folder Actions Suite	2071
'prAT'	preferred aqua thickness	Enumeration	AppleScript Studio : Control View Suite	2072
'prcs'	process	Class	Finder : Legacy suite	2073
'prcs'	process	Class	System Events : Processes Suite	2074
'prcs'	processes	Class	Finder : Legacy suite	2075
'prcs'	processes	Class	System Events : Processes Suite	2076
'prDO'	private drag operation	Enumeration	AppleScript Studio : Drag and Drop Suite	2077
'prdp'	print depth	Property of class: application	AppleScript Language	2078
'prdt'	with properties	Parameter of command: duplicate	AppleScript Language	2079
'prdt'	with properties	Parameter of command: duplicate	Cocoa Scripting : Standard Suite	2080
'prdt'	with properties	Parameter of	AppleScript	2081

'prdt'	with properties	command: make Parameter of command: make	Language Cocoa Scripting : Standard Suite	2082
'prdt'	with properties	Parameter of command: make	Finder : Standard Suite	2083
'prdt'	with properties	Parameter of command: open	Finder : Standard Suite	2084
'prdt'	with properties	Parameter of command: print	Cocoa Scripting : Standard Suite	2085
'prdt'	with properties	Parameter of command: print	Finder : Standard Suite	2086
'preD'	prepare drop	Command	AppleScript Studio : Drag and Drop Suite	2087
'preE'	preferred edge	Property of class: drawer	AppleScript Studio : Container View Suite	2088
'preE'	preferred edge	Property of class: popup button	AppleScript Studio : Control View Suite	2089
'pref'	preferences	Enumeration	Standard Additions : File Commands	2090
'pref'	preferences folder	Enumeration	Standard Additions : File Commands	2091
'pref'	preferences folder	Property of class: application	System Events : System Events Suite	2092
'pref'	preferences folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	2093
'pref'	preferences folder	Property of class: domain	System Events : Disk-Folder-File Suite	2094
'prep'	preposition	Class	AppleScript	2095

'prep'	prepositions	Class	Language AppleScript Language	2096
'preQ'	preferred type	Property of class: pasteboard	AppleScript Studio : Application Suite	2097
'pres'	pressed	Enumeration	AppleScript Studio : Container View Suite	2098
'preT'	preferred thickness	Enumeration	AppleScript Studio : Control View Suite	2099
'preU'	pressure	Property of class: event	AppleScript Studio : Application Suite	2100
'preV'	previous text	Property of class: matrix	AppleScript Studio : Control View Suite	2101
'preV'	previous text	Property of class: text field	AppleScript Studio : Control View Suite	2102
'prfr'	preferred rate	Property of class: QuickTime data	System Events : QuickTime File Suite	2103
'prfv'	preferred volume	Property of class: QuickTime data	System Events : QuickTime File Suite	2104
'priT'	primary type	Enumeration	AppleScript Studio : Container View Suite	2105
'prln'	print length	Property of class: application	AppleScript Language	2106
'prLT'	preferred large thickness	Enumeration	AppleScript Studio : Control View Suite	2107

'prmd'	presentation mode	Property of class: QuickTime data	System Events : QuickTime File Suite	2108
'prmp'	with prompt	Parameter of command: choose application	Standard Additions : User Interaction	2109
'prmp'	with prompt	Parameter of command: choose file	Standard Additions : User Interaction	2110
'prmp'	with prompt	Parameter of command: choose folder	Standard Additions : User Interaction	2111
'prmp'	with prompt	Parameter of command: choose from list	Standard Additions : User Interaction	2112
'prmp'	with prompt	Parameter of command: choose remote application	Standard Additions : User Interaction	2113
'prmt'	with prompt	Parameter of command: choose file name	Standard Additions : User Interaction	2114
'prnt'	printmonitor	Enumeration	Standard Additions : File Commands	2115
'prnt'	printmonitor folder	Enumeration	Standard Additions : File Commands	2116
'proB'	proposed bounds	Parameter of command: should zoom	AppleScript Studio : Application Suite	2117
'proC'	prototype cell	Property of class: matrix	AppleScript Studio : Control View Suite	2118
'proD'	prepare outline drag	Command	AppleScript Studio : Data View Suite AppleScript	2119

'proI'	progress indicator	Class	Studio : Control View Suite	2120
'proI'	progress indicator	Class	System Events : Processes Suite	2121
'proI'	progress indicators	Class	AppleScript Studio : Control View Suite	2122
'proI'	progress indicators	Class	System Events : Processes Suite	2123
'proO'	prompt	Property of class: save-panel	AppleScript Studio : Panel Suite	2124
'prop'	properties	Class	AppleScript Language	2125
'prop'	property	Class	AppleScript Language	2126
'prOR'	prepare outline drop	Command	AppleScript Studio : Data View Suite	2127
'proS'	proposed size	Parameter of command: will resize	AppleScript Studio : Application Suite	2128
'prST'	preferred small thickness	Enumeration	AppleScript Studio : Control View Suite	2129
'prsz'	presentation size	Property of class: QuickTime data	System Events : QuickTime File Suite	2130
'prsz'	resizable	Property of class: table column	AppleScript Studio : Data View Suite	2131
'prsz'	resizable	Property of class: window	AppleScript Language	2132
'prsz'	resizable	Property of class: window	AppleScript Studio : Application Suite	2133

'prsz'	resizable	Property of class: window	Cocoa Scripting : Standard Suite	2134
'prsz'	resizable	Property of class: window	Finder : Window classes	2135
'prTD'	prepare table drag	Command	AppleScript Studio : Data View Suite	2136
'prTR'	prepare table drop	Command	AppleScript Studio : Data View Suite	2137
'prvw'	shows icon preview	Property of class: icon view options	Finder : Type Definitions	2138
'psbr'	Call•subroutine	Command	AppleScript Language	2139
'pscd'	script code	Property of class: writing code info	AppleScript Language	2140
'psct'	writing code	Class	AppleScript Language	2141
'psct'	writing code	Property of class: text	AppleScript Language	2142
'pset'	print settings	Class	Cocoa Scripting : Type Definitions	2143
'psid'	Sidebar Preferences panel	Enumeration	Finder : Enumerations	2144
'psin'	in	Parameter of command: offset	Standard Additions : String Commands	2145
'psnx'	all name extensions showing	Property of class: preferences	Finder : Type Definitions	2146
'psof'	of	Parameter of command: call method	AppleScript Studio : Application Suite Standard	2147

'psof'	of	Parameter of command: offset	Additions : String Commands	2148
'pspd'	stationery	Property of class: alias	System Events : Disk-Folder-File Suite	2149
'pspd'	stationery	Property of class: file	Finder : Files	2150
'pspd'	stationery	Property of class: file	System Events : Disk-Folder-File Suite	2151
'pstr'	Pascal string	Class	AppleScript Language	2152
'pstr'	Pascal strings	Class	AppleScript Language	2153
'psxf'	POSIX file	Class	Standard Additions : Miscellaneous Commands	2154
'psxp'	POSIX path	Property of class: alias	AppleScript Language	2155
'psxp'	POSIX path	Property of class: file	AppleScript Language	2156
'psxp'	POSIX path	Property of class: file specification	AppleScript Language	2157
'psxp'	POSIX path	Property of class: POSIX file	Standard Additions : Miscellaneous Commands	2158
'ptit'	titled	Property of class: window	AppleScript Language	2159
'ptit'	titled	Property of class: window	AppleScript Studio : Application Suite	2160
'ptit'	titled	Property of class: window Property of class:	Cocoa Scripting : Standard Suite Finder : Window	2161

'ptit'	titled	window	classes	2162
'ptlr'	partial result	Parameter of command: error	AppleScript Language	2163
'ptsz'	size	Parameter of command: info for	Standard Additions : File Commands	2164
'ptsz'	size	Property of class: attribute run	Cocoa Scripting : Text Suite	2165
'ptsz'	size	Property of class: character	Cocoa Scripting : Text Suite	2166
'ptsz'	size	Property of class: disk item	System Events : Disk-Folder-File Suite	2167
'ptsz'	size	Property of class: file information	Standard Additions : File Commands	2168
'ptsz'	size	Property of class: item	Finder : Finder items	2169
'ptsz'	size	Property of class: paragraph	Cocoa Scripting : Text Suite	2170
'ptsz'	size	Property of class: text	AppleScript Language	2171
'ptsz'	size	Property of class: text	Cocoa Scripting : Text Suite	2172
'ptsz'	size	Property of class: UI element	System Events : Processes Suite	2173
'ptsz'	size	Property of class: view	AppleScript Studio : Container View Suite	2174
'ptsz'	size	Property of class: window	AppleScript Studio : Application Suite	2175
'ptsz'	size	Property of class: word	Cocoa Scripting : Text Suite	2176
		Property of class:	Standard	

'ptxe'	text encoding	web page	Additions : Internet Suite Standard	2177
'pubb'	public folder	Enumeration	Additions : File Commands	2178
'pubb'	public folder	Property of class: application	System Events : System Events Suite	2179
'pubb'	public folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	2180
'pulD'	pulls down	Property of class: popup button	AppleScript Studio : Control View Suite	2181
'punc'	punctuation	Enumeration	AppleScript Language	2182
'pURL'	URL	Property of class: FTP item	Standard Additions : Internet Suite	2183
'pURL'	URL	Property of class: item	Finder : Finder items	2184
'pURL'	URL	Property of class: web page	Standard Additions : Internet Suite	2185
'pusc'	scheme	Property of class: URL	Standard Additions : Internet Suite	2186
'pusd'	partition space used	Property of class: process	Finder : Legacy suite	2187
'pusd'	partition space used	Property of class: process	System Events : Processes Suite	2188
'pview'	current view	Property of class: Finder window	Finder : Window classes	2189
'pvis'	visible	Enumeration	AppleScript Studio : Control View Suite	2190
'pvis'	visible	Property of class:	Finder : Finder	2191

'pvis'	visible	application Property of class: column	Basics Finder : Type Definitions	2192
'pvis'	visible	Property of class: disk item	System Events : Disk-Folder-File Suite	2193
'pvis'	visible	Property of class: file information	Standard Additions : File Commands	2194
'pvis'	visible	Property of class: process	Finder : Legacy suite	2195
'pvis'	visible	Property of class: process	System Events : Processes Suite	2196
'pvis'	visible	Property of class: view	AppleScript Studio : Container View Suite	2197
'pvis'	visible	Property of class: window	AppleScript Language	2198
'pvis'	visible	Property of class: window	AppleScript Studio : Application Suite	2199
'pvis'	visible	Property of class: window	Cocoa Scripting : Standard Suite	2200
'pvis'	visible	Property of class: window	Finder : Window classes	2201
'pvwd'	preview duration	Property of class: movie data	System Events : Movie File Suite	2202
'pvwt'	preview time	Property of class: movie data	System Events : Movie File Suite	2203
'pwnd'	preferences window	Class	Finder : Window classes	2204
'pzum'	zoomed	Command	AppleScript Studio : Application Suite	2205
		Property of class:	AppleScript	

'pzum'	zoomed	window	Language	2206
'pzum'	zoomed	Property of class: window	AppleScript Studio : Application Suite	2207
'pzum'	zoomed	Property of class: window	Cocoa Scripting : Standard Suite	2208
'pzum'	zoomed	Property of class: window	Finder : Window classes	2209
'qdel'	quit delay	Property of class: application	System Events : System Events Suite	2210
'QDpt'	point	Class	AppleScript Language	2211
'qdrct'	bounding rectangle	Class	AppleScript Language	2212
'qobj'	class info	Command	AppleScript Language	2213
'qrts'	quarts	Class	AppleScript Language	2214
'Qscr'	scripting additions folder	Property of class: application	System Events : System Events Suite	2215
'qtfd'	QuickTime data	Class	System Events : QuickTime File Suite	2216
'qtff'	QuickTime file	Class	System Events : QuickTime File Suite	2217
'qtff'	QuickTime files	Class	System Events : QuickTime File Suite	2218
'quit'	quit	Command	AppleScript Language	2219
'quit'	quit	Command	Cocoa Scripting : Standard Suite	2220

'quit'	quit	Command	Finder :	2221
'quot'	quote	Property of class: application	Standard Suite AppleScript Language	2222
'radB'	radio button	Class	System Events : Processes Suite	2223
'radB'	radio button	Enumeration	AppleScript Studio : Control View Suite	2224
'radB'	radio buttons	Class	System Events : Processes Suite	2225
'radM'	radio mode	Enumeration	AppleScript Studio : Control View Suite	2226
'rand'	random number	Command	Standard Additions : Miscellaneous Commands	2227
'rapp'	reopen	Command	AppleScript Language	2228
'RApw'	password	Parameter of command: do shell script	Standard Additions : Miscellaneous Commands	2229
'RApw'	password	Property of class: URL	Standard Additions : Internet Suite	2230
'ratA'	rate	Property of class: movie view	AppleScript Studio : Control View Suite	2231
'RAun'	user name	Parameter of command: do shell script	Standard Additions : Miscellaneous Commands	2232
'RAun'	user name	Property of class: URL	Standard Additions : Internet Suite	2233
'rbfr'	before	Parameter of	Standard	

		command: read	Additions : File	2234
'rdat'	data	Class	Read/Write AppleScript Language	2235
'rdat'	data	Class	AppleScript Studio : Application Suite	2236
'rdfm'	from	Parameter of command: read	Standard Additions : File Read/Write	2237
'rdfr'	for	Parameter of command: read	Standard Additions : File Read/Write	2238
'rdto'	to	Parameter of command: read	Standard Additions : File Read/Write	2239
'rdut'	until	Parameter of command: read	Standard Additions : File Read/Write	2240
'rdwr'	read write	Enumeration	Finder : Enumerations	2241
'read'	read	Command	Standard Additions : File Read/Write	2242
'read'	read only	Enumeration	Finder : Enumerations	2243
'reco'	record	Class	AppleScript Language	2244
'reco'	records	Class	AppleScript Language	2245
'reFF'	read from file	Command	AppleScript Studio : Document Suite	2246
'refn'	to	Parameter of command: write	Standard Additions : File Read/Write	2247
		Parameter of	Standard	

'refr'	referred by	command: handle CGI request	Additions : Internet Suite AppleScript	2248
'reFT'	required file type	Property of class: save-panel	Studio : Panel Suite	2249
'reg?'	registering applications	Parameter of command: update	Finder : Finder items	2250
'regI'	register	Command	AppleScript Studio : Application Suite	2251
'regS'	regular size	Enumeration	AppleScript Studio : Container View Suite	2252
'regS'	regular size	Enumeration	AppleScript Studio : Control View Suite	2253
'regS'	regular size	Enumeration	AppleScript Studio : Data View Suite	2254
'reli'	relevance indicator	Class	System Events : Processes Suite	2255
'reli'	relevance indicators	Class	System Events : Processes Suite	2256
'repE'	repeated	Property of class: event	AppleScript Studio : Application Suite	2257
'resA'	resigned active	Command	AppleScript Studio : Application Suite	2258
'reSB'	regular square bezel	Enumeration	AppleScript Studio : Control View Suite	2259
'resC'	resized column	Property of class: table header view	AppleScript Studio : Data View Suite	2260

'resJ'	resized	Command	AppleScript Studio : Application Suite	2261
'resK'	resigned key	Command	AppleScript Studio : Application Suite	2262
'reSM'	regular size mode	Enumeration	AppleScript Studio : Application Suite	2263
'resM'	resigned main	Command	AppleScript Studio : Application Suite	2264
'resO'	resource	Parameter of command: path for	AppleScript Studio : Application Suite	2265
'resP'	resource path	Property of class: bundle	AppleScript Studio : Application Suite	2266
'resQ'	responder	Class	AppleScript Studio : Application Suite	2267
'resQ'	responders	Class	AppleScript Studio : Application Suite	2268
'resS'	resume	Command	AppleScript Studio : Control View Suite	2269
'rest'	rest	Property of class: list	AppleScript Language	2270

'rest'	restart	Command	Finder : Legacy suite	2271
'rest'	restart	Command	System Events : Power Suite	2272
'reSV'	resized sub views	Command	AppleScript Studio : Container View Suite	2273
'ret '	return	Property of class: application	AppleScript Language	2274
'reuC'	reuses columns	Property of class: browser	AppleScript Studio : Data View Suite	2275
'revt'	accepts remote events	Property of class: process	Finder : Legacy suite	2276
'revt'	accepts remote events	Property of class: process	System Events : Processes Suite	2277
'reWC'	released when closed	Property of class: window	AppleScript Studio : Application Suite	2278
'rgbM'	rgb mode	Enumeration	AppleScript Studio : Panel Suite	2279
'right'	right	Enumeration	AppleScript Language	2280
'rgrp'	radio group	Class	System Events : Processes Suite	2281
'rgrp'	radio groups	Class	System Events : Processes Suite	2282
'ricT'	rich text	Property of class: text view	AppleScript Studio : Text View Suite	2283
'rigA'	right alignment	Enumeration	AppleScript Studio : Control View Suite	2284
			AppleScript Studio :	

'rigE'	right edge	Enumeration	Container View Suite	2285
'rigE'	right edge	Enumeration	AppleScript Studio : Control View Suite	2286
'riMD'	right mouse down	Command	AppleScript Studio : Application Suite	2287
'riME'	right mouse dragged	Command	AppleScript Studio : Application Suite	2288
'riMU'	right mouse up	Command	AppleScript Studio : Application Suite	2289
'riTA'	right text alignment	Enumeration	AppleScript Studio : Control View Suite	2290
'riTA'	right text alignment	Enumeration	AppleScript Studio : Data View Suite	2291
'riTA'	right text alignment	Enumeration	AppleScript Studio : Text View Suite	2292
'rMDT'	right mouse down type	Enumeration	AppleScript Studio : Application Suite	2293
'rMDU'	right mouse dragged type	Enumeration	AppleScript Studio : Application Suite	2294
'rmfa'	remove action from	Command	System Events : Folder Actions Suite	2295
'rmte'	application	Enumeration	AppleScript	2296

	responses		Language AppleScript Studio :	
'rMUT'	right mouse up type	Enumeration	Application Suite	2297
'rndD'	down	Enumeration	Standard Additions :	2298
			Miscellaneous Commands	
'rndN'	to nearest	Enumeration	Standard Additions :	2299
			Miscellaneous Commands	
'rndS'	as taught in school	Enumeration	Standard Additions :	2300
			Miscellaneous Commands	
'rndU'	up	Enumeration	Standard Additions :	2301
			Miscellaneous Commands	
'rndZ'	toward zero	Enumeration	Standard Additions :	2302
			Miscellaneous Commands	
'role'	role	Property of class: UI element	System Events : Processes Suite	2303
'roLO'	roll over	Property of class: button	AppleScript Studio : Control View Suite	2304
'roLO'	roll over	Property of class: button cell	AppleScript Studio : Control View Suite	2305
'rond'	round	Command	Standard Additions :	2306
			Miscellaneous Commands	
'rouB'	rounded bezel	Enumeration	AppleScript Studio : Control	2307

			View Suite	
'rout'	routing suppressed	Parameter of command: duplicate	Finder : Standard Suite	2308
'rout'	routing suppressed	Parameter of command: move	Finder : Standard Suite	2309
'rowC'	rows changed	Command	AppleScript Studio : Data View Suite	2310
'rowH'	row height	Property of class: table view	AppleScript Studio : Data View Suite	2311
'rowO'	row	Parameter of command: accept table drop	AppleScript Studio : Data View Suite	2312
'rowO'	row	Parameter of command: cell value	AppleScript Studio : Data View Suite	2313
'rowO'	row	Parameter of command: cell value changed	AppleScript Studio : Data View Suite	2314
'rowO'	row	Parameter of command: change cell value	AppleScript Studio : Data View Suite	2315
'rowO'	row	Parameter of command: item for	AppleScript Studio : Data View Suite	2316
'rowO'	row	Parameter of command: prepare table drop	AppleScript Studio : Data View Suite	2317
'rowO'	row	Parameter of command: should select row	AppleScript Studio : Data View Suite	2318
'rowO'	row	Parameter of command: will display browser cell	AppleScript Studio : Data View Suite	2319

'rowO'	row	Parameter of command: will display cell	AppleScript Studio : Data View Suite Standard	2320
'rpth'	path to resource	Command	Additions : File Commands	2321
'rslt'	result	Property of class: application	AppleScript Language	2322
'rTBB'	right tabs bezel border	Enumeration	AppleScript Studio : Container View Suite	2323
'rtsp'	streaming multimedia URL	Enumeration	Standard Additions : Internet Suite	2324
'rtyp'	as	Parameter of command: choose application	Standard Additions : User Interaction	2325
'rtyp'	as	Parameter of command: data size	AppleScript Language	2326
'rtyp'	as	Parameter of command: data size	Finder : Standard Suite	2327
'rtyp'	as	Parameter of command: do shell script	Standard Additions : Miscellaneous Commands	2328
'rtyp'	as	Parameter of command: path to	Standard Additions : File Commands	2329
'rtyp'	as	Parameter of command: the clipboard	Standard Additions : Clipboard Commands	2330
'rulV'	ruler visible	Property of class: text view	AppleScript Studio : Text View Suite AppleScript	2331

'rulW'	rulers visible	Property of class: scroll view	Studio : Container View Suite	2332
'rvse'	reverse	Property of class: list	AppleScript Language	2333
'sa-P'	save-panel	Class	AppleScript Studio : Panel Suite	2334
'sa-P'	save-panels	Class	AppleScript Studio : Panel Suite	2335
'sAOA'	send action on arrow key	Property of class: browser	AppleScript Studio : Data View Suite	2336
'sat '	Saturday	Class	AppleScript Language	2337
'save'	save	Command	AppleScript Language	2338
'save'	save	Command	Cocoa Scripting : Standard Suite	2339
'savo'	replacing	Parameter of command: store script	Standard Additions : Scripting Commands	2340
'savo'	saving	Parameter of command: close	AppleScript Language	2341
'savo'	saving	Parameter of command: close	Cocoa Scripting : Standard Suite	2342
'savo'	saving	Parameter of command: quit	AppleScript Language	2343
'savo'	saving	Parameter of command: quit	Cocoa Scripting : Standard Suite	2344
'savP'	save panel	Property of class: application	AppleScript Studio : Application Suite	2345
	sends action	Property of class:	AppleScript	

'sAWD'	when done editing	cell	Studio : Control View Suite	2346
'sbrl'	subrole	Property of class: UI element	System Events : Processes Suite	2347
'sbsc'	subscript	Enumeration	AppleScript Language	2348
'sbwi'	sidebar width	Property of class: Finder window	Finder : Window classes	2349
'scaP'	scale proportionally	Enumeration	AppleScript Studio : Control View Suite	2350
'scmn'	script menu enabled	Property of class: application	System Events : System Events Suite	2351
'scnd'	seconds	Class	AppleScript Language	2352
'scnd'	seconds	Property of class: date	AppleScript Language	2353
'scnm'	executing by	Parameter of command: handle CGI request	Standard Additions : Internet Suite	2354
'scpt'	script	Class	AppleScript Language	2355
'scpt'	script	Class	System Events : Folder Actions Suite	2356
'scpt'	script	Property of class: item	AppleScript Studio : Application Suite	2357
'scpt'	scripts	Class	AppleScript Language	2358
'scpt'	scripts	Class	System Events : Folder Actions Suite	2359
'scr\$'	scripts folder	Property of class: domain	System Events : Disk-Folder-File	2360

'scrF'	scripts folder	Enumeration	Suite Standard Additions : File Commands	2361
'scra'	scroll area	Class	System Events : Processes Suite	2362
'scra'	scroll areas	Class	System Events : Processes Suite	2363
'scrB'	screen bounds	Parameter of command: will zoom	AppleScript Studio : Application Suite	2364
'scrb'	scroll bar	Class	System Events : Processes Suite	2365
'scrb'	scroll bars	Class	System Events : Processes Suite	2366
'scrL'	scrollable	Property of class: cell	AppleScript Studio : Control View Suite	2367
'scrL'	scrollable	Property of class: matrix	AppleScript Studio : Control View Suite	2368
'scrP'	scripts path	Property of class: bundle	AppleScript Studio : Application Suite	2369
'scrQ'	scripts folder	Property of class: application	System Events : System Events Suite	2370
'scrR'	script	Parameter of command: path for	AppleScript Studio : Application Suite	2371
'scrS'	scroll	Command	AppleScript Studio : Control View Suite	2372
'scrV'	scroll view	Class	AppleScript Studio :	2373

'scrV'	scroll views	Class	Container View Suite AppleScript Studio : Container View Suite	2374
'scrW'	scroll wheel	Command	AppleScript Studio : Application Suite	2375
'scsy'	in	Parameter of command: run script	Standard Additions : Scripting Commands	2376
'scTF'	scale to fit	Enumeration	AppleScript Studio : Control View Suite	2377
'scWT'	scroll wheel type	Enumeration	AppleScript Studio : Application Suite	2378
'sdat'	shared documents	Enumeration	Standard Additions : File Commands	2379
'sdat'	shared documents folder	Enumeration	Standard Additions : File Commands	2380
'sdev'	control strip modules	Enumeration	Standard Additions : File Commands	2381
'sdev'	control strip modules folder	Enumeration	Standard Additions : File Commands	2382
'sdev'	control strip modules folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite	2383
'sdoc'	handle CGI request	Command	Standard Additions : Internet Suite	2384

'sdsd'	startup disk	Property of class: application	Finder : Finder Basics	2385
'sdsd'	startup disk	Property of class: application	System Events : System Events Suite	2386
'seBR'	selection by rect	Property of class: matrix	AppleScript Studio : Control View Suite	2387
'secT'	secondary type	Enumeration	AppleScript Studio : Container View Suite	2388
'seDC'	selected data column	Property of class: table view	AppleScript Studio : Data View Suite	2389
'seDD'	selected data columns	Property of class: table view	AppleScript Studio : Data View Suite	2390
'seDI'	selected data item	Property of class: outline view	AppleScript Studio : Data View Suite	2391
'seDR'	selected data row	Property of class: table view	AppleScript Studio : Data View Suite	2392
'seDS'	selected data rows	Property of class: table view	AppleScript Studio : Data View Suite	2393
'seDT'	selected data items	Property of class: outline view	AppleScript Studio : Data View Suite	2394
'seed'	with seed	Parameter of command: random number	Standard Additions : Miscellaneous Commands	2395
'seII'	selected item identifier	Property of class: toolbar	AppleScript Studio : Application	2396

'selA'	select all	Command	Suite AppleScript Studio : Application Suite	2397
'selC'	selectable	Property of class: cell	AppleScript Studio : Control View Suite	2398
'selC'	selectable	Property of class: text field	AppleScript Studio : Control View Suite	2399
'selC'	selectable	Property of class: text view	AppleScript Studio : Text View Suite	2400
'selD'	selected column	Property of class: browser	AppleScript Studio : Data View Suite	2401
'selD'	selected column	Property of class: table view	AppleScript Studio : Data View Suite	2402
'selE'	selected	Enumeration	AppleScript Studio : Container View Suite	2403
'selE'	selected	Property of class: UI element	System Events : Processes Suite	2404
'sele'	selection	Property of class: application	AppleScript Language	2405
'sele'	selection	Property of class: application	Finder : Finder Basics	2406
'selF'	selection changed	Command	AppleScript Studio : Control View Suite	2407
'selG'	selection changing	Command	AppleScript Studio : Control View Suite	2408
'selH'	selected cell	Property of class: browser	AppleScript Studio : Data View Suite	2409

'selI'	selectable identifiers	Property of class: toolbar	AppleScript Studio : Application Suite	2410
'selL'	select	Command	AppleScript Studio : Application Suite	2411
'selR'	selected row	Property of class: table view	AppleScript Studio : Data View Suite	2412
'selU'	selected columns	Property of class: table view	AppleScript Studio : Data View Suite	2413
'selW'	selected rows	Property of class: table view	AppleScript Studio : Data View Suite	2414
'seof'	set eof	Command	Standard Additions : File Read/Write	2415
'sep '	September	Class	AppleScript Language	2416
'sepC'	separates columns	Property of class: browser	AppleScript Studio : Data View Suite	2417
'sepI'	separator item	Property of class: menu item	AppleScript Studio : Menu Suite	2418
'sepT'	separator type	Enumeration	AppleScript Studio : Container View Suite	2419
'seqN'	sequence number	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	2420
'serM'	services menu	Property of class: application	AppleScript Studio : Application	2421

'set2'	to	Parameter of command: set eof	Suite Standard Additions : File Read/Write	2422
'setd'	set	Command	Cocoa Scripting : Standard Suite	2423
'seTF'	secure text field	Class	AppleScript Studio : Control View Suite	2424
'seTF'	secure text fields	Class	AppleScript Studio : Control View Suite	2425
'sf '	alias or string	Class	AppleScript Language	2426
'sfsz'	calculates folder sizes	Property of class: list view options	Finder : Type Definitions	2427
'sgrp'	group	Class	System Events : Processes Suite	2428
'sgrp'	group	Property of class: item	Finder : Finder items	2429
'sgrp'	groups	Class	System Events : Processes Suite	2430
'shad'	shadow	Enumeration	AppleScript Language	2431
'shBE'	should begin editing	Command	AppleScript Studio : Control View Suite	2432
'shCI'	should collapse item	Command	AppleScript Studio : Data View Suite	2433
'shdf'	shutdown folder	Enumeration	Standard Additions : File Commands	2434
'shdf'	shutdown folder	Property of class: Classic domain object	System Events : Disk-Folder-File Suite Standard	2435

'shdf'	shutdown items	Enumeration	Additions : File Commands Standard	2436
'shdf'	shutdown items folder	Enumeration	Additions : File Commands	2437
'shdt'	short date string	Property of class: date	AppleScript Language	2438
'shEE'	should end editing	Command	AppleScript Studio : Control View Suite	2439
'sheE'	sheet	Class	System Events : Processes Suite	2440
'sheE'	sheet	Property of class: window	AppleScript Studio : Application Suite	2441
'sheE'	sheets	Class	System Events : Processes Suite	2442
'shEI'	should expand item	Command	AppleScript Studio : Data View Suite	2443
'shFP'	shared frameworks path	Property of class: bundle	AppleScript Studio : Application Suite	2444
'shic'	shows icon	Property of class: column view options	Finder : Type Definitions	2445
'shKD'	shift key down	Property of class: event	AppleScript Studio : Application Suite	2446
'shoA'	shows alpha	Property of class: color-panel	AppleScript Studio : Panel Suite	2447
'shoC'	should close	Command	AppleScript Studio : Application Suite	2448

'shoH'	show	Command	AppleScript Studio : Application Suite	2449
'shoO'	should open	Command	AppleScript Studio : Application Suite	2450
'shoP'	shown	Command	AppleScript Studio : Application Suite	2451
'shoQ'	should quit	Command	AppleScript Studio : Application Suite	2452
'shor'	short	Enumeration	Standard Additions : File Read/Write	2453
'shor'	small integer	Class	AppleScript Language	2454
'shOU'	should open untitled	Command	AppleScript Studio : Application Suite	2455
'shoZ'	should zoom	Command	AppleScript Studio : Application Suite	2456
'shpc'	showing package contents	Parameter of command: choose file	Standard Additions : User Interaction	2457
'shpc'	showing package contents	Parameter of command: choose folder	Standard Additions : User Interaction	2458
'shpr'	shows preview column	Property of class: column view options	Finder : Type Definitions	2459

'shSB'	shadowless square bezel	Enumeration	AppleScript Studio : Control View Suite	2460
'shSC'	shows state by	Property of class: button cell	AppleScript Studio : Control View Suite	2461
'shSD'	should selection change	Command	AppleScript Studio : Data View Suite	2462
'shSE'	should select column	Command	AppleScript Studio : Data View Suite	2463
'shSI'	should select item	Command	AppleScript Studio : Data View Suite	2464
'shSP'	shared support path	Property of class: bundle	AppleScript Studio : Application Suite	2465
'shSR'	should select row	Command	AppleScript Studio : Data View Suite	2466
'shut'	shut down	Command	Finder : Legacy suite	2467
'shut'	shut down	Command	System Events : Power Suite	2468
'siav'	AppleScript version	Property of class: system information	Standard Additions : Miscellaneous Commands	2469
'sibv'	boot volume	Property of class: system information	Standard Additions : Miscellaneous Commands	2470
'sicn'	computer name	Property of class: system information	Standard Additions : Miscellaneous	2471

'sics'	CPU speed	Property of class: system information	Commands Standard Additions : Miscellaneous Commands	2472
'sict'	CPU type	Property of class: system information	Standard Additions : Miscellaneous Commands	2473
'sIDE'	smart insert delete enabled	Property of class: text view	AppleScript Studio : Text View Suite	2474
'siea'	primary Ethernet address	Property of class: system information	Standard Additions : Miscellaneous Commands	2475
'sigt'	system info	Command	Standard Additions : Miscellaneous Commands	2476
'siid'	user ID	Property of class: system information	Standard Additions : Miscellaneous Commands	2477
'siip'	IPv4 address	Property of class: system information	Standard Additions : Miscellaneous Commands	2478
'sikv'	AppleScript Studio version	Property of class: system information	Standard Additions : Miscellaneous Commands	2479
'siln'	long user name	Property of class: system information	Standard Additions : Miscellaneous Commands	2480
'sing'	small real	Class	AppleScript Language	2481
		Property of class:	Standard	

'sipm'	physical memory	system information	Additions : Miscellaneous Commands Standard	2482
'sirr'	system information	Class	Additions : Miscellaneous Commands	2483
'sisn'	short user name	Property of class: system information	Standard Additions : Miscellaneous Commands	2484
'sisv'	system version	Property of class: system information	Standard Additions : Miscellaneous Commands	2485
'site'	sites folder	Enumeration	Standard Additions : File Commands	2486
'site'	sites folder	Property of class: application	System Events : System Events Suite	2487
'site'	sites folder	Property of class: user domain object	System Events : Disk-Folder-File Suite	2488
'siTF'	size to fit	Command	AppleScript Studio : Application Suite	2489
'siul'	user locale	Property of class: system information	Standard Additions : Miscellaneous Commands	2490
'siza'	arranged by size	Enumeration	Finder : Enumerations	2491
'sizM'	size mode	Property of class: toolbar	AppleScript Studio : Application Suite	2492

'slct'	select	Command	AppleScript Language	2493
'slct'	select	Command	Finder : Standard Suite	2494
'slct'	select	Command	System Events : Processes Suite	2495
'slep'	sleep	Command	Finder : Legacy suite	2496
'slep'	sleep	Command	System Events : Power Suite	2497
'sliI'	slider	Class	AppleScript Studio : Control View Suite	2498
'sliI'	slider	Class	System Events : Processes Suite	2499
'sliI'	sliders	Class	AppleScript Studio : Control View Suite	2500
'sliI'	sliders	Class	System Events : Processes Suite	2501
'smaS'	small size	Enumeration	AppleScript Studio : Container View Suite	2502
'smaS'	small size	Enumeration	AppleScript Studio : Control View Suite	2503
'smaS'	small size	Enumeration	AppleScript Studio : Data View Suite	2504
'smcp'	small caps	Enumeration	AppleScript Language	2505
'smic'	small	Enumeration	Finder : Enumerations	2506
'smic'	small icon	Enumeration	Finder : Enumerations AppleScript	2507

'smSM'	small size mode	Enumeration	Studio : Application Suite	2508
'snam'	using action name	Parameter of command: edit action of	System Events : Folder Actions Suite	2509
'snam'	using action name	Parameter of command: remove action from	System Events : Folder Actions Suite	2510
'snce'	since	Parameter of command: Call•subroutine	AppleScript Language	2511
'snd '	sound	Class	AppleScript Language	2512
'snd '	sound	Class	AppleScript Studio : Application Suite	2513
'snd '	sounds	Class	AppleScript Language	2514
'snd '	sounds	Class	AppleScript Studio : Application Suite	2515
'snrm'	normal	Enumeration	Finder : Enumerations	2516
'snws'	secure news URL	Enumeration	Standard Additions : Internet Suite	2517
'soCS'	sort case sensitivity	Property of class: data column	AppleScript Studio : Data View Suite	2518
'soDR'	sorted data rows	Property of class: data source	AppleScript Studio : Data View Suite	2519
'sorC'	sort column	Property of class: data source	AppleScript Studio : Data View Suite	2520

'sord'	sort direction	Property of class: column	Finder : Type Definitions AppleScript	2521
'sorO'	sort order	Property of class: data column	Studio : Data View Suite	2522
'sorR'	sorted	Property of class: data source	AppleScript Studio : Data View Suite	2523
'SORT'	sort	Command	Finder : Finder Basics	2524
'sorT'	sort type	Property of class: data column	AppleScript Studio : Data View Suite	2525
'souM'	source mask	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	2526
'souU'	sound	Property of class: button	AppleScript Studio : Control View Suite	2527
'souU'	sound	Property of class: button cell	AppleScript Studio : Control View Suite	2528
'souV'	source	Property of class: drag info	AppleScript Studio : Drag and Drop Suite	2529
'sown'	owner	Parameter of command: load nib	AppleScript Studio : Application Suite	2530
'sown'	owner	Property of class: item	Finder : Finder items	2531
'spac'	space	Property of class: application	AppleScript Language	2532
'spCE'	spell checking enabled	Property of class: text view	AppleScript Studio : Text View Suite	2533
'spki'	speakable items	Enumeration	Standard Additions : File	2534

'spki'	speakable items folder	Property of class: application	Commands System Events : System Events Suite	2535
'spki'	speakable items folder	Property of class: domain	System Events : Disk-Folder-File Suite	2536
'splg'	splitter group	Class	System Events : Processes Suite	2537
'splg'	splitter groups	Class	System Events : Processes Suite	2538
'splr'	splitter	Class	System Events : Processes Suite	2539
'splr'	splitters	Class	System Events : Processes Suite	2540
'splV'	split view	Class	AppleScript Studio : Container View Suite	2541
'splV'	split views	Class	AppleScript Studio : Container View Suite	2542
'spnl'	Sharing panel	Enumeration	Finder : Enumerations	2543
'sprf'	system preferences	Enumeration	Standard Additions : File Commands	2544
'sprg'	folders spring open	Property of class: preferences	Finder : Type Definitions	2545
'sprt'	suggested size	Property of class: application file	Finder : Files	2546
'spsc'	superscript	Enumeration	AppleScript Language	2547
'sQAL'	should quit after last window closed	Command	AppleScript Studio : Application	2548

'sqft'	square feet	Class	Suite AppleScript Language	2549
'sqkm'	square kilometers	Class	AppleScript Language	2550
'sqkm'	square kilometres	Class	AppleScript Language	2551
'sqmi'	square miles	Class	AppleScript Language	2552
'sqrM'	square meters	Class	AppleScript Language	2553
'sqrM'	square metres	Class	AppleScript Language	2554
'sqyd'	square yards	Class	AppleScript Language	2555
'srtc'	sort column	Property of class: list view options	Finder : Type Definitions	2556
'SRVR'	on server	Parameter of command: mount volume	Standard Additions : File Commands	2557
'srvs'	reversed	Enumeration	Finder : Enumerations	2558
'sSTV'	should select tab view item	Command	AppleScript Studio : Container View Suite	2559
'staA'	start	Command	AppleScript Studio : Control View Suite	2560
'staB'	state	Property of class: button	AppleScript Studio : Control View Suite	2561
'staB'	state	Property of class: cell	AppleScript Studio : Control View Suite	2562
'staB'	state	Property of class:	AppleScript Studio :	2563

'staB'	state	drawer Property of class: menu item	Container View Suite AppleScript Studio : Menu Suite	2564
'stbl'	settable	Property of class: attribute	System Events : Processes Suite	2565
'stCS'	classic coordinate system	Enumeration	AppleScript Studio : Application Suite	2566
'stdf'	choose file	Command	Standard Additions : User Interaction	2567
'steB'	step back	Command	AppleScript Studio : Control View Suite	2568
'steF'	step forward	Command	AppleScript Studio : Control View Suite	2569
'steP'	stepper	Class	AppleScript Studio : Control View Suite	2570
'steP'	steppers	Class	AppleScript Studio : Control View Suite	2571
'sTFC'	secure text field cell	Class	AppleScript Studio : Control View Suite	2572
'sTFC'	secure text field cells	Class	AppleScript Studio : Control View Suite	2573
'stfl'	choose folder	Command	Standard Additions : User Interaction	2574
'stof'	saving to	Parameter of command: say	Standard Additions : User Interaction	2575

'stor'	store script	Command	Standard Additions : Scripting Commands	2576
'stoT'	stop	Command	AppleScript Studio : Control View Suite	2577
'strk'	strikethrough	Enumeration	AppleScript Language	2578
'strq'	quoted form	Property of class: text	AppleScript Language	2579
'sttx'	static text	Class	System Events : Processes Suite	2580
'sttx'	static texts	Class	System Events : Processes Suite	2581
'stvi'	statusbar visible	Property of class: Finder window	Finder : Window classes	2582
'stvl'	set volume	Command	Standard Additions : Miscellaneous Commands	2583
'STXT'	styled text	Class	AppleScript Language	2584
'styl'	scrap styles	Class	AppleScript Language	2585
'styl'	styled Clipboard text	Class	AppleScript Language	2586
'subM'	sub menu	Property of class: menu item	AppleScript Studio : Menu Suite	2587
'suin'	type suite info	Class	AppleScript Language	2588
'summ'	summarize	Command	Standard Additions : String Commands	2589
'sun '	Sunday		AppleScript	

		Class	Language	2590
'supM'	super menu	Property of class: menu	AppleScript Studio : Menu Suite	2591
'supV'	super view	Property of class: view	AppleScript Studio : Container View Suite	2592
'sutx'	styled Unicode text	Class	AppleScript Language	2593
'svnm'	from server	Parameter of command: handle CGI request	Standard Additions : Internet Suite	2594
'svpt'	via port	Parameter of command: handle CGI request	Standard Additions : Internet Suite	2595
'swiB'	switch button	Enumeration	AppleScript Studio : Control View Suite	2596
'syDT'	system defined type	Enumeration	AppleScript Studio : Application Suite	2597
'synR'	synchronize	Command	AppleScript Studio : Control View Suite	2598
'tab '	tab	Property of class: application	AppleScript Language	2599
'tabB'	table	Class	System Events : Processes Suite	2600
'tabB'	tables	Class	System Events : Processes Suite	2601
'tabC'	table column	Class	AppleScript Studio : Data View Suite	2602
'tabC'	table column	Parameter of command: cell value	AppleScript Studio : Data View Suite	2603

'tabC'	table column	Parameter of command: cell value changed	AppleScript Studio : Data View Suite	2604
'tabC'	table column	Parameter of command: change cell value	AppleScript Studio : Data View Suite	2605
'tabC'	table column	Parameter of command: change item value	AppleScript Studio : Data View Suite	2606
'tabC'	table column	Parameter of command: column clicked	AppleScript Studio : Data View Suite	2607
'tabC'	table column	Parameter of command: column resized	AppleScript Studio : Data View Suite	2608
'tabC'	table column	Parameter of command: item value	AppleScript Studio : Data View Suite	2609
'tabC'	table column	Parameter of command: item value changed	AppleScript Studio : Data View Suite	2610
'tabC'	table column	Parameter of command: should select column	AppleScript Studio : Data View Suite	2611
'tabC'	table column	Parameter of command: will display cell	AppleScript Studio : Data View Suite	2612
'tabC'	table column	Parameter of command: will display item cell	AppleScript Studio : Data View Suite	2613
'tabC'	table column	Parameter of command: will display outline cell	AppleScript Studio : Data View Suite	2614
'tabC'	table columns	Class	AppleScript Studio : Data View Suite	2615

'tabg'	tab group	Class	System Events : Processes Suite	2616
'tabg'	tab groups	Class	System Events : Processes Suite	2617
'tabS'	tab state	Property of class: tab view item	AppleScript Studio : Container View Suite	2618
'tabT'	tab type	Property of class: tab view	AppleScript Studio : Container View Suite	2619
'tabV'	tab view	Class	AppleScript Studio : Container View Suite	2620
'tabV'	tab view	Property of class: tab view item	AppleScript Studio : Container View Suite	2621
'tabV'	tab views	Class	AppleScript Studio : Container View Suite	2622
'tabW'	table view	Class	AppleScript Studio : Data View Suite	2623
'tabW'	table view	Property of class: table column	AppleScript Studio : Data View Suite	2624
'tabW'	table view	Property of class: table header view	AppleScript Studio : Data View Suite	2625
'tabW'	table views	Class	AppleScript Studio : Data View Suite	2626
'tagA'	tag	Property of class: cell	AppleScript Studio : Control	2627

'tagA'	tag	Property of class: menu item	View Suite AppleScript Studio : Menu Suite	2628
'tagA'	tag	Property of class: toolbar item	AppleScript Studio : Application Suite	2629
'tagA'	tag	Property of class: view	AppleScript Studio : Container View Suite	2630
'taHC'	table header cell	Class	AppleScript Studio : Data View Suite	2631
'taHC'	table header cells	Class	AppleScript Studio : Data View Suite	2632
'taHV'	table header view	Class	AppleScript Studio : Data View Suite	2633
'taHV'	table header views	Class	AppleScript Studio : Data View Suite	2634
'tarR'	target	Property of class: cell	AppleScript Studio : Control View Suite	2635
'tarR'	target	Property of class: control	AppleScript Studio : Control View Suite	2636
'tarR'	target	Property of class: menu item	AppleScript Studio : Menu Suite	2637
'tarR'	target	Property of class: toolbar item	AppleScript Studio : Application Suite	2638
			AppleScript Studio :	

'taVI'	tab view item	Class	Container View Suite	2639
'taVI'	tab view item	Parameter of command: selected tab view item	AppleScript Studio : Container View Suite	2640
'taVI'	tab view item	Parameter of command: should select tab view item	AppleScript Studio : Container View Suite	2641
'taVI'	tab view item	Parameter of command: will select tab view item	AppleScript Studio : Container View Suite	2642
'taVI'	tab view items	Class	AppleScript Studio : Container View Suite	2643
'tbar'	tool bar	Class	System Events : Processes Suite	2644
'tbar'	tool bars	Class	System Events : Processes Suite	2645
'tbar'	toolbar	Class	AppleScript Studio : Application Suite	2646
'tbar'	toolbar	Property of class: toolbar item	AppleScript Studio : Application Suite	2647
'tbar'	toolbar	Property of class: window	AppleScript Studio : Application Suite	2648
'tbar'	toolbars	Class	AppleScript Studio : Application	2649

'tbvi'	toolbar visible	Property of class: Finder window	Finder : Window Suite classes	2650
'tdas'	dash style	Class	AppleScript Language	2651
'tdfr'	data format	Property of class: track	System Events : QuickTime File Suite	2652
'teCI'	text container inset	Property of class: text view	AppleScript Studio : Text View Suite	2653
'teCO'	text container origin	Property of class: text view	AppleScript Studio : Text View Suite	2654
'teCT'	text cell type	Enumeration	AppleScript Studio : Control View Suite	2655
'teCT'	text cell type	Enumeration	AppleScript Studio : Data View Suite	2656
'teFC'	text field cell	Class	AppleScript Studio : Control View Suite	2657
'teFC'	text field cells	Class	AppleScript Studio : Control View Suite	2658
'tell'	tell	Command	AppleScript Language	2659
'temp'	temporary items	Enumeration	Standard Additions : File Commands	2660
'temp'	temporary items folder	Enumeration	Standard Additions : File Commands	2661
'temp'	temporary items folder	Property of class: application	System Events : System Events Suite	2662
		Property of class:	System Events :	

'temp'	temporary items folder	user domain object	Disk-Folder-File Suite	2663
'tend'	end tell	Command	AppleScript Language	2664
'texC'	text color	Property of class: text field	AppleScript Studio : Control View Suite	2665
'texC'	text color	Property of class: text field cell	AppleScript Studio : Control View Suite	2666
'texC'	text color	Property of class: text view	AppleScript Studio : Text View Suite	2667
'texD'	string value	Property of class: cell	AppleScript Studio : Control View Suite	2668
'texD'	string value	Property of class: control	AppleScript Studio : Control View Suite	2669
'texF'	text field	Class	AppleScript Studio : Control View Suite	2670
'texF'	text fields	Class	AppleScript Studio : Control View Suite	2671
'TEXT'	plain text	Class	AppleScript Language	2672
'TEXT'	string	Class	AppleScript Language	2673
'TEXT'	strings	Class	AppleScript Language	2674
'texV'	text view	Class	AppleScript Studio : Text View Suite	2675
'texV'	text views	Class	AppleScript Studio : Text View Suite	2676

'thgh'	through	Parameter of command: Call•subroutine	AppleScript Language	2677
'thru'	thru	Parameter of command: Call•subroutine	AppleScript Language	2678
'thSB'	thick square bezel	Enumeration	AppleScript Studio : Control View Suite	2679
'thSC'	thicker square bezel	Enumeration	AppleScript Studio : Control View Suite	2680
'thu '	Thursday	Class	AppleScript Language	2681
'TIFF'	TIFF picture	Class	AppleScript Language	2682
'tiMA'	tick mark above	Enumeration	AppleScript Studio : Control View Suite	2683
'tiMB'	tick mark below	Enumeration	AppleScript Studio : Control View Suite	2684
'time'	time	Property of class: date	AppleScript Language	2685
'tiML'	tick mark left	Enumeration	AppleScript Studio : Control View Suite	2686
'tiMP'	tick mark position	Property of class: slider	AppleScript Studio : Control View Suite	2687
'tiMR'	tick mark right	Enumeration	AppleScript Studio : Control View Suite	2688
'timS'	time stamp	Property of class: event	AppleScript Studio : Application Suite AppleScript	2689

'titC'	title cell	Property of class: box	Studio : Container View Suite	2690
'titC'	title cell	Property of class: slider	AppleScript Studio : Control View Suite	2691
'titD'	title color	Property of class: slider	AppleScript Studio : Control View Suite	2692
'titF'	title font	Property of class: box	AppleScript Studio : Container View Suite	2693
'titF'	title font	Property of class: slider	AppleScript Studio : Control View Suite	2694
'titH'	title height	Property of class: browser	AppleScript Studio : Data View Suite	2695
'titl'	title	Property of class: box	AppleScript Studio : Container View Suite	2696
'titl'	title	Property of class: button	AppleScript Studio : Control View Suite	2697
'titl'	title	Property of class: cell	AppleScript Studio : Control View Suite	2698
'titl'	title	Property of class: menu	AppleScript Studio : Menu Suite	2699
'titl'	title	Property of class: menu item	AppleScript Studio : Menu Suite	2700
'titl'	title	Property of class: save-panel	AppleScript Studio : Panel Suite	2701

'titl'	title	Property of class: slider	AppleScript Studio : Control View Suite	2702
'titl'	title	Property of class: UI element	System Events : Processes Suite	2703
'titl'	title	Property of class: window	AppleScript Studio : Application Suite	2704
'titP'	title position	Property of class: box	AppleScript Studio : Container View Suite	2705
'titR'	title rect	Property of class: box	AppleScript Studio : Container View Suite	2706
'titU'	titled	Property of class: browser	AppleScript Studio : Data View Suite	2707
'tKTC'	tab key traverses cells	Property of class: matrix	AppleScript Studio : Control View Suite	2708
'tlnt'	telnet URL	Enumeration	Standard Additions : Internet Suite	2709
'tmsc'	time scale	Property of class: QuickTime data	System Events : QuickTime File Suite	2710
'to T'	to	Parameter of command: go	AppleScript Studio : Control View Suite	2711
'to T'	to	Parameter of command: scroll	AppleScript Studio : Control View Suite	2712
'to '	to	Parameter of command: Call•subroutine	AppleScript Language	2713

'to '	to	Parameter of command: make	Finder : Standard Suite Standard	2714
'to '	to	Parameter of command: random number	Additions : Miscellaneous Commands	2715
'togB'	toggle button	Enumeration	AppleScript Studio : Control View Suite	2716
'toLA'	top left alignment	Enumeration	AppleScript Studio : Control View Suite	2717
'tooI'	toolbar item	Class	AppleScript Studio : Application Suite	2718
'tooI'	toolbar items	Class	AppleScript Studio : Application Suite	2719
'tooT'	tool tip	Property of class: toolbar item	AppleScript Studio : Application Suite	2720
'tooT'	tool tip	Property of class: view	AppleScript Studio : Container View Suite	2721
'topA'	top alignment	Enumeration	AppleScript Studio : Control View Suite	2722
'topE'	top edge	Enumeration	AppleScript Studio : Container View Suite	2723
'topE'	top edge	Enumeration	AppleScript Studio : Control View Suite AppleScript	2724

'topO'	top	Enumeration	Studio : Control View Suite	2725
'toRA'	top right alignment	Enumeration	AppleScript Studio : Control View Suite	2726
'tPAD'	treat packages as directories	Property of class: save-panel	AppleScript Studio : Panel Suite	2727
'tpmm'	pixel map record	Class	AppleScript Language	2728
'tr16'	RGB16 color	Class	AppleScript Language	2729
'tr96'	RGB96 color	Class	AppleScript Language	2730
'trak'	track	Class	System Events : QuickTime File Suite	2731
'trak'	tracks	Class	System Events : QuickTime File Suite	2732
'traM'	track mode	Enumeration	AppleScript Studio : Control View Suite	2733
'traO'	trailing offset	Property of class: drawer	AppleScript Studio : Container View Suite	2734
'traP'	transparent	Property of class: button	AppleScript Studio : Control View Suite	2735
'traP'	transparent	Property of class: button cell	AppleScript Studio : Control View Suite	2736
'trot'	rotation	Class	AppleScript Language	2737
'trpr'	target printer	Property of class: print settings	Cocoa Scripting : Type Definitions	2738

'trsh'	trash	Enumeration	Standard Additions : File Commands	2739
'trsh'	trash	Property of class: application	Finder : Finder Basics	2740
'trsh'	trash	Property of class: application	System Events : System Events Suite	2741
'trsh'	trash folder	Enumeration	Standard Additions : File Commands	2742
'true'	true	Enumeration	AppleScript Language	2743
'truL'	truncated labels	Property of class: tab view	AppleScript Studio : Container View Suite	2744
'tsqB'	textured square bezel	Enumeration	AppleScript Studio : Control View Suite	2745
'tstr'	time string	Property of class: date	AppleScript Language	2746
'tsty'	text style info	Class	AppleScript Language	2747
'tsty'	text style infos	Class	AppleScript Language	2748
'tTBB'	top tabs bezel border	Enumeration	AppleScript Studio : Container View Suite	2749
'ttos'	say	Command	Standard Additions : User Interaction	2750
'ttrm'	abort transaction	Command	System Events : System Events Suite	2751
'ttxt'	text returned	Property of class:	AppleScript	

		dialog reply	Studio : Panel Suite	2752
'ttxl'	text returned	Property of class: dialog reply	Standard Additions : User Interaction	2753
'tue '	Tuesday	Class	AppleScript Language	2754
'txdl'	text item delimiters	Property of class: application	AppleScript Language	2755
'txst'	style	Property of class: text	AppleScript Language	2756
'txta'	text area	Class	System Events : Processes Suite	2757
'txta'	text areas	Class	System Events : Processes Suite	2758
'txtf'	text field	Class	System Events : Processes Suite	2759
'txtf'	text fields	Class	System Events : Processes Suite	2760
'type'	type	Property of class: track	System Events : QuickTime File Suite	2761
'type'	type class	Class	AppleScript Language	2762
'typP'	types	Property of class: pasteboard	AppleScript Studio : Application Suite	2763
'uacc'	user	Class	System Events : Accounts Suite	2764
'uacc'	users	Class	System Events : Accounts Suite	2765
'uiel'	UI element	Class	System Events : Processes Suite	2766
'uiel'	UI elements	Class	System Events : Processes Suite	2767
	UI elements	Property of class:	System Events :	

'uien'	enabled	application	System Events Suite Standard	2768
'uldp'	directory server URL	Enumeration	Additions : Internet Suite	2769
'undl'	underline	Enumeration	AppleScript Language	2770
'undr'	under	Parameter of command: Call•subroutine	AppleScript Language	2771
'unfs'	network file system URL	Enumeration	Standard Additions : Internet Suite	2772
'unlF'	unlock focus	Command	AppleScript Studio : Container View Suite	2773
'unmC'	unmodified characters	Property of class: event	AppleScript Studio : Application Suite	2774
'updA'	updated	Command	AppleScript Studio : Application Suite	2775
'updP'	update parameters	Command	AppleScript Studio : Container View Suite	2776
'updV'	update views	Property of class: data source	AppleScript Studio : Data View Suite	2777
'upMI'	update menu item	Command	AppleScript Studio : Menu Suite	2778
'upop'	mail server URL	Enumeration	Standard Additions : Internet Suite	2779

'upTI'	update toolbar item	Command	AppleScript Studio : Application Suite	2780
'urdt'	uses relative dates	Property of class: list view options	Finder : Type Definitions	2781
'url '	URL	Class	Standard Additions : Internet Suite	2782
'url '	URL	Property of class: disk item	System Events : Disk-Folder-File Suite	2783
'url?'	unknown URL	Enumeration	Standard Additions : Internet Suite	2784
'us-D'	user-defaults	Class	AppleScript Studio : Application Suite	2785
'usDS'	uses data source	Property of class: combo box	AppleScript Studio : Control View Suite	2786
'useD'	user defaults	Property of class: application	AppleScript Studio : Application Suite	2787
'USER'	as user name	Parameter of command: mount volume	Standard Additions : File Commands	2788
'useR'	uses ruler	Property of class: text view	AppleScript Studio : Text View Suite	2789
'user'	from user	Parameter of command: handle CGI request	Standard Additions : Internet Suite	2790
'usFP'	uses font panel	Property of class: text view	AppleScript Studio : Text View Suite	2791

'usin'	using	Parameter of command: open	Finder : Standard Suite Standard	2792
'usrs'	users folder	Enumeration	Additions : File Commands	2793
'usSI'	use sort indicators	Property of class: table view	AppleScript Studio : Data View Suite	2794
'usTA'	uses threaded animation	Property of class: progress indicator	AppleScript Studio : Control View Suite	2795
'ustl'	uniform styles	Property of class: text	AppleScript Language	2796
'uTFP'	uses title from previous column	Property of class: browser	AppleScript Studio : Data View Suite	2797
'uti\$'	utilities folder	Property of class: domain	System Events : Disk-Folder-File Suite	2798
'utif'	utilities folder	Enumeration	Standard Additions : File Commands	2799
'utid'	type identifier	Property of class: alias	System Events : Disk-Folder-File Suite	2800
'utid'	type identifier	Property of class: file	System Events : Disk-Folder-File Suite	2801
'utid'	type identifier	Property of class: file information	Standard Additions : File Commands	2802
'utiQ'	utilities folder	Property of class: application	System Events : System Events Suite	2803
'utxt'	Unicode text	Class	AppleScript Language	2804
'vali'	value indicator	Class	System Events : Processes Suite	2805

'vali'	value indicators	Class	System Events : Processes Suite	2806
'valL'	value	Parameter of command: cell value changed	AppleScript Studio : Data View Suite	2807
'valL'	value	Parameter of command: change cell value	AppleScript Studio : Data View Suite	2808
'valL'	value	Parameter of command: change item value	AppleScript Studio : Data View Suite	2809
'valL'	value	Parameter of command: item value changed	AppleScript Studio : Data View Suite	2810
'valL'	value	Property of class: attribute	System Events : Processes Suite	2811
'valL'	value	Property of class: property list item	System Events : Property List Suite	2812
'valL'	value	Property of class: UI element	System Events : Processes Suite	2813
'valL'	value	Property of class: XML attribute	System Events : XML Suite	2814
'valL'	value	Property of class: XML element	System Events : XML Suite	2815
'valW'	value wraps	Property of class: stepper	AppleScript Studio : Control View Suite	2816
'vcdp'	video depth	Property of class: track	System Events : QuickTime File Suite	2817
'vdvd'	video DVD appeared	Command	Digital Hub OSAX : Digital Hub Actions	2818
'vect'	vector	Class	AppleScript Language	2819
'vect'	vectors	Class	AppleScript Language	2820

'veLS'	vertical line scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	2821
'vePS'	vertical page scroll	Property of class: scroll view	AppleScript Studio : Container View Suite	2822
'ver2'	product version	Property of class: alias	System Events : Disk-Folder-File Suite	2823
'ver2'	product version	Property of class: application	Finder : Finder Basics	2824
'ver2'	product version	Property of class: file	Finder : Files	2825
'ver2'	product version	Property of class: file	System Events : Disk-Folder-File Suite	2826
'verR'	vertically resizable	Property of class: text view	AppleScript Studio : Text View Suite	2827
'verS'	vertical scroller	Property of class: scroll view	AppleScript Studio : Container View Suite	2828
'vers'	version	Class	AppleScript Language	2829
'vers'	version	Enumeration	Finder : Enumerations	2830
'vers'	version	Property of class: alias	System Events : Disk-Folder-File Suite	2831
'vers'	version	Property of class: application	AppleScript Language	2832
'vers'	version	Property of class: application	AppleScript Studio : Application Suite	2833

'vers'	version	Property of class: application	Cocoa Scripting : Standard Suite	2834
'vers'	version	Property of class: application	Finder : Finder Basics	2835
'vers'	version	Property of class: file	Finder : Files	2836
'vers'	version	Property of class: file	System Events : Disk-Folder-File Suite	2837
'verT'	vertical	Property of class: slider	AppleScript Studio : Control View Suite	2838
'verT'	vertical	Property of class: split view	AppleScript Studio : Container View Suite	2839
'veRV'	vertical ruler view	Property of class: scroll view	AppleScript Studio : Container View Suite	2840
'viDR'	visible document rect	Property of class: clip view	AppleScript Studio : Container View Suite	2841
'viDR'	visible document rect	Property of class: scroll view	AppleScript Studio : Container View Suite	2842
'view'	view	Class	AppleScript Studio : Container View Suite	2843
'view'	view	Property of class: tab view item	AppleScript Studio : Container View Suite AppleScript	2844

'view'	view	Property of class: toolbar item	Studio : Application Suite AppleScript	2845
'view'	views	Class	Studio : Container View Suite AppleScript	2846
'visI'	visible	Property of class: toolbar	Studio : Application Suite	2847
'visR'	visible rect	Property of class: view	AppleScript Studio : Container View Suite	2848
'visu'	visual characteristic	Property of class: track	System Events : QuickTime File Suite	2849
'vlst'	volume settings	Class	Standard Additions : Miscellaneous Commands	2850
'VOIC'	using	Parameter of command: say	Standard Additions : User Interaction	2851
'volL'	volume	Property of class: movie view	AppleScript Studio : Control View Suite	2852
'volu'	volume	Property of class: disk item	System Events : Disk-Folder-File Suite	2853
'volu'	volume	Property of class: folder action	System Events : Folder Actions Suite	2854
'vpnl'	Preview panel	Enumeration	Finder : Enumerations	2855
'warN'	warning	Enumeration	AppleScript Studio : Panel Suite	2856

'warN'	warning	Enumeration	Standard Additions : User Interaction	2857
'warn'	warns before emptying	Property of class: trash-object	Finder : Containers and folders	2858
'wasH'	was hidden	Command	AppleScript Studio : Application Suite	2859
'wasM'	was miniaturized	Command	AppleScript Studio : Application Suite	2860
'wDBC'	will display browser cell	Command	AppleScript Studio : Data View Suite	2861
'wDIC'	will display item cell	Command	AppleScript Studio : Data View Suite	2862
'wDOC'	will display outline cell	Command	AppleScript Studio : Data View Suite	2863
'wed '	Wednesday	Class	AppleScript Language	2864
'week'	weeks	Property of class: application	AppleScript Language	2865
'wfsp'	waiting until completion	Parameter of command: say	Standard Additions : User Interaction	2866
'whit'	white space	Enumeration	AppleScript Language	2867
'wiBA'	will become active	Command	AppleScript Studio : Application Suite	2868
'wiDC'	will display cell	Command	AppleScript Studio : Data	2869

'widD'	width	Property of class: table column	View Suite AppleScript Studio : Data View Suite	2870
'wiFL'	will finish launching	Command	AppleScript Studio : Application Suite	2871
'wiFN'	with file name	Parameter of command: display	AppleScript Studio : Panel Suite	2872
'wiFN'	with file name	Parameter of command: display panel	AppleScript Studio : Panel Suite	2873
'wilC'	will close	Command	AppleScript Studio : Application Suite	2874
'wilD'	will dismiss	Command	AppleScript Studio : Control View Suite	2875
'wilH'	will hide	Command	AppleScript Studio : Application Suite	2876
'wilM'	will miniaturize	Command	AppleScript Studio : Application Suite	2877
'wilN'	will move	Command	AppleScript Studio : Application Suite	2878
'wilO'	will open	Command	AppleScript Studio : Application Suite AppleScript	2879

'wilQ'	will quit	Command	Studio : Application Suite	2880
'wilR'	will resize	Command	AppleScript Studio : Application Suite	2881
'wils'	will show	Command	AppleScript Studio : Application Suite	2882
'wilZ'	will zoom	Command	AppleScript Studio : Application Suite	2883
'winM'	windows menu	Property of class: application	AppleScript Studio : Application Suite	2884
'wiPU'	will pop up	Command	AppleScript Studio : Control View Suite	2885
'wiRA'	will resign active	Command	AppleScript Studio : Application Suite	2886
'witD'	with data	Parameter of command: load data representation	AppleScript Studio : Document Suite	2887
'with'	with	Parameter of command: append	AppleScript Studio : Data View Suite	2888
'with'	with	Parameter of command: Call•subroutine	AppleScript Language	2889
'witP'	with parameters	Parameter of command: call method	AppleScript Studio : Application	2890

			Suite	
'witQ'	with parameter	Parameter of command: call method	AppleScript Studio : Application Suite	2891
'witR'	with reply	Parameter of command: alert ended	AppleScript Studio : Panel Suite	2892
'witR'	with reply	Parameter of command: dialog ended	AppleScript Studio : Panel Suite	2893
'wits'	with result	Parameter of command: close panel	AppleScript Studio : Panel Suite	2894
'wits'	with result	Parameter of command: panel ended	AppleScript Studio : Panel Suite	2895
'wkdy'	weekday	Class	AppleScript Language	2896
'wkdy'	weekday	Property of class: date	AppleScript Language	2897
'wkdy'	weekdays	Class	AppleScript Language	2898
'wout'	without	Parameter of command: Call•subroutine	AppleScript Language	2899
'wraA'	wraps	Property of class: cell	AppleScript Studio : Control View Suite	2900
'wrat'	starting at	Parameter of command: write	Standard Additions : File Read/Write	2901
'wrcd'	in	Parameter of command: class info	AppleScript Language	2902
'wrcd'	in	Parameter of command: event info	AppleScript Language	2903

'wrcd'	in	Parameter of command: suite info	AppleScript Language	2904
'writ'	write	Command	Standard Additions : File Read/Write	2905
'writ'	write only	Enumeration	Finder : Enumerations	2906
'wRSV'	will resize sub views	Command	AppleScript Studio : Container View Suite	2907
'wrTF'	write to file	Command	AppleScript Studio : Document Suite	2908
'wshd'	collapsed	Property of class: window	Finder : Window classes	2909
'wSTV'	will select tab view item	Command	AppleScript Studio : Container View Suite	2910
'xmla'	XML attribute	Class	System Events : XML Suite	2911
'xmla'	XML attributes	Class	System Events : XML Suite	2912
'xmlD'	XML data	Class	System Events : XML Suite	2913
'xmle'	XML element	Class	System Events : XML Suite	2914
'xmle'	XML elements	Class	System Events : XML Suite	2915
'xmlf'	XML file	Class	System Events : XML Suite	2916
'xmlf'	XML files	Class	System Events : XML Suite	2917
'yard'	yards	Class	AppleScript Language	2918

'year'	year	Property of class: date	AppleScript Language	2919
'yes '	yes	Enumeration	AppleScript Language	2920
'yes '	yes	Enumeration	Cocoa Scripting : Standard Suite	2921
'yes '	yes	Enumeration	Standard Additions : Scripting Commands	2922
'ZONE'	in AppleTalk zone	Parameter of command: mount volume	Standard Additions : File Commands	2923
'zumf'	zoomed full size	Property of class: window	Finder : Window classes	2924
0x00000000	stop	Enumeration	Standard Additions : User Interaction	2925
0x00000001	note	Enumeration	Standard Additions : User Interaction	2926
0x00000002	caution	Enumeration	Standard Additions : User Interaction	2927
0x6b732400	return key	Enumeration	AppleScript Language	2928
0x6b733000	tab key	Enumeration	AppleScript Language	2929
0x6b733300	delete key	Enumeration	AppleScript Language	2930
0x6b733500	escape key	Enumeration	AppleScript Language	2931
0x6b734700	clear key	Enumeration	AppleScript Language	2932
0x6b734c00	enter key	Enumeration	AppleScript Language	2933

0x6b736000	F5 key	Enumeration	AppleScript Language	2934
0x6b736100	F6 key	Enumeration	AppleScript Language	2935
0x6b736200	F7 key	Enumeration	AppleScript Language	2936
0x6b736300	F3 key	Enumeration	AppleScript Language	2937
0x6b736400	F8 key	Enumeration	AppleScript Language	2938
0x6b736500	F9 key	Enumeration	AppleScript Language	2939
0x6b736700	F11 key	Enumeration	AppleScript Language	2940
0x6b736900	F13 key	Enumeration	AppleScript Language	2941
0x6b736b00	F14 key	Enumeration	AppleScript Language	2942
0x6b736d00	F10 key	Enumeration	AppleScript Language	2943
0x6b736f00	F12 key	Enumeration	AppleScript Language	2944
0x6b737100	F15 key	Enumeration	AppleScript Language	2945
0x6b737200	help key	Enumeration	AppleScript Language	2946
0x6b737300	home key	Enumeration	AppleScript Language	2947
0x6b737400	page up key	Enumeration	AppleScript Language	2948
0x6b737500	forward del key	Enumeration	AppleScript Language	2949
0x6b737600	F4 key	Enumeration	AppleScript Language	2950
0x6b737700	end key	Enumeration	AppleScript Language	2951

0x6b737800 F2 key	Enumeration	AppleScript Language	2952
0x6b737900 page down key	Enumeration	AppleScript Language	2953
0x6b737a00 F1 key	Enumeration	AppleScript Language	2954
0x6b737b00 left arrow key	Enumeration	AppleScript Language	2955
0x6b737c00 right arrow key	Enumeration	AppleScript Language	2956
0x6b737d00 down arrow key	Enumeration	AppleScript Language	2957
0x6b737e00 up arrow key	Enumeration	AppleScript Language	2958